



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 24/01/2022 To 24/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220124-027		24/01/2022	07:27	GS	Butanona Normal Saline	3MM Whatman Sílica gel	154,1 5,5		3,7 117,1	0	pH (Low/Actual/High)	93,169 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220124-028		24/01/2022	07:33	GS	Butanona Normal Saline	3MM Whatman Sílica gel	145,5 5,1		0,7 96,7	0	pH (Low/Actual/High)	94,511 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220124-030		24/01/2022	08:03	GS	Butanona Normal Saline	3MM Whatman Sílica gel	174,9 9		1,4 97,7	0	pH (Low/Actual/High)	90,771 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220124-034		24/01/2022	08:35	GS	Butanona Normal Saline	3MM Whatman Sílica gel	123,3 1,7		2 140,8	0	pH (Low/Actual/High)	97,211 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220124-038		24/01/2022	10:21	MB	Butanona Normal Saline	3MM Whatman Sílica gel	206 2,5		4 150	0	pH (Low/Actual/High)	96,456 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220124-039		24/01/2022	10:23	MB	Butanona Normal Saline	3MM Whatman Sílica gel	252 6		10 164	0	pH (Low/Actual/High)	92,654 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220124-037		24/01/2022	09:56	BB	Citrato de Sódio 0,1M	Sílica gel	11		0,1	0	pH (Low/Actual/High)	99,099 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220124-041		24/01/2022	11:00	BB	Citrato de Sódio 0,1M	Sílica gel	7,8		0,1	0	pH (Low/Actual/High)	98,734 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220124-043		24/01/2022	11:58										%
DTPA-99mTc Lot # K-20220124-012	RPH	24/01/2022	04:02	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	291 16		1 206	0	pH (Low/Actual/High)	92,45 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220124-013	RPH	24/01/2022	04:05	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	344 9		1 343	0	pH (Low/Actual/High)	97,153 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220124-033	RPH	24/01/2022 08:34	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			363 6		2 445	0 pH (Low/Actual/High)	98,122 % 3,80 <= 6,00 <= 7,50		Pass
											Límpido/Incolor			
FITATO-99mTc Lot # K-20220124-005		24/01/2022 02:49	MB	Butanona	3MM Whatman			408		2	0 pH (Low/Actual/High)	99,512 % 5,00 <= 6,00 <= 7,00		Pass
											Límpido/Incolor			
FITATO-99mTc Lot # K-20220124-019		24/01/2022 06:32	GS	Butanona	3MM Whatman			860		12	0 pH (Low/Actual/High)	98,624 % 5,00 <= 5,00 <= 7,00		Pass
											Límpido/Incolor			
MAA-99mTc Lot # K-20220124-014		24/01/2022 04:09	MB	Butanona	3MM Whatman			185,3		2,6	0 pH (Low/Actual/High)	98,616 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-015		24/01/2022 04:11	MB	Butanona	3MM Whatman			149,1		4,9	0 pH (Low/Actual/High)	96,818 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-016		24/01/2022 04:13	MB	Butanona	3MM Whatman			196,3		3,7	0 pH (Low/Actual/High)	98,15 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-024		24/01/2022 07:19	BB	Butanona	3MM Whatman			139,3		3,9	0 pH (Low/Actual/High)	97,277 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-025		24/01/2022 07:21	GS	Butanona	3MM Whatman			155,3		1,4	0 pH (Low/Actual/High)	99,107 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-026		24/01/2022 07:24	GS	Butanona	3MM Whatman			131,6		0,3	0 pH (Low/Actual/High)	99,773 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-036		24/01/2022 09:18	MB	Butanona	3MM Whatman			94,7		1,2	0 pH (Low/Actual/High)	98,749 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-040		24/01/2022 10:25	MB	Butanona	3MM Whatman			282		6	0 pH (Low/Actual/High)	97,917 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MAA-99mTc Lot # K-20220124-042		24/01/2022 11:07	MB	Butanona	3MM Whatman			202		8	0 pH (Low/Actual/High)	96,19 % 3,00 <= 5,00 <= 6,00		Pass
											Turvo/Incolor			
MDP-99mTc Lot # K-20220124-008		24/01/2022 02:58	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			597 27		3 834	0 pH (Low/Actual/High)	96,364 % 4,00 <= 6,00 <= 7,80		Pass
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220124-009		24/01/2022 03:00	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			895 21		2 1056		0 pH (Low/Actual/High)	97,827 % 4,00 <= 6,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220124-010		24/01/2022 03:02	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1155 26		10 1120		0 pH (Low/Actual/High)	96,873 % 4,00 <= 6,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220124-011		24/01/2022 03:05	BB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1068 17		5 1088		0 pH (Low/Actual/High)	97,996 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220124-021		24/01/2022 06:45	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			1388 5		9 984		0 pH (Low/Actual/High)	98,85 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220124-023		24/01/2022 06:53	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			1007 10		7 854		0 pH (Low/Actual/High)	98,152 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220124-029		24/01/2022 07:41	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			749 17		18 934		0 pH (Low/Actual/High)	95,866 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220124-035		24/01/2022 08:51	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			1667 4		4 1192		0 pH (Low/Actual/High)	99,426 % 4,00 <= 6,00 <= 7,80	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-001		24/01/2022 01:59	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1246 9		13 2077		0 pH (Low/Actual/High)	98,536 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-002		24/01/2022 02:02	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1089 71		16 1929		0 pH (Low/Actual/High)	95,002 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-003		24/01/2022 02:10	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			902 7		18 1788		0 pH (Low/Actual/High)	97,654 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-004		24/01/2022 02:11	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1208 4		30 1440		0 pH (Low/Actual/High)	97,30 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-006		24/01/2022 02:53	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1525 18		24 2070		0 pH (Low/Actual/High)	97,589 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-007		24/01/2022 02:55	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1740 11		16 2043		0 pH (Low/Actual/High)	98,553 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220124-017	24/01/2022	06:26	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			202 5		5 1607	0	pH (Low/Actual/High)	97,274 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-018	24/01/2022	06:27	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1708 1		29 266	0	pH (Low/Actual/High)	97,956 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-020	24/01/2022	06:37	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1414 40		25 1524	0	pH (Low/Actual/High)	95,705 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-031	24/01/2022	08:11	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1400 6		17 1909	0	pH (Low/Actual/High)	98,487 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220124-032	24/01/2022	08:19	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1111 33		7 1386	0	pH (Low/Actual/High)	97,048 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220124-022	24/01/2022	06:47	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,4		62	0	pH (Low/Actual/High)	99,359 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220124-044	24/01/2022	13:04	LG	Acetato de amônio 1M:Metanol	Sílica gel			0,5		11	0	pH (Low/Actual/High)	95,652 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220124-001	24/01/2022	01:15	MB	Butanona	3MM Whatman			20		751	0	pH (Low/Actual/High)	97,406 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220124-002	24/01/2022	02:04	MB	Butanona	3MM Whatman			3		331	0	pH (Low/Actual/High)	99,102 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220124-003	24/01/2022	02:51	MB	Butanona	3MM Whatman			22		2310	0	pH (Low/Actual/High)	99,057 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220124-004	24/01/2022	02:56	MB	Butanona	3MM Whatman			3		1799	0	pH (Low/Actual/High)	99,834 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220124-005	24/01/2022	04:06	MB	Butanona	3MM Whatman			5		762	0	pH (Low/Actual/High)	99,348 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220124-006	24/01/2022	06:22	GS	Butanona	3MM Whatman			3		223	0	pH (Low/Actual/High)	98,673 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220124-007		24/01/2022 06:27	GS	Butanona		3MM Whatman		19		865	0	97,851 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-009		24/01/2022 07:16	GS	Butanona		3MM Whatman		10		1233	0	99,195 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-010		24/01/2022 07:26	GS	Butanona		3MM Whatman		1		454	0	99,78 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-011		24/01/2022 07:26	GS	Butanona		3MM Whatman		10		723	0	98,636 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-012		24/01/2022 07:42	GS	Butanona		3MM Whatman		2		744	0	99,732 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-013		24/01/2022 07:43	GS	Butanona		3MM Whatman		16		1009	0	98,439 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-014		24/01/2022 08:04	GS	Butanona		3MM Whatman		11		832	0	98,695 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-015		24/01/2022 08:04	GS	Butanona		3MM Whatman		6		654	0	99,091 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-016		24/01/2022 08:10	GS	Butanona		3MM Whatman		5		459	0	98,922 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-017		24/01/2022 08:25	GS	Butanona		3MM Whatman		11		865	0	98,744 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-018		24/01/2022 08:26	GS	Butanona		3MM Whatman		2		417	0	99,523 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-019		24/01/2022 08:45	GS	Butanona		3MM Whatman		1		415	0	99,76 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220124-020		24/01/2022 08:55	GS	Butanona		3MM Whatman		14		378	0	96,429 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m		24/01/2022 10:17	MB	Butanona		3MM	Whatman	2		505	0		99,606 %	Pass
Lot # E-20220124-022											pH (Low/Actual/High)		5,00 <= 5,00	<= 6,00
														Límpido e Incolor