



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 25/01/2022 To 25/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220125-010		25/01/2022	04:19	MB	Butanona Normal Saline	3MM Whatman Sílica gel	201 2,7		2,4 137,9	0	pH (Low/Actual/High)	96,90 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220125-011		25/01/2022	04:21	MB	Butanona Normal Saline	3MM Whatman Sílica gel	164,5 1,5		0,8 142,6	0	pH (Low/Actual/High)	98,475 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220125-014		25/01/2022	07:06	MB	Citrato de Sódio 0,1M	Sílica gel	31,95		0,1	0	pH (Low/Actual/High)	99,688 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220125-021		25/01/2022	09:59	MB	Citrato de Sódio 0,1M	Sílica gel	61,7		1	0	pH (Low/Actual/High)	98,405 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220125-022		25/01/2022	11:21	YD	Citrato de Sódio 0,1M	Sílica gel	25,9		0,4	0	pH (Low/Actual/High)	98,479 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220125-004	RPH	25/01/2022	03:00	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	660 20		2 225	0	pH (Low/Actual/High)	91,535 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220125-008		25/01/2022	03:49	MB	Butanona	3MM Whatman	378		3	0	pH (Low/Actual/High)	99,213 %	Pass 5,00 <= 5,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220125-016		25/01/2022	07:16	MB	Butanona	3MM Whatman	480		1	0	pH (Low/Actual/High)	99,792 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
MAA-99mTc Lot # K-20220125-005		25/01/2022	03:04	MB	Butanona	3MM Whatman	178,8		3,1	0	pH (Low/Actual/High)	98,296 %	Pass 3,00 <= 6,00 <= 6,00
						Turvo/Incolor							
MAA-99mTc Lot # K-20220125-006		25/01/2022	03:05	MB	Butanona	3MM Whatman	181,6		2,9	0	pH (Low/Actual/High)	98,428 %	Pass 3,00 <= 6,00 <= 6,00
						Turvo/Incolor							
MDP-99mTc Lot # K-20220125-007		25/01/2022	03:16	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	1439 5		3 1458	0	pH (Low/Actual/High)	99,45 %	Pass 4,00 <= 5,00 <= 7,80
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220125-013	25/01/2022	07:03	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			848 1		1 945	0	pH (Low/Actual/High)	99,777 %	Pass 4,00 <= 5,00 <= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-001	25/01/2022	02:29	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			2446 29		56 2868	0	pH (Low/Actual/High)	96,761 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-003	25/01/2022	02:31	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1938 6		21 2677	0	pH (Low/Actual/High)	98,704 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-002	25/01/2022	02:31	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1593 33		22 2428	0	pH (Low/Actual/High)	97,297 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-009	25/01/2022	04:08	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1505 17		16 2167	0	pH (Low/Actual/High)	98,17 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-012	25/01/2022	06:55	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1660 1		27 2203	0	pH (Low/Actual/High)	98,354 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-015	25/01/2022	07:07	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1776 8		21 1696	0	pH (Low/Actual/High)	98,362 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-017	25/01/2022	08:20	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1548 1		35 220	0	pH (Low/Actual/High)	97,337 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220125-018	25/01/2022	09:06	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			202 1		3 267	0	pH (Low/Actual/High)	98,163 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
Tecnécio-99m Lot # E-20220125-001	25/01/2022	02:22	MB	Butanona	3MM Whatman			6		256	0	pH (Low/Actual/High)	97,71 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-002	25/01/2022	02:22	MB	Butanona	3MM Whatman			2		268	0	pH (Low/Actual/High)	99,259 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-003	25/01/2022	02:53	MB	Butanona	3MM Whatman			15		517	0	pH (Low/Actual/High)	97,18 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-004	25/01/2022	03:07	MB	Butanona	3MM Whatman			82		3065	0	pH (Low/Actual/High)	97,394 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220125-005		25/01/2022 04:01	MB	Butanona		3MM Whatman		1		546	0		99,817 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-006		25/01/2022 04:06	MB	Butanona		3MM Whatman		57		3764	0		98,508 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-007		25/01/2022 04:49	MB	Butanona		3MM Whatman		1		414	0		99,759 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-008		25/01/2022 06:44	MB	Butanona		3MM Whatman		4		523	0		99,241 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-009		25/01/2022 06:59	MB	Butanona		3MM Whatman		1		368	0		99,729 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-011		25/01/2022 08:13	MB	Butanona		3MM Whatman		7		425	0		98,38 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-012		25/01/2022 08:36	MB	Butanona		3MM Whatman		7		627	0		98,896 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-013		25/01/2022 08:48	MB	Butanona		3MM Whatman		4		325	0		98,784 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-014		25/01/2022 09:07	MB	Butanona		3MM Whatman		5		569	0		99,129 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-015		25/01/2022 09:07	MB	Butanona		3MM Whatman		10		1350	0		99,265 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-016		25/01/2022 09:52	MB	Butanona		3MM Whatman		6		414	0		98,571 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-017		25/01/2022 09:53	MB	Butanona		3MM Whatman		2		652	0		99,694 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-019		25/01/2022 10:43	MB	Butanona		3MM Whatman		2		294	0		99,324 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220125-020	25/01/2022	10:43	MB	Butanona	3MM	Whatman		1		168	0	99,408 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220125-021	25/01/2022	10:44	MB	Butanona	3MM	Whatman		7		610	0	98,865 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20220125-019	25/01/2022	09:35	MB	Normal Saline	Sílica gel			135,7		2,3	0	97,277 %	Pass	
				Butanona	3MM	Whatman		1,7		159,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220125-020	25/01/2022	09:36	MB	Normal Saline	Sílica gel			169,2		4,2	0	96,879 %	Pass	
				Butanona	3MM	Whatman		1,3		184,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor