



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 26/01/2022 To 26/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220126-024		26/01/2022	07:30	MB	Butanona Normal Saline	3MM Whatman Sílica gel	228,7 9,5		2,7 177,2	0	pH (Low/Actual/High)	93,745 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220126-025		26/01/2022	07:32	MB	Butanona Normal Saline	3MM Whatman Sílica gel	202,1 7,1		2,5 216,1	0	pH (Low/Actual/High)	95,597 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220126-034		26/01/2022	10:21	LG	Butanona Normal Saline	3MM Whatman Sílica gel	163 4		0,5 115	0	pH (Low/Actual/High)	96,333 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220126-031		26/01/2022	09:51	LG	Citrato de Sódio 0,1M	Sílica gel	8		0,4	0	pH (Low/Actual/High)	95,238 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220126-041		26/01/2022	11:13	LG	Citrato de Sódio 0,1M	Sílica gel	16		0,1	0	pH (Low/Actual/High)	99,379 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220126-014	RPH	26/01/2022	03:57	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	698 9		4 538	0	pH (Low/Actual/High)	97,785 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220126-026	RPH	26/01/2022	07:55	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	319 10		1 404	0	pH (Low/Actual/High)	97,272 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220126-033	RPH	26/01/2022	10:17	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman	191 2		0,4 185	0	pH (Low/Actual/High)	98,721 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220126-012		26/01/2022	03:52	MB	Butanona	3MM Whatman	490		1	0	pH (Low/Actual/High)	99,796 %	Pass 5,00 <= 6,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220126-032		26/01/2022	10:09	LG	Butanona	3MM Whatman	340		1	0	pH (Low/Actual/High)	99,707 %	Pass 5,00 <= 7,00 <= 7,00
						Límpido/Incolor							
MAA-99mTc Lot # K-20220126-016		26/01/2022	04:04	MB	Butanona	3MM Whatman	164,4		1,6	0	pH (Low/Actual/High)	99,036 %	Pass 3,00 <= 5,00 <= 6,00
						Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220126-027		26/01/2022 07:57	MB	Butanona		3MM Whatman		162,7		1,5	0		99,086 %	Pass
												pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220126-037		26/01/2022 10:44	LG	Butanona		3MM Whatman		117		1,5	0		98,734 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220126-039		26/01/2022 10:48	LG	Butanona		3MM Whatman		138		0,5	0		99,639 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220126-048		26/01/2022 13:08	YD	Butanona		3MM Whatman		85,6		1,6	0		98,165 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220126-009		26/01/2022 03:10	MB	Acetona		3MM Whatman		912		1	0		95,853 %	Pass
				Normal Saline		3MM Whatman		48		1141		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-015		26/01/2022 04:00	MB	Acetona		3MM Whatman		1226		5	0		98,558 %	Pass
				Normal Saline		3MM Whatman		13		1242		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-017		26/01/2022 04:23	MB	Acetona		3MM Whatman		1440		4	0		96,93 %	Pass
				Normal Saline		3MM Whatman		41		1427		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-023		26/01/2022 07:21	MB	Acetona		3MM Whatman		1056		1	0		97,008 %	Pass
				Normal Saline		3MM Whatman		31		1039		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-029		26/01/2022 08:09	MB	Acetona		3MM Whatman		1089		3	0		99,214 %	Pass
				Normal Saline		3MM Whatman		5		972		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-040		26/01/2022 10:59	LG	Acetona		3MM Whatman		453		1	0		97,938 %	Pass
				Normal Saline		3MM Whatman		14		746		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-042		26/01/2022 11:21	LG	Acetona		3MM Whatman		880		7	0		96,433 %	Pass
				Normal Saline		3MM Whatman		30		1050		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220126-044		26/01/2022 12:02	VS	Acetona		3MM Whatman		1380		7	0		99,223 %	Pass
				Normal Saline		3MM Whatman		4		1466		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20220126-003		26/01/2022 02:05	MB	Normal Saline		Sílica gel		1591		23	0		97,608 %	Pass
				Metanol		3MM Whatman		22		2253		pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220126-004		26/01/2022 02:06	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1744 32		33 2171	0	pH (Low/Actual/High)	96,69 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-006		26/01/2022 02:55	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1104 15		8 1982	0	pH (Low/Actual/High)	98,529 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-008		26/01/2022 03:00	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1725 69		16 1926	0	pH (Low/Actual/High)	95,622 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-007		26/01/2022 03:00	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1760 7		13 2389	0	pH (Low/Actual/High)	98,975 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-010		26/01/2022 03:45	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1635 16		5 2853	0	pH (Low/Actual/High)	99,137 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-011		26/01/2022 03:48	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1747 18		19 2142	0	pH (Low/Actual/High)	98,091 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-018		26/01/2022 04:42	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1494 9		24 1745	0	pH (Low/Actual/High)	97,906 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-019		26/01/2022 06:51	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1242 11		13 1160	0	pH (Low/Actual/High)	98,025 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-020		26/01/2022 06:56	MB	Normal Saline Metanol	Silica gel 3MM Whatman			539 14		14 916	0	pH (Low/Actual/High)	95,963 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-021		26/01/2022 06:58	MB	Normal Saline Metanol	Silica gel 3MM Whatman			918 2		2 1152	0	pH (Low/Actual/High)	99,609 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-028		26/01/2022 08:01	MB	Normal Saline Metanol	Silica gel 3MM Whatman			762 12		13 1062	0	pH (Low/Actual/High)	97,205 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-030		26/01/2022 08:15	MB	Normal Saline Metanol	Silica gel 3MM Whatman			994 7		13 926	0	pH (Low/Actual/High)	97,959 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-035		26/01/2022 10:24	LG	Normal Saline Metanol	Silica gel 3MM Whatman			1096 3		8 722	0	pH (Low/Actual/High)	98,862 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220126-036	26/01/2022	10:28	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			713 9		9 823	0	pH (Low/Actual/High)	97,672 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-043	26/01/2022	11:42	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			1455 6		12 1293	0	pH (Low/Actual/High)	98,72 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-045	26/01/2022	12:07	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			1010 10		15 1720	0	pH (Low/Actual/High)	97,959 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220126-046	26/01/2022	12:13	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			650 15		6 593	0	pH (Low/Actual/High)	96,618 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-177Lu Lot # K-20220126-001	26/01/2022	01:35	YD	Citrato de Sódio 0,1M	Sílica gel			714		0	0	pH (Low/Actual/High)	100,00 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC: 97,20%														
PSMA-177Lu Lot # K-20220126-002	26/01/2022	01:50	YD	Citrato de Sódio 0,1M	Sílica gel			675		0	0	pH (Low/Actual/High)	100,00 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC: 97,16%														
PSMA-177Lu Lot # K-20220126-005	26/01/2022	02:08	YD	Citrato de Sódio 0,1M	Sílica gel			420		4	0	pH (Low/Actual/High)	99,057 %	Pass 4,00 <= 4,50 <= 5,00
Límpido														
QC Notes: HPLC: 95,62%														
PSMA-68Ga Lot # K-20220126-022	26/01/2022	06:59	MB	Acetato de amônio 1M:Metanol	Sílica gel			1		99	0	pH (Low/Actual/High)	99,00 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220126-047	26/01/2022	12:45	YD	Acetato de amônio 1M:Metanol	Sílica gel			1		20,7	0	pH (Low/Actual/High)	95,392 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220126-001	26/01/2022	01:54	MB	Butanona	3MM Whatman			3		454	0	pH (Low/Actual/High)	99,344 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220126-002	26/01/2022	01:58	MB	Butanona	3MM Whatman			6		1970	0	pH (Low/Actual/High)	99,696 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220126-003	26/01/2022	02:53	MB	Butanona	3MM Whatman			2		581	0	pH (Low/Actual/High)	99,657 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220126-004		26/01/2022 02:56	MB	Butanona		3MM Whatman		6		305	0	98,071 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-005		26/01/2022 02:56	MB	Butanona		3MM Whatman		2		333	0	99,403 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-006		26/01/2022 03:42	MB	Butanona		3MM Whatman		6		968	0	99,384 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-007		26/01/2022 03:46	MB	Butanona		3MM Whatman		3		335	0	99,112 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-008		26/01/2022 03:58	MB	Butanona		3MM Whatman		7		1885	0	99,63 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-009		26/01/2022 04:40	MB	Butanona		3MM Whatman		3		2544	0	99,882 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-010		26/01/2022 06:48	MB	Butanona		3MM Whatman		2		416	0	99,522 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-012		26/01/2022 06:53	MB	Butanona		3MM Whatman		2		342	0	99,419 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-011		26/01/2022 06:53	MB	Butanona		3MM Whatman		5		444	0	98,886 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-014		26/01/2022 07:17	MB	Butanona		3MM Whatman		3		233	0	98,729 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-015		26/01/2022 07:27	MB	Butanona		3MM Whatman		5		479	0	98,967 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-016		26/01/2022 07:53	MB	Butanona		3MM Whatman		3		555	0	99,462 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-017		26/01/2022 07:58	MB	Butanona		3MM Whatman		5		412	0	98,801 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220126-018	26/01/2022	08:07	MB	Butanona		3MM Whatman		1		112	0	99,115 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-019	26/01/2022	08:13	MB	Butanona		3MM Whatman		2		433	0	99,54 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-021	26/01/2022	09:58	LG	Butanona		3MM Whatman		2		220	0	99,099 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-022	26/01/2022	09:59	LG	Butanona		3MM Whatman		0,3		163,5	0	99,817 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-024	26/01/2022	10:18	LG	Butanona		3MM Whatman		1		187	0	99,468 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-023	26/01/2022	10:19	LG	Butanona		3MM Whatman		0,2		196,5	0	99,898 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-025	26/01/2022	10:54	LG	Butanona		3MM Whatman		5		290	0	98,305 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-026	26/01/2022	10:54	LG	Butanona		3MM Whatman		2		227	0	99,127 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-027	26/01/2022	11:12	LG	Butanona		3MM Whatman		0,1		178	0	99,944 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-028	26/01/2022	11:12	LG	Butanona		3MM Whatman		1		370	0	99,73 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-030	26/01/2022	11:40	LG	Butanona		3MM Whatman		3		172	0	98,286 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-031	26/01/2022	11:57	VS	Butanona		3MM Whatman		4		544	0	99,27 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220126-032	26/01/2022	12:05	VS	Butanona		3MM Whatman		11		766	0	98,584 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220126-033		26/01/2022 12:08 VS	Butanona		3MM	Whatman		1		258	0			99,614 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-035		26/01/2022 13:00 YD	Butanona		3MM	Whatman		1		397	0			99,749 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-037		26/01/2022 13:26 VS	Butanona		3MM	Whatman		1		344	0			99,71 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220126-038		26/01/2022 13:29 VS	Butanona		3MM	Whatman		6		956	0			99,376 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor