



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 31/01/2022 To 31/01/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220131-012		31/01/2022	04:01	PM	Butanona	3MM Whatman	333		2	0	pH (Low/Actual/High)	95,53 %	Pass
					Normal Saline	Silica gel	10		248,2	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220131-021		31/01/2022	07:34	GS	Butanona	3MM Whatman	174,7		5,2	0	pH (Low/Actual/High)	93,051 %	Pass
					Normal Saline	Silica gel	4,7		111,1	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220131-027		31/01/2022	08:02	GS	Butanona	3MM Whatman	136,9		1,4	0	pH (Low/Actual/High)	94,388 %	Pass
					Normal Saline	Silica gel	5,4		112	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220131-034		31/01/2022	10:38	PM	Butanona	3MM Whatman	208		5	0	pH (Low/Actual/High)	93,537 %	Pass
					Normal Saline	Silica gel	10		233	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220131-035		31/01/2022	10:40	PM	Butanona	3MM Whatman	367		10	0	pH (Low/Actual/High)	93,933 %	Pass
					Normal Saline	Silica gel	7		198	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220131-031		31/01/2022	09:56	BB	Citrato de Sódio 0,1M	Silica gel	11,6		0,2	0	pH (Low/Actual/High)	98,305 %	Pass
													4,00 <= 5,00
Límpido e Incolor													
DTPA-99mTc Lot # K-20220131-011	RPH	31/01/2022	03:55	PM	Acetona	3MM Whatman	1515		10	0	pH (Low/Actual/High)	96,581 %	Pass
					Normal Saline	3MM Whatman	27		950	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20220131-026	RPH	31/01/2022	07:55	GS	Acetona	3MM Whatman	386		1	0	pH (Low/Actual/High)	96,785 %	Pass
					Normal Saline	3MM Whatman	11		361	3,80 <= 5,00		<= 7,50	
Límpido/Incolor													
FITATO-99mTc Lot # K-20220131-010		31/01/2022	03:37	PM	Butanona	3MM Whatman	1067		48	0	pH (Low/Actual/High)	95,695 %	Pass
													5,00 <= 7,00
Límpido/Incolor													
FITATO-99mTc Lot # K-20220131-032		31/01/2022	10:06	PM	Butanona	3MM Whatman	1019		5	0	pH (Low/Actual/High)	99,512 %	Pass
													5,00 <= 7,00
Límpido/Incolor													
MAA-99mTc Lot # K-20220131-013		31/01/2022	04:17	PM	Butanona	3MM Whatman	877		10	0	pH (Low/Actual/High)	98,873 %	Pass
													3,00 <= 6,00
Turvo/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220131-022		31/01/2022 07:49	GS	Butanona		3MM Whatman		117,9		3,9	0	96,798 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220131-023		31/01/2022 07:51	BB	Butanona		3MM Whatman		178		9	0	95,187 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220131-024		31/01/2022 07:52	GS	Butanona		3MM Whatman		140,9		5,1	0	96,507 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220131-025		31/01/2022 07:53	GS	Butanona		3MM Whatman		182,1		8,9	0	95,34 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220131-038		31/01/2022 11:10	PM	Butanona		3MM Whatman		524		10	0	98,127 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220131-007		31/01/2022 03:29	PM	Acetona		3MM Whatman		2396		6	0	98,858 %	Pass	
				Normal Saline		3MM Whatman		14		1556		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-009		31/01/2022 03:31	PM	Acetona		3MM Whatman		2105		33	0	98,156 %	Pass	
				Normal Saline		3MM Whatman		6		1990		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-008		31/01/2022 03:31	PM	Acetona		3MM Whatman		2059		7	0	98,857 %	Pass	
				Normal Saline		3MM Whatman		12		1481		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-018		31/01/2022 07:17	GS	Acetona		3MM Whatman		959		8	0	95,611 %	Pass	
				Normal Saline		3MM Whatman		40		1083		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-019		31/01/2022 07:18	GS	Acetona		3MM Whatman		766		10	0	98,578 %	Pass	
				Normal Saline		3MM Whatman		1		747		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-020		31/01/2022 07:19	GS	Acetona		3MM Whatman		1131		7	0	98,698 %	Pass	
				Normal Saline		3MM Whatman		7		1012		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-029		31/01/2022 08:38	MB	Acetona		3MM Whatman		1043		4	0	99,295 %	Pass	
				Normal Saline		3MM Whatman		2		618		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220131-030		31/01/2022 09:34	PM	Acetona		3MM Whatman		2146		48	0	96,48 %	Pass	
				Normal Saline		3MM Whatman		50		3702		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220131-033		31/01/2022 10:12 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			861 17		4 752	0 pH (Low/Actual/High)	97,327 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220131-036		31/01/2022 10:51 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			887 19		3 1187	0 pH (Low/Actual/High)	98,087 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-001		31/01/2022 02:25 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2018 11		60 3270	0 pH (Low/Actual/High)	96,777 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-002		31/01/2022 02:25 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1993 52		38 2437	0 pH (Low/Actual/High)	96,04 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-003		31/01/2022 02:30 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1946 41		51 3260	0 pH (Low/Actual/High)	96,204 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-004		31/01/2022 02:34 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2806 45		14 3454	0 pH (Low/Actual/High)	98,217 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-005		31/01/2022 02:47 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			3371 75		49 4136	0 pH (Low/Actual/High)	96,786 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-006		31/01/2022 02:48 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			3571 49		47 4848	0 pH (Low/Actual/High)	97,70 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-015		31/01/2022 06:55 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			224 7		1 300	0 pH (Low/Actual/High)	97,275 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-016		31/01/2022 06:56 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			1692 6		26 210	0 pH (Low/Actual/High)	95,709 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-017		31/01/2022 07:02 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			1177 1		15 1347	0 pH (Low/Actual/High)	98,667 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-028		31/01/2022 08:36 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1685 15		33 1657	0 pH (Low/Actual/High)	97,182 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220131-037		31/01/2022 11:02 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			242 11		5 434	0 pH (Low/Actual/High)	95,504 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20220131-014		31/01/2022 06:39	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,7		43,2	0		98,405 %	Pass
												pH (Low/Actual/High)	4,00 <= 6,00	<= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220131-039		31/01/2022 12:43	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,01		17,48	0		99,943 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220131-040		31/01/2022 15:32	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,1		17,57	0		99,434 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-001		31/01/2022 01:53	PM	Butanona		3MM Whatman		17		1487	0		98,87 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-002		31/01/2022 01:54	PM	Butanona		3MM Whatman		30		1358	0		97,839 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-003		31/01/2022 02:32	PM	Butanona		3MM Whatman		16		1555	0		98,982 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-004		31/01/2022 02:43	PM	Butanona		3MM Whatman		37		1994	0		98,178 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-005		31/01/2022 03:27	PM	Butanona		3MM Whatman		22		949	0		97,734 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-006		31/01/2022 03:53	MB	Butanona		3MM Whatman		34		1189	0		97,22 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-007		31/01/2022 03:57	PM	Butanona		3MM Whatman		2		1072	0		99,814 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-009		31/01/2022 06:44	GS	Butanona		3MM Whatman		1		524	0		99,81 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-010		31/01/2022 06:46	GS	Butanona		3MM Whatman		3		418	0		99,287 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220131-011		31/01/2022 07:04	GS	Butanona		3MM Whatman		1		446	0		99,776 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220131-012		31/01/2022 07:09	GS	Butanona		3MM Whatman		20		1259	0		98,436 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-013		31/01/2022 07:32	GS	Butanona		3MM Whatman		2		374	0		99,468 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-014		31/01/2022 08:31	GS	Butanona		3MM Whatman		28		1065	0		97,438 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-015		31/01/2022 09:29	YD	Butanona		3MM Whatman		20		1666	0		98,814 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-017		31/01/2022 10:07	PM	Butanona		3MM Whatman		3		598	0		99,501 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-018		31/01/2022 10:28	PM	Butanona		3MM Whatman		20		902	0		97,831 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-019		31/01/2022 10:46	PM	Butanona		3MM Whatman		8		930	0		99,147 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-020		31/01/2022 10:58	PM	Butanona		3MM Whatman		6		1567	0		99,619 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220131-021		31/01/2022 11:04	PM	Butanona		3MM Whatman		79		1837	0		95,877 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			