



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 02/02/2022 To 02/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220202-009		02/02/2022	04:02	MB	Butanona Normal Saline	3MM Whatman Sílica gel	139,4 8,9		1,2 114,6	0	pH (Low/Actual/High)	91,94 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220202-022		02/02/2022	07:35	GS	Butanona Normal Saline	3MM Whatman Sílica gel	155,8 4,9		0,6 110,9	0	pH (Low/Actual/High)	95,385 %	Pass 2,00 <= 2,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220202-023		02/02/2022	07:37	GS	Butanona Normal Saline	3MM Whatman Sílica gel	101 7,4		0,8 114	0	pH (Low/Actual/High)	93,119 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220202-035		02/02/2022	10:27	JS	Butanona Normal Saline	3MM Whatman Sílica gel	116,3 7		0,2 143	0	pH (Low/Actual/High)	95,162 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220202-033		02/02/2022	09:56	PM	Citrato de Sódio 0,1M	Sílica gel	14,2		0,5	0	pH (Low/Actual/High)	96,599 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220202-004	RPH	02/02/2022	03:15	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	274 5		4 270	0	pH (Low/Actual/High)	96,743 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220202-030	RPH	02/02/2022	09:17	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	475 8		3 439	0	pH (Low/Actual/High)	97,583 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220202-003		02/02/2022	03:11	MB	Butanona	3MM Whatman	254		2	0	pH (Low/Actual/High)	99,219 %	Pass 5,00 <= 5,00 <= 7,00
						Límpido/Incolor							
FITATO-99mTc Lot # K-20220202-024		02/02/2022	07:39	GS	Butanona	3MM Whatman	277		1	0	pH (Low/Actual/High)	99,64 %	Pass 5,00 <= 5,00 <= 7,00
						Límpido/Incolor							
MAA-99mTc Lot # K-20220202-008		02/02/2022	04:01	MB	Butanona	3MM Whatman	271		3	0	pH (Low/Actual/High)	98,905 %	Pass 3,00 <= 5,00 <= 6,00
						Turvo/Incolor							
MAA-99mTc Lot # K-20220202-026		02/02/2022	08:03	GS	Butanona	3MM Whatman	142,3		2,4	0	pH (Low/Actual/High)	98,341 %	Pass 3,00 <= 3,00 <= 6,00
						Turvo/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220202-037		02/02/2022 10:34 JS	Butanona		3MM	Whatman		126		1,9	0	98,514 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MAA-99mTc Lot # K-20220202-040		02/02/2022 10:48 JS	Butanona		3MM	Whatman		192		1,5	0	99,225 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
MDP-99mTc Lot # K-20220202-012		02/02/2022 04:24 MB	Acetona		3MM	Whatman		433		14	0	96,654 %	Pass	
			Normal Saline		3MM	Whatman		1		466	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-013		02/02/2022 04:27 MB	Acetona		3MM	Whatman		432		3	0	97,992 %	Pass	
			Normal Saline		3MM	Whatman		6		449	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-014		02/02/2022 04:36 MB	Acetona		3MM	Whatman		862		1	0	97,257 %	Pass	
			Normal Saline		3MM	Whatman		31		1149	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-025		02/02/2022 07:55 GS	Acetona		3MM	Whatman		676		3	0	98,417 %	Pass	
			Normal Saline		3MM	Whatman		3		260	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-027		02/02/2022 08:05 GS	Acetona		3MM	Whatman		701		6	0	98,629 %	Pass	
			Normal Saline		3MM	Whatman		2		381	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-028		02/02/2022 08:07 GS	Acetona		3MM	Whatman		279		1	0	99,448 %	Pass	
			Normal Saline		3MM	Whatman		1		511	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-029		02/02/2022 08:11 GS	Acetona		3MM	Whatman		663		6	0	98,697 %	Pass	
			Normal Saline		3MM	Whatman		2		491	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-031		02/02/2022 09:19 PM	Acetona		3MM	Whatman		580		2	0	97,928 %	Pass	
			Normal Saline		3MM	Whatman		13		739	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-032		02/02/2022 09:23 PM	Acetona		3MM	Whatman		741		3	0	98,649 %	Pass	
			Normal Saline		3MM	Whatman		10		1045	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-039		02/02/2022 10:41 JS	Acetona		3MM	Whatman		87,5		1	0	96,308 %	Pass	
			Normal Saline		3MM	Whatman		3		114,1	pH (Low/Actual/High)	4,00 <= 5,00 <= 7,80		
							Límpido/Incolor							
MDP-99mTc Lot # K-20220202-043		02/02/2022 11:53 VS	Acetona		3MM	Whatman		443		6	0	96,54 %	Pass	
			Normal Saline		3MM	Whatman		12		553	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220202-044		02/02/2022 12:16	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			1965 16		6 1664	0	pH (Low/Actual/High)	98,743 %	Pass 4,00 <= 6,00 <= 7,80
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-001		02/02/2022 03:00	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1110 40		8 1625	0	pH (Low/Actual/High)	96,882 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-002		02/02/2022 03:00	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			797 1		10 987	0	pH (Low/Actual/High)	98,66 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-005		02/02/2022 03:28	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			956 22		5 1235	0	pH (Low/Actual/High)	97,73 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-006		02/02/2022 03:32	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			982 7		11 1314	0	pH (Low/Actual/High)	98,362 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-007		02/02/2022 03:59	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1026 9		13 1418	0	pH (Low/Actual/High)	98,118 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-010		02/02/2022 04:10	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			987 4		15 1388	0	pH (Low/Actual/High)	98,216 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-011		02/02/2022 04:13	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			922 5		14 1286	0	pH (Low/Actual/High)	98,117 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-015		02/02/2022 04:38	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			445 1		6 663	0	pH (Low/Actual/High)	98,519 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-017		02/02/2022 07:10	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			460 3		6 349	0	pH (Low/Actual/High)	97,86 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-018		02/02/2022 07:14	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			592 5		5 739	0	pH (Low/Actual/High)	98,49 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-019		02/02/2022 07:15	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			105,2 2,6		1,7 160,3	0	pH (Low/Actual/High)	96,814 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220202-020		02/02/2022 07:28	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			161,9 5		0,5 342	0	pH (Low/Actual/High)	98,251 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220202-021		02/02/2022 07:31	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			108,9 1,8		0,4 169,3	0	pH (Low/Actual/High)	98,582 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220202-034		02/02/2022 10:21	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			46 2,3		0,7 44	0	pH (Low/Actual/High)	93,533 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220202-036		02/02/2022 10:31	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			341 2		2 434	0	pH (Low/Actual/High)	98,958 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220202-038		02/02/2022 10:36	JS	Normal Saline Metanol	Sílica gel 3MM Whatman			256 1		2 255	0	pH (Low/Actual/High)	98,834 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220202-041		02/02/2022 11:23	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			219 6		1 536	0	pH (Low/Actual/High)	98,438 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220202-042		02/02/2022 11:27	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			314 4		5 238	0	pH (Low/Actual/High)	96,78 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220202-045		02/02/2022 12:20	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			341 6		3 621	0	pH (Low/Actual/High)	98,171 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220202-016		02/02/2022 06:53	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,5		26,8	0	pH (Low/Actual/High)	98,168 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220202-046		02/02/2022 12:48	VS	Acetato de amônio 1M:Metanol	Sílica gel			1		47,5	0	pH (Low/Actual/High)	97,938 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220202-001		02/02/2022 02:57	MB	Butanona	3MM Whatman			1		80,1	0	pH (Low/Actual/High)	98,767 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220202-002		02/02/2022 02:58	MB	Butanona	3MM Whatman			1		63,6	0	pH (Low/Actual/High)	98,452 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220202-003		02/02/2022 03:01	MB	Butanona	3MM Whatman			6		470	0	pH (Low/Actual/High)	98,739 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220202-004		02/02/2022 03:12	MB	Butanona	3MM Whatman			7		362	0	pH (Low/Actual/High)	98,103 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220202-005		02/02/2022 03:26	MB	Butanona		3MM Whatman		8		512	0		98,462 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-006		02/02/2022 03:29	MB	Butanona		3MM Whatman		1		100	0		99,01 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-007		02/02/2022 03:55	MB	Butanona		3MM Whatman		2		289	0		99,313 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-008		02/02/2022 03:56	MB	Butanona		3MM Whatman		3		221	0		98,661 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-009		02/02/2022 04:08	MB	Butanona		3MM Whatman		14		845	0		98,37 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-010		02/02/2022 04:11	MB	Butanona		3MM Whatman		1		72,5	0		98,639 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-011		02/02/2022 04:22	MB	Butanona		3MM Whatman		1		159	0		99,375 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-012		02/02/2022 04:25	MB	Butanona		3MM Whatman		1		147	0		99,324 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-013		02/02/2022 04:34	MB	Butanona		3MM Whatman		1		166	0		99,401 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-015		02/02/2022 06:53	GS	Butanona		3MM Whatman		2		407	0		99,511 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-016		02/02/2022 07:11	GS	Butanona		3MM Whatman		0,2		169	0		99,882 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-017		02/02/2022 07:11	GS	Butanona		3MM Whatman		2,6		174,5	0		98,532 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220202-018		02/02/2022 07:24	GS	Butanona		3MM Whatman		3,1		119,6	0		97,474 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220202-019		02/02/2022 07:24	GS	Butanona		3MM Whatman		3,1		163	0	98,134 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-020		02/02/2022 07:33	GS	Butanona		3MM Whatman		1		522	0	99,809 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-021		02/02/2022 07:52	GS	Butanona		3MM Whatman		1,3		54,8	0	97,683 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-022		02/02/2022 08:00	GS	Butanona		3MM Whatman		1		216	0	99,539 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-023		02/02/2022 08:05	GS	Butanona		3MM Whatman		2		209	0	99,052 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-024		02/02/2022 08:08	GS	Butanona		3MM Whatman		0,9		84,9	0	98,951 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-025		02/02/2022 09:05	PM	Butanona		3MM Whatman		1		103	0	99,038 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-026		02/02/2022 09:21	PM	Butanona		3MM Whatman		3		304	0	99,023 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-028		02/02/2022 10:16	JS	Butanona		3MM Whatman		4,9		153,7	0	96,91 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-029		02/02/2022 10:17	PM	Butanona		3MM Whatman		2		227	0	99,127 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-030		02/02/2022 10:28	PM	Butanona		3MM Whatman		1,1		71,1	0	98,476 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-031		02/02/2022 10:34	JS	Butanona		3MM Whatman		6		244	0	97,60 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-032		02/02/2022 10:38	JS	Butanona		3MM Whatman		4,3		556	0	99,233 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220202-033		02/02/2022 11:17 JS	Butanona		3MM	Whatman		1		105	0		99,057 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-034		02/02/2022 11:18 JS	Butanona		3MM	Whatman		2		201	0		99,015 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-035		02/02/2022 11:51 VS	Butanona		3MM	Whatman		4		880	0		99,548 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-036		02/02/2022 12:13 VS	Butanona		3MM	Whatman		5		396	0		98,753 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220202-037		02/02/2022 12:14 VS	Butanona		3MM	Whatman		5		1634	0		99,695 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
											Límpido e Incolor			