



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
 R: Maestro Cardim, 769 - São Paulo/SP
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 03/02/2022 To 03/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220203-009		03/02/2022	04:01	PM	Butanona	3MM Whatman	321		8	0	pH (Low/Actual/High)	96,018 %	Pass
					Normal Saline	Silica gel	4		254	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220203-021		03/02/2022	07:35	GS	Butanona	3MM Whatman	273		3	0	pH (Low/Actual/High)	95,552 %	Pass
					Normal Saline	Silica gel	3,6		103,5	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220203-024		03/02/2022	08:02	GS	Butanona	3MM Whatman	148,9		1,4	0	pH (Low/Actual/High)	92,967 %	Pass
					Normal Saline	Silica gel	5,9		90,8	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220203-036		03/02/2022	10:32	JS	Butanona	3MM Whatman	245		2	0	pH (Low/Actual/High)	98,072 %	Pass
					Normal Saline	Silica gel	2,5		221	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DMSA-99mTc Lot # K-20220203-037		03/02/2022	10:34	JS	Butanona	3MM Whatman	118,2		0,9	0	pH (Low/Actual/High)	95,708 %	Pass
					Normal Saline	Silica gel	6,1		166,4	2,00 <= 3,00		<= 3,00	
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220203-017		03/02/2022	06:59	GS	Citrato de Sódio 0,1M	Silica gel	31,1		0,2	0	pH (Low/Actual/High)	99,361 %	Pass
										4,00 <= 6,00		<= 8,00	
Límpido e Incolor													
DTPA-99mTc Lot # K-20220203-007	RPH	03/02/2022	03:54	PM	Acetona	3MM Whatman	590		6	0	pH (Low/Actual/High)	96,354 %	Pass
					Normal Saline	3MM Whatman	19		701	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20220203-008	RPH	03/02/2022	03:56	PM	Acetona	3MM Whatman	429		3	0	pH (Low/Actual/High)	95,337 %	Pass
					Normal Saline	3MM Whatman	10		242	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20220203-018	RPH	03/02/2022	07:06	GS	Acetona	3MM Whatman	219		1	0	pH (Low/Actual/High)	96,925 %	Pass
					Normal Saline	3MM Whatman	6		223	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
DTPA-99mTc Lot # K-20220203-038	RPH	03/02/2022	10:57	JS	Acetona	3MM Whatman	152		1,3	0	pH (Low/Actual/High)	96,664 %	Pass
					Normal Saline	3MM Whatman	5		196	3,80 <= 6,00		<= 7,50	
Límpido/Incolor													
FITATO-99mTc Lot # K-20220203-003		03/02/2022	03:25	PM	Butanona	3MM Whatman	704		7	0	pH (Low/Actual/High)	99,015 %	Pass
										5,00 <= 7,00		<= 7,00	
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220203-029		03/02/2022 09:56 JS	Butanona		3MM	Whatman		410		1	0	99,757 %	Pass	
											pH (Low/Actual/High)	5,00 <= 7,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20220203-004		03/02/2022 03:27 PM	Butanona		3MM	Whatman		364		4	0	98,913 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220203-005		03/02/2022 03:29 PM	Butanona		3MM	Whatman		295		3	0	98,993 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220203-006		03/02/2022 03:31 PM	Butanona		3MM	Whatman		353		3	0	99,157 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220203-026		03/02/2022 09:13 VS	Butanona		3MM	Whatman		454		6	0	98,696 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220203-039		03/02/2022 12:08 YD	Butanona		3MM	Whatman		109,4		1	0	99,094 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220203-046		03/02/2022 15:26 WG	Butanona		3MM	Whatman		107,1		1,2	0	98,892 %	Pass	
											pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20220203-012		03/02/2022 04:11 PM	Acetona		3MM	Whatman		2356		12	0	97,304 %	Pass	
			Normal Saline		3MM	Whatman		55		2457	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220203-013		03/02/2022 04:16 PM	Acetona		3MM	Whatman		1818		10	0	98,327 %	Pass	
			Normal Saline		3MM	Whatman		30		2635	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220203-014		03/02/2022 04:18 PM	Acetona		3MM	Whatman		1091		2	0	97,984 %	Pass	
			Normal Saline		3MM	Whatman		18		964	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220203-020		03/02/2022 07:28 GS	Acetona		3MM	Whatman		34,8		0,4	0	97,098 %	Pass	
			Normal Saline		3MM	Whatman		0,8		44,5	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220203-022		03/02/2022 07:41 GS	Acetona		3MM	Whatman		357		11	0	95,299 %	Pass	
			Normal Saline		3MM	Whatman		3,3		189,5	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220203-023		03/02/2022 07:53 GS	Acetona		3MM	Whatman		598		1	0	98,315 %	Pass	
			Normal Saline		3MM	Whatman		7		454	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220203-025		03/02/2022 08:13 GS	Acetona Normal Saline		3MM Whatman 3MM Whatman			509 5		3 664	0 pH (Low/Actual/High)	98,667 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220203-035		03/02/2022 10:28 JS	Acetona Normal Saline		3MM Whatman 3MM Whatman			345 3		4 457	0 pH (Low/Actual/High)	98,202 % 4,00 <= 5,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220203-040		03/02/2022 12:16 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			321 1		1 296	0 pH (Low/Actual/High)	99,353 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-001		03/02/2022 03:06 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1396 9		8 2521	0 pH (Low/Actual/High)	99,074 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-002		03/02/2022 03:08 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1894 53		22 2047	0 pH (Low/Actual/High)	96,328 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-010		03/02/2022 04:05 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1992 10		21 1820	0 pH (Low/Actual/High)	98,41 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-011		03/02/2022 04:07 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1164 13		13 1517	0 pH (Low/Actual/High)	98,046 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-016		03/02/2022 06:58 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			643 8		2 568	0 pH (Low/Actual/High)	98,301 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-019		03/02/2022 07:23 GS	Normal Saline Metanol		Sílica gel 3MM Whatman			755 27		8 1215	0 pH (Low/Actual/High)	96,778 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-027		03/02/2022 09:23 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1093 7		9 1210	0 pH (Low/Actual/High)	98,608 % 5,00 <= 6,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-034		03/02/2022 10:17 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			313 4		10 475	0 pH (Low/Actual/High)	96,069 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-041		03/02/2022 12:19 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			368 0		7 295	0 pH (Low/Actual/High)	98,133 % 5,00 <= 6,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220203-042		03/02/2022 12:31 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			43 1		1 55	0 pH (Low/Actual/High)	95,942 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220203-043		03/02/2022 12:58 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			505 5		5 634	0 pH (Low/Actual/High)	98,237 %	Pass	5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220203-044		03/02/2022 13:31 YD	Normal Saline Metanol		Sílica gel 3MM Whatman			425 12		4 465	0 pH (Low/Actual/High)	96,552 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PSMA-68Ga Lot # K-20220203-028		03/02/2022 09:50 VS	Acetato de amônio 1M:Metanol		Sílica gel			5		371	0 pH (Low/Actual/High)	98,67 %	Pass	4,00 <= 6,00 <= 8,00
							Límpido e Incolor							
PSMA-68Ga Lot # K-20220203-047		03/02/2022 15:42 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,4		25,3	0 pH (Low/Actual/High)	98,444 %	Pass	4,00 <= 5,00 <= 8,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-001		03/02/2022 03:02 PM	Butanona		3MM Whatman			3		230	0 pH (Low/Actual/High)	98,712 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-002		03/02/2022 03:02 PM	Butanona		3MM Whatman			5		175	0 pH (Low/Actual/High)	97,222 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-003		03/02/2022 03:10 PM	Butanona		3MM Whatman			4		144	0 pH (Low/Actual/High)	97,297 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-004		03/02/2022 03:23 PM	Butanona		3MM Whatman			25		575	0 pH (Low/Actual/High)	95,833 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-005		03/02/2022 03:32 PM	Butanona		3MM Whatman			11		602	0 pH (Low/Actual/High)	98,206 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-006		03/02/2022 03:50 PM	Butanona		3MM Whatman			11		643	0 pH (Low/Actual/High)	98,318 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-007		03/02/2022 03:53 PM	Butanona		3MM Whatman			4		205	0 pH (Low/Actual/High)	98,086 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-008		03/02/2022 04:04 PM	Butanona		3MM Whatman			6		324	0 pH (Low/Actual/High)	98,182 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220203-009		03/02/2022 04:06 PM	Butanona		3MM Whatman			7		543	0 pH (Low/Actual/High)	98,727 %	Pass	5,00 <= 6,00 <= 6,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220203-010		03/02/2022 04:10 PM	Butanona		3MM	Whatman		12		592	0		98,013 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-011		03/02/2022 04:13 PM	Butanona		3MM	Whatman		2,1		90,2	0		97,725 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-012		03/02/2022 06:52 GS	Butanona		3MM	Whatman		1		423	0		99,764 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-014		03/02/2022 07:03 GS	Butanona		3MM	Whatman		1		335	0		99,702 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-015		03/02/2022 07:19 GS	Butanona		3MM	Whatman		2		426	0		99,533 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-016		03/02/2022 07:24 GS	Butanona		3MM	Whatman		1		246	0		99,595 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-017		03/02/2022 07:33 GS	Butanona		3MM	Whatman		2		316	0		99,371 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-018		03/02/2022 07:39 GS	Butanona		3MM	Whatman		0,9		164,1	0		99,455 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-019		03/02/2022 07:52 GS	Butanona		3MM	Whatman		3		225	0		98,684 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-020		03/02/2022 08:11 GS	Butanona		3MM	Whatman		0,5		159,5	0		99,688 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-021		03/02/2022 09:07 MB	Butanona		3MM	Whatman		6		1539	0		99,612 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-022		03/02/2022 09:43 VS	Butanona		3MM	Whatman		6		704	0		99,155 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220203-024		03/02/2022 10:01 VS	Butanona		3MM	Whatman		9		315	0		97,222 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail	
Tecnécio-99m Lot # E-20220203-025		03/02/2022 10:14	VS	Butanona		3MM Whatman		12		1926	0		99,381 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-026		03/02/2022 10:25	JS	Butanona		3MM Whatman		2		126	0		98,438 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-027		03/02/2022 10:29	JS	Butanona		3MM Whatman		1,2		196	0		99,391 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-028		03/02/2022 10:55	JS	Butanona		3MM Whatman		2		143	0		98,621 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-029		03/02/2022 12:03	YD	Butanona		3MM Whatman		1		688	0		99,855 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-030		03/02/2022 12:08	YD	Butanona		3MM Whatman		2		236	0		99,16 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-031		03/02/2022 12:30	YD	Butanona		3MM Whatman		0		359	0		100,00 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-032		03/02/2022 12:56	YD	Butanona		3MM Whatman		14		476	0		97,143 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-033		03/02/2022 13:27	YD	Butanona		3MM Whatman		2		150	0		98,684 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-034		03/02/2022 15:18	WG	Butanona		3MM Whatman		1		1374	0		99,927 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
Tecnécio-99m Lot # E-20220203-035		03/02/2022 15:25	WG	Butanona		3MM Whatman		6		1372	0		99,565 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor	
TRODAT-99mTc Lot # K-20220203-015		03/02/2022 06:55	GS	Normal Saline		Sílica gel		91,5		1,3	0		97,483 %	Pass	
				Butanona		3MM Whatman		1,4		124			pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor	
TRODAT-99mTc Lot # K-20220203-030		03/02/2022 10:07	JS	Normal Saline		Sílica gel		60		2,1	0		93,311 %	Pass	
				Butanona		3MM Whatman		2,5		73,1			pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50
														Límpido/Incolor	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20220203-031		03/02/2022 10:08 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			56,3 4		0,4 77	0 pH (Low/Actual/High)		94,356 %	Pass
							Límpido/Incolor						6,50 <= 7,00 <= 8,50	
TRODAT-99mTc Lot # K-20220203-032		03/02/2022 10:09 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			109,6 3,2		2,1 144,6	0 pH (Low/Actual/High)		95,955 %	Pass
							Límpido/Incolor						6,50 <= 7,00 <= 8,50	
TRODAT-99mTc Lot # K-20220203-033		03/02/2022 10:10 JS	Normal Saline Butanona		Sílica gel 3MM Whatman			96,5 1,4		2,7 99	0 pH (Low/Actual/High)		95,884 %	Pass
							Límpido/Incolor						6,50 <= 7,00 <= 8,50	