



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 05/02/2022 To 05/02/2022

| Product: | Manuf: | Calibration | D/T | QC By | Solution | Media | Origin | Middle | Top | Background | Particle Size/ OK? | % Tag | Pass Fail |
|--------------------------------------|--------|-------------|-------|-------|--------------------------|----------------------------|------------|--------|------------|------------|----------------------|----------------------|-----------|
| DTPA-99mTc Lot # K-20220205-004 | RPH | 05/02/2022 | 02:58 | VS | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 910 14 | | 6 1632 | 0 | pH (Low/Actual/High) | 98,494 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 3,80 <= 6,00 <= 7,50 | |
| DTPA-99mTc Lot # K-20220205-011 | RPH | 05/02/2022 | 03:56 | VS | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 501 5 | | 8 524 | 0 | pH (Low/Actual/High) | 97,483 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 3,80 <= 6,00 <= 7,50 | |
| FITATO-99mTc Lot # K-20220205-013 | | 05/02/2022 | 04:38 | VS | Butanona | 3MM Whatman | 503 | | 13 | 0 | pH (Low/Actual/High) | 97,481 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 5,00 <= 6,00 <= 7,00 | |
| FITATO-99mTc Lot # K-20220205-017 | | 05/02/2022 | 05:11 | VS | Butanona | 3MM Whatman | 831 | | 2 | 0 | pH (Low/Actual/High) | 99,76 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 5,00 <= 6,00 <= 7,00 | |
| FITATO-99mTc Lot # K-20220205-019 | | 05/02/2022 | 05:32 | VS | Butanona | 3MM Whatman | 1142 | | 14 | 0 | pH (Low/Actual/High) | 98,789 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 5,00 <= 6,00 <= 7,00 | |
| MAA-99mTc Lot # K-20220205-014 | | 05/02/2022 | 04:47 | VS | Butanona | 3MM Whatman | 643 | | 9 | 0 | pH (Low/Actual/High) | 98,62 % | Pass |
| | | | | | | Turvo/Incolor | | | | | | 3,00 <= 5,00 <= 6,00 | |
| MAA-99mTc Lot # K-20220205-015 | | 05/02/2022 | 04:48 | VS | Butanona | 3MM Whatman | 1337 | | 14 | 0 | pH (Low/Actual/High) | 98,964 % | Pass |
| | | | | | | Turvo/Incolor | | | | | | 3,00 <= 5,00 <= 6,00 | |
| MAA-99mTc Lot # K-20220205-020 | | 05/02/2022 | 08:24 | MB | Butanona | 3MM Whatman | 227 | | 1 | 0 | pH (Low/Actual/High) | 99,561 % | Pass |
| | | | | | | Turvo/Incolor | | | | | | 3,00 <= 5,00 <= 6,00 | |
| MDP-99mTc Lot # K-20220205-007 | | 05/02/2022 | 03:14 | VS | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 244 2 | | 6 578 | 0 | pH (Low/Actual/High) | 97,255 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 4,00 <= 6,00 <= 7,80 | |
| MDP-99mTc Lot # K-20220205-008 | | 05/02/2022 | 03:15 | VS | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 1633 3 | | 12 1376 | 0 | pH (Low/Actual/High) | 99,053 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 4,00 <= 6,00 <= 7,80 | |
| MDP-99mTc Lot # K-20220205-009 | | 05/02/2022 | 03:16 | VS | Acetona Normal Saline | 3MM Whatman 3MM Whatman | 1144 10 | | 14 328 | 0 | pH (Low/Actual/High) | 95,832 % | Pass |
| | | | | | | Límpido/Incolor | | | | | | 4,00 <= 6,00 <= 7,80 | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|------------|-----------------|--------------------------|-------|---------------------------|--------|-------------------|------------|---------|------------|---------------------------|----------------------------------|-------|--------------|
| MDP-99mTc Lot # K-20220205-010 | 05/02/2022 | 03:19 VS | Acetona Normal Saline | | 3MM Whatman | | | 1371 11 | | 8 727 | 0 pH (Low/Actual/High) | 97,929 % 4,00 <= 6,00 <= 7,80 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-003 | 05/02/2022 | 02:48 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 215 2 | | 4 582 | 0 pH (Low/Actual/High) | 97,831 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-002 | 05/02/2022 | 02:48 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 273 2 | | 7 337 | 0 pH (Low/Actual/High) | 96,91 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-006 | 05/02/2022 | 02:59 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 232 4 | | 8 383 | 0 pH (Low/Actual/High) | 95,633 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-005 | 05/02/2022 | 02:59 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 1196 1 | | 12 541 | 0 pH (Low/Actual/High) | 98,822 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-012 | 05/02/2022 | 03:58 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 1273 4 | | 12 312 | 0 pH (Low/Actual/High) | 97,80 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-016 | 05/02/2022 | 05:02 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 274 2 | | 6 329 | 0 pH (Low/Actual/High) | 97,253 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| MIBI-99mTc Lot # K-20220205-018 | 05/02/2022 | 05:12 VS | Normal Saline Metanol | | Sílica gel 3MM Whatman | | | 774 5 | | 12 1271 | 0 pH (Low/Actual/High) | 98,081 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido/Incolor | | | | | | | |
| Tecnécio-99m Lot # E-20220205-001 | 05/02/2022 | 02:38 VS | Butanona | | 3MM Whatman | | | 3 | | 665 | 0 pH (Low/Actual/High) | 99,551 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido e Incolor | | | | | | | |
| Tecnécio-99m Lot # E-20220205-002 | 05/02/2022 | 02:51 VS | Butanona | | 3MM Whatman | | | 16 | | 1236 | 0 pH (Low/Actual/High) | 98,722 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido e Incolor | | | | | | | |
| Tecnécio-99m Lot # E-20220205-003 | 05/02/2022 | 03:07 VS | Butanona | | 3MM Whatman | | | 2 | | 886 | 0 pH (Low/Actual/High) | 99,775 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido e Incolor | | | | | | | |
| Tecnécio-99m Lot # E-20220205-004 | 05/02/2022 | 03:42 VS | Butanona | | 3MM Whatman | | | 12 | | 733 | 0 pH (Low/Actual/High) | 98,389 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido e Incolor | | | | | | | |
| Tecnécio-99m Lot # E-20220205-005 | 05/02/2022 | 03:43 VS | Butanona | | 3MM Whatman | | | 15 | | 1146 | 0 pH (Low/Actual/High) | 98,708 % 5,00 <= 6,00 <= 6,00 | Pass | |
| | | | | | | | Límpido e Incolor | | | | | | | |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|---------------------|----------|-------|-------------|--------|-----|------------|---------|----------|-------|----------------------|--------------|-------------------|
| Tecnécio-99m Lot # E-20220205-006 | | 05/02/2022 04:59 VS | Butanona | | 3MM Whatman | | | 12 | | 1121 | 0 | | 98,941 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-007 | | 05/02/2022 05:09 VS | Butanona | | 3MM Whatman | | | 14 | | 919 | 0 | | 98,499 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-008 | | 05/02/2022 05:10 VS | Butanona | | 3MM Whatman | | | 4 | | 1172 | 0 | | 99,66 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-009 | | 05/02/2022 05:48 VS | Butanona | | 3MM Whatman | | | 8 | | 451 | 0 | | 98,257 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-010 | | 05/02/2022 05:49 VS | Butanona | | 3MM Whatman | | | 12 | | 489 | 0 | | 97,605 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-011 | | 05/02/2022 05:50 VS | Butanona | | 3MM Whatman | | | 8 | | 349 | 0 | | 97,759 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-012 | | 05/02/2022 05:52 VS | Butanona | | 3MM Whatman | | | 2 | | 310 | 0 | | 99,359 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-013 | | 05/02/2022 05:54 VS | Butanona | | 3MM Whatman | | | 16 | | 1145 | 0 | | 98,622 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-014 | | 05/02/2022 05:55 VS | Butanona | | 3MM Whatman | | | 16 | | 1185 | 0 | | 98,668 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-015 | | 05/02/2022 05:56 VS | Butanona | | 3MM Whatman | | | 10 | | 1263 | 0 | | 99,214 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-016 | | 05/02/2022 05:58 VS | Butanona | | 3MM Whatman | | | 4 | | 396 | 0 | | 99,00 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-017 | | 05/02/2022 06:03 VS | Butanona | | 3MM Whatman | | | 18 | | 1316 | 0 | | 98,651 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |
| Tecnécio-99m Lot # E-20220205-018 | | 05/02/2022 06:04 VS | Butanona | | 3MM Whatman | | | 12 | | 1957 | 0 | | 99,391 % | Pass |
| | | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 |
| | | | | | | | | | | | | | | Límpido e Incolor |

| Product: | Manuf: | Calibration D/T | Solution | Media | Origin | Middle | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag | QC By | Pass Fail |
|--------------------------------------|--------|---------------------|---------------|-------|-------------|--------|-----|------------|---------|----------|----------------------|--------------|----------|--------------|
| Tecnécio-99m Lot # E-20220205-019 | | 05/02/2022 06:05 VS | Butanona | | 3MM Whatman | | | 7 | | 1435 | 0 | | 99,515 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20220205-020 | | 05/02/2022 06:06 VS | Butanona | | 3MM Whatman | | | 15 | | 1831 | 0 | | 99,187 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| Tecnécio-99m Lot # E-20220205-021 | | 05/02/2022 09:33 MB | Butanona | | 3MM Whatman | | | 7 | | 1858 | 0 | | 99,625 % | Pass |
| | | | | | | | | | | | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00 | |
| | | | | | | | | | | | Límpido e Incolor | | | |
| TRODAT-99mTc Lot # K-20220205-021 | | 05/02/2022 09:42 MB | Normal Saline | | Sílica gel | | | 243 | | 2 | 0 | | 98,606 % | Pass |
| | | | Butanona | | 3MM Whatman | | | 3 | | 516 | pH (Low/Actual/High) | 6,50 <= 7,00 | <= 8,50 | |
| | | | | | | | | | | | Límpido/Incolor | | | |