



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
 R: Maestro Cardim, 769 - São Paulo/SP
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 07/02/2022 To 07/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220207-023		07/02/2022	07:35	GS	Butanona Normal Saline	3MM Whatman Sílica gel	166,9 6,3		0,6 129,8	0	pH (Low/Actual/High)	95,013 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220207-024		07/02/2022	08:01	GS	Butanona Normal Saline	3MM Whatman Sílica gel	107,6 2,7		1,2 76,2	0	pH (Low/Actual/High)	95,475 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220207-037		07/02/2022	10:35	GS	Butanona Normal Saline	3MM Whatman Sílica gel	93,3 8,9		0,2 93,7	0	pH (Low/Actual/High)	91,112 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220207-042		07/02/2022	11:02	GS	Butanona Normal Saline	3MM Whatman Sílica gel	315 7,8		3 177,6	0	pH (Low/Actual/High)	94,849 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220207-032		07/02/2022	09:52	GS	Citrato de Sódio 0,1M	Sílica gel	149,9		1	0	pH (Low/Actual/High)	99,337 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20220207-012	RPH	07/02/2022	03:50	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	1166 26		17 1564	0	pH (Low/Actual/High)	96,928 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20220207-027	RPH	07/02/2022	09:03	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman	748 25		1 530	0	pH (Low/Actual/High)	95,362 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220207-011		07/02/2022	03:48	PM	Butanona	3MM Whatman	1045		9	0	pH (Low/Actual/High)	99,146 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220207-020		07/02/2022	07:09	GS	Butanona	3MM Whatman	730		3	0	pH (Low/Actual/High)	99,591 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220207-038		07/02/2022	10:42	GS	Butanona	3MM Whatman	171,3		0,6	0	pH (Low/Actual/High)	99,651 %	Pass
Límpido/Incolor													
MAA-99mTc Lot # K-20220207-013		07/02/2022	04:14	PM	Butanona	3MM Whatman	722		8	0	pH (Low/Actual/High)	98,904 %	Pass
Turvo/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220207-019		07/02/2022 07:01	GS	Butanona		3MM Whatman		146,9		0,6	0		99,593 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220207-030		07/02/2022 09:21	GS	Butanona		3MM Whatman		131,2		0,5	0		99,62 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220207-039		07/02/2022 10:49	GS	Butanona		3MM Whatman		187,4		0,6	0		99,681 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220207-040		07/02/2022 10:50	GS	Butanona		3MM Whatman		96,4		0,4	0		99,587 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220207-041		07/02/2022 10:51	GS	Butanona		3MM Whatman		245		1	0		99,593 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220207-043		07/02/2022 11:16	GS	Butanona		3MM Whatman		151,4		4,1	0		97,363 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220207-044		07/02/2022 11:19	GS	Butanona		3MM Whatman		74,2		3,1	0		95,99 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220207-008		07/02/2022 03:41	PM	Acetona		3MM Whatman		2420		15	0		97,531 %	Pass
				Normal Saline		3MM Whatman		44		2330		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220207-009		07/02/2022 03:43	PM	Acetona		3MM Whatman		2817		6	0		99,65 %	Pass
				Normal Saline		3MM Whatman		3		2175		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220207-010		07/02/2022 03:44	PM	Acetona		3MM Whatman		2352		12	0		98,001 %	Pass
				Normal Saline		3MM Whatman		30		1982		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220207-018		07/02/2022 06:58	GS	Acetona		3MM Whatman		1131		2	0		98,003 %	Pass
				Normal Saline		3MM Whatman		28		1510		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220207-021		07/02/2022 07:26	GS	Acetona		3MM Whatman		1418		4	0		99,045 %	Pass
				Normal Saline		3MM Whatman		6		884		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220207-022		07/02/2022 07:29	GS	Acetona		3MM Whatman		1191		17	0		98,417 %	Pass
				Normal Saline		3MM Whatman		1		569		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220207-025		07/02/2022 08:13	GS	Acetona Normal Saline	3MM	Whatman		801 16		2 226	0	pH (Low/Actual/High)	93,139 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220207-028		07/02/2022 09:15	GS	Acetona Normal Saline	3MM	Whatman		765 12		3 710	0	pH (Low/Actual/High)	97,947 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220207-029		07/02/2022 09:16	GS	Acetona Normal Saline	3MM	Whatman		338 4		2 340	0	pH (Low/Actual/High)	98,249 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220207-034		07/02/2022 10:10	MB	Acetona Normal Saline	3MM	Whatman		717 3		4 421	0	pH (Low/Actual/High)	98,738 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220207-035		07/02/2022 10:12	GS	Acetona Normal Saline	3MM	Whatman		430 4		2 320	0	pH (Low/Actual/High)	98,302 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220207-036		07/02/2022 10:30	GS	Acetona Normal Saline	3MM	Whatman		446 3		1 341	0	pH (Low/Actual/High)	98,904 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-001		07/02/2022 01:55	FN	Normal Saline Metanol	Sílica gel			1867 17		18 3077	0	pH (Low/Actual/High)	98,496 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-002		07/02/2022 01:59	FN	Normal Saline Metanol	Sílica gel			2012 22		20 2595	0	pH (Low/Actual/High)	98,175 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-003		07/02/2022 02:45	PM	Normal Saline Metanol	Sílica gel			1493 22		21 1633	0	pH (Low/Actual/High)	97,284 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-004		07/02/2022 02:46	PM	Normal Saline Metanol	Sílica gel			2295 54		69 2857	0	pH (Low/Actual/High)	95,226 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-005		07/02/2022 03:20	PM	Normal Saline Metanol	Sílica gel			2504 22		23 2206	0	pH (Low/Actual/High)	98,102 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-006		07/02/2022 03:21	PM	Normal Saline Metanol	Sílica gel			2713 75		47 3415	0	pH (Low/Actual/High)	96,148 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-007		07/02/2022 03:24	PM	Normal Saline Metanol	Sílica gel			4317 72		56 2777	0	pH (Low/Actual/High)	96,192 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220207-014		07/02/2022 06:44	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1917 4		30 241	0	pH (Low/Actual/High)	96,827 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-015		07/02/2022 06:48	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1307 33		21 1756	0	pH (Low/Actual/High)	96,574 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-016		07/02/2022 06:53	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1522 22		22 1854	0	pH (Low/Actual/High)	97,402 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-026		07/02/2022 08:33	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			746 5		18 825	0	pH (Low/Actual/High)	97,042 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-031		07/02/2022 09:41	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1451 18		4 1667	0	pH (Low/Actual/High)	98,657 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220207-033		07/02/2022 10:08	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			1096 1		15 1338	0	pH (Low/Actual/High)	98,575 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220207-017		07/02/2022 06:58	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			456 28		2 401	0	pH (Low/Actual/High)	93,037 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220207-045		07/02/2022 12:13	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,1		29,3	0	pH (Low/Actual/High)	99,66 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220207-046		07/02/2022 13:28	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,1		7,22	0	pH (Low/Actual/High)	98,634 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220207-001		07/02/2022 01:47	PM	Butanona	3MM Whatman			5		285	0	pH (Low/Actual/High)	98,276 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220207-002		07/02/2022 01:50	PM	Butanona	3MM Whatman			3		286	0	pH (Low/Actual/High)	98,962 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220207-003		07/02/2022 02:42	PM	Butanona	3MM Whatman			32		2440	0	pH (Low/Actual/High)	98,706 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220207-004		07/02/2022 03:16	PM	Butanona	3MM Whatman			9		390	0	pH (Low/Actual/High)	97,744 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220207-005		07/02/2022 03:16 PM	Butanona		3MM	Whatman		9		1005	0		99,112 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220207-006		07/02/2022 03:39 PM	Butanona		3MM	Whatman		73		4475	0		98,395 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220207-007		07/02/2022 04:11 PM	Butanona		3MM	Whatman		27		1392	0		98,097 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220207-008		07/02/2022 06:36 GS	Butanona		3MM	Whatman		2		1710	0		99,883 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-009		07/02/2022 06:40 GS	Butanona		3MM	Whatman		2		448	0		99,556 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-010		07/02/2022 06:50 GS	Butanona		3MM	Whatman		2		948	0		99,789 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-011		07/02/2022 07:23 GS	Butanona		3MM	Whatman		1		315	0		99,684 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-012		07/02/2022 07:32 GS	Butanona		3MM	Whatman		0,6		34,5	0		98,291 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-013		07/02/2022 08:26 GS	Butanona		3MM	Whatman		1		516	0		99,807 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-014		07/02/2022 08:28 GS	Butanona		3MM	Whatman		1		388	0		99,743 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-015		07/02/2022 08:31 GS	Butanona		3MM	Whatman		1		596	0		99,832 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-016		07/02/2022 09:09 GS	Butanona		3MM	Whatman		12		803	0		98,528 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220207-017		07/02/2022 09:11 GS	Butanona		3MM	Whatman		2,2		145,5	0		98,51 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220207-018		07/02/2022 09:39	GS	Butanona		3MM Whatman		2		727	0		99,726 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-020		07/02/2022 09:56	GS	Butanona		3MM Whatman		7		178,3	0		96,222 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-021		07/02/2022 09:59	GS	Butanona		3MM Whatman		0,3		84,2	0		99,645 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-022		07/02/2022 10:06	GS	Butanona		3MM Whatman		13		619	0		97,943 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-023		07/02/2022 10:23	GS	Butanona		3MM Whatman		5		234	0		97,908 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-024		07/02/2022 10:24	GS	Butanona		3MM Whatman		0,6		171,2	0		99,651 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-025		07/02/2022 10:32	GS	Butanona		3MM Whatman		11		545	0		98,022 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-028		07/02/2022 14:19	JS	Butanona		3MM Whatman		2		1198	0		99,833 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220207-029		07/02/2022 14:35	JS	Butanona		3MM Whatman		5		1246	0		99,60 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor