



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 08/02/2022 To 08/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220208-007		08/02/2022	04:01	MB	Butanona Normal Saline	3MM Whatman Sílica gel	119,5 4,3		2,5 149,4	0	pH (Low/Actual/High)	95,153 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220208-008		08/02/2022	04:02	MB	Butanona Normal Saline	3MM Whatman Sílica gel	103,1 4		1 119,7	0	pH (Low/Actual/High)	95,806 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220208-022		08/02/2022	07:31	JS	Butanona Normal Saline	3MM Whatman Sílica gel	72,4 3,4		1,3 46,2	0	pH (Low/Actual/High)	91,381 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220208-029		08/02/2022	08:07	JS	Butanona Normal Saline	3MM Whatman Sílica gel	214 5		1 97	0	pH (Low/Actual/High)	94,633 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220208-019		08/02/2022	06:56	BB	Citrato de Sódio 0,1M	Sílica gel	25,6		0,3	0	pH (Low/Actual/High)	98,842 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220208-035		08/02/2022	09:45	JS	Citrato de Sódio 0,1M	Sílica gel	21,3		0,3	0	pH (Low/Actual/High)	98,611 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220208-052		08/02/2022	12:56	VS	Citrato de Sódio 0,1M	Sílica gel	88,2		1,2	0	pH (Low/Actual/High)	98,658 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220208-053		08/02/2022	13:54									%	
DTPA-99mTc Lot # K-20220208-010	RPH	08/02/2022	04:07	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	265 2		2 254	0	pH (Low/Actual/High)	98,47 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor													
DTPA-99mTc Lot # K-20220208-014	RPH	08/02/2022	04:18	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	550 12		3 897	0	pH (Low/Actual/High)	98,137 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor													
DTPA-99mTc Lot # K-20220208-028	RPH	08/02/2022	08:05	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman	208 8		1 150	0	pH (Low/Actual/High)	94,458 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220208-050	RPH	08/02/2022 11:56	VS	Acetona Normal Saline	3MM Whatman 3MM Whatman			221 2		4 272	0 pH (Low/Actual/High)	97,492 % 3,80 <= 6,00 <= 7,50		Pass
Límpido/Incolor														
FITATO-99mTc Lot # K-20220208-006		08/02/2022 03:55	MB	Butanona	3MM Whatman			288		3	0 pH (Low/Actual/High)	98,969 % 5,00 <= 6,00 <= 7,00		Pass
Límpido/Incolor														
FITATO-99mTc Lot # K-20220208-033		08/02/2022 08:35	JS	Butanona	3MM Whatman			308		1	0 pH (Low/Actual/High)	99,676 % 5,00 <= 7,00 <= 7,00		Pass
Límpido/Incolor														
MAA-99mTc Lot # K-20220208-015		08/02/2022 04:23	MB	Butanona	3MM Whatman			301		1	0 pH (Low/Actual/High)	99,669 % 3,00 <= 5,00 <= 6,00		Pass
Turvo/Incolor														
MAA-99mTc Lot # K-20220208-027		08/02/2022 07:51	JS	Butanona	3MM Whatman			170,8		6	0 pH (Low/Actual/High)	96,606 % 3,00 <= 5,00 <= 6,00		Pass
Turvo/Incolor														
MAA-99mTc Lot # K-20220208-045		08/02/2022 10:50	MB	Butanona	3MM Whatman			124,4		2,2	0 pH (Low/Actual/High)	98,262 % 3,00 <= 5,00 <= 6,00		Pass
Turvo/Incolor														
MDP-99mTc Lot # K-20220208-016		08/02/2022 04:30	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1192 22		2 1141	0 pH (Low/Actual/High)	97,941 % 4,00 <= 5,00 <= 7,80		Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-017		08/02/2022 04:32	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			708 3		2 635	0 pH (Low/Actual/High)	99,248 % 4,00 <= 5,00 <= 7,80		Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-018		08/02/2022 04:34	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			634 21		2 614	0 pH (Low/Actual/High)	96,378 % 4,00 <= 5,00 <= 7,80		Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-026		08/02/2022 07:46	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman			285 1		3 484	0 pH (Low/Actual/High)	98,752 % 4,00 <= 6,00 <= 7,80		Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-031		08/02/2022 08:19	JS	Acetona Normal Saline	3MM Whatman 3MM Whatman			912 5		21 359	0 pH (Low/Actual/High)	96,376 % 4,00 <= 6,00 <= 7,80		Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-034		08/02/2022 09:37	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			707 5		3 655	0 pH (Low/Actual/High)	98,82 % 4,00 <= 5,00 <= 7,80		Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-036		08/02/2022 09:57	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			453 2		3 148	0 pH (Low/Actual/High)	98,009 % 4,00 <= 6,00 <= 7,80		Pass
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220208-046		08/02/2022 11:03	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			854 4		3 671	0	pH (Low/Actual/High)	99,057 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-047		08/02/2022 11:38	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			791 1		7 886	0	pH (Low/Actual/High)	99,01 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220208-048		08/02/2022 11:42	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			777 5		4 965	0	pH (Low/Actual/High)	98,972 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-001		08/02/2022 02:51	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1065 20		7 1726	0	pH (Low/Actual/High)	98,202 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-002		08/02/2022 02:55	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1299 30		8 1926	0	pH (Low/Actual/High)	97,854 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-003		08/02/2022 02:56	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1056 23		14 2139	0	pH (Low/Actual/High)	97,628 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-004		08/02/2022 03:51	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1634 10		21 1892	0	pH (Low/Actual/High)	98,205 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-005		08/02/2022 03:52	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			819 43		13 1717	0	pH (Low/Actual/High)	95,994 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-011		08/02/2022 04:10	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1248 16		16 1813	0	pH (Low/Actual/High)	97,859 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-012		08/02/2022 04:13	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1205 28		10 1864	0	pH (Low/Actual/High)	97,697 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-013		08/02/2022 04:16	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1672 9		11 1326	0	pH (Low/Actual/High)	98,672 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-020		08/02/2022 07:09	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			568 5		8 1038	0	pH (Low/Actual/High)	98,132 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220208-021		08/02/2022 07:10	BB	Normal Saline Metanol	Sílica gel 3MM Whatman			543 6		9 816	0	pH (Low/Actual/High)	97,64 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220208-025		08/02/2022 07:41 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			466 5		4 888	0	pH (Low/Actual/High)	98,589 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-030		08/02/2022 08:10 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			610 2		12 1723	0	pH (Low/Actual/High)	97,955 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-032		08/02/2022 08:27 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			772 7		13 645	0	pH (Low/Actual/High)	97,27 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-037		08/02/2022 10:00 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1133 8		3 808	0	pH (Low/Actual/High)	98,756 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-038		08/02/2022 10:06 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			87 1		1 168	0	pH (Low/Actual/High)	98,272 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-044		08/02/2022 10:43 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			227 3		7 230	0	pH (Low/Actual/High)	95,721 %	Pass 5,00 <= 5,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-049		08/02/2022 11:51 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			557 2		11 897	0	pH (Low/Actual/High)	97,841 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220208-051		08/02/2022 12:54 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			714 6		11 1183	0	pH (Low/Actual/High)	97,978 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20220208-009		08/02/2022 04:05 MB	Butanona Normal Saline		3MM Whatman 3MM Whatman			304 9		1 245	0	pH (Low/Actual/High)	96,129 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20220208-023		08/02/2022 07:40 JS	Butanona Normal Saline		3MM Whatman 3MM Whatman			265 4		2 250	0	pH (Low/Actual/High)	97,676 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
PIRO-99mTc Lot # K-20220208-024		08/02/2022 07:41 JS	Butanona Normal Saline		3MM Whatman 3MM Whatman			312 3		3 156	0	pH (Low/Actual/High)	97,161 %	Pass 5,00 <= 6,00 <= 7,00
							Límpido/Incolor							
Tecnécio-99m Lot # E-20220208-001		08/02/2022 02:32 MB	Butanona		3MM Whatman			1		326	0	pH (Low/Actual/High)	99,694 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							
Tecnécio-99m Lot # E-20220208-002		08/02/2022 02:50 MB	Butanona		3MM Whatman			6		459	0	pH (Low/Actual/High)	98,71 %	Pass 5,00 <= 6,00 <= 6,00
							Límpido e Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220208-003		08/02/2022 02:51	MB	Butanona		3MM Whatman		4		991	0	99,598 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-005		08/02/2022 03:47	MB	Butanona		3MM Whatman		2		149	0	98,675 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-004		08/02/2022 03:47	MB	Butanona		3MM Whatman		21		916	0	97,759 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-006		08/02/2022 03:56	MB	Butanona		3MM Whatman		4		444	0	99,107 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-007		08/02/2022 04:03	MB	Butanona		3MM Whatman		4		462	0	99,142 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-008		08/02/2022 04:08	MB	Butanona		3MM Whatman		1		235	0	99,576 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-009		08/02/2022 04:12	MB	Butanona		3MM Whatman		6		307	0	98,083 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-010		08/02/2022 04:15	MB	Butanona		3MM Whatman		1		688	0	99,855 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-011		08/02/2022 04:22	MB	Butanona		3MM Whatman		1		175	0	99,432 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-012		08/02/2022 04:28	MB	Butanona		3MM Whatman		23		718	0	96,896 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-014		08/02/2022 07:05	BB	Butanona		3MM Whatman		4		204	0	98,077 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-015		08/02/2022 07:05	BB	Butanona		3MM Whatman		1,2		143,8	0	99,172 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-016		08/02/2022 07:28	BB	Butanona		3MM Whatman		7		848	0	99,181 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220208-017		08/02/2022 07:32	BB	Butanona		3MM Whatman		1		471	0		99,788 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-018		08/02/2022 07:37	BB	Butanona		3MM Whatman		10		1453	0		99,316 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-019		08/02/2022 08:00	JS	Butanona		3MM Whatman		2,7		184,4	0		98,557 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-020		08/02/2022 08:01	JS	Butanona		3MM Whatman		5,4		507	0		98,946 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-021		08/02/2022 08:01	JS	Butanona		3MM Whatman		8		183	0		95,812 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220208-022		08/02/2022 08:06	JS	Butanona		3MM Whatman		3		75	0		96,154 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-023		08/02/2022 08:26	JS	Butanona		3MM Whatman		11		223	0		95,299 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-024		08/02/2022 09:31	MB	Butanona		3MM Whatman		2		415	0		99,52 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220208-026		08/02/2022 09:52	MB	Butanona		3MM Whatman		1		400	0		99,751 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220208-027		08/02/2022 09:54	MB	Butanona		3MM Whatman		4		1451	0		99,725 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220208-028		08/02/2022 10:02	MB	Butanona		3MM Whatman		15		484	0		96,994 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220208-029		08/02/2022 10:20	MB	Butanona		3MM Whatman		1		151	0		99,342 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220208-030		08/02/2022 10:39	MB	Butanona		3MM Whatman		1		212	0		99,531 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220208-031		08/02/2022 11:01	MB	Butanona		3MM Whatman		7		1143	0		99,391 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-032		08/02/2022 11:36	MB	Butanona		3MM Whatman		10		950	0		98,958 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-033		08/02/2022 11:37	MB	Butanona		3MM Whatman		17		1242	0		98,65 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-034		08/02/2022 11:47	LG	Butanona		3MM Whatman		2		487	0		99,591 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220208-035		08/02/2022 12:40	VS	Butanona		3MM Whatman		2		204	0		99,029 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
TRODAT-99mTc Lot # K-20220208-039		08/02/2022 10:24	MB	Normal Saline		Sílica gel		78,5		1,1	0		95,791 %	Pass
				Butanona		3MM Whatman		2,7		92,8	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220208-040		08/02/2022 10:34	MB	Normal Saline		Sílica gel		80,3		1,8	0		97,301 %	Pass
				Butanona		3MM Whatman		2		393	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220208-041		08/02/2022 10:35	MB	Normal Saline		Sílica gel		138,3		1,9	0		98,126 %	Pass
				Butanona		3MM Whatman		0,7		134,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220208-042		08/02/2022 10:36	MB	Normal Saline		Sílica gel		84,8		1,6	0		98,004 %	Pass
				Butanona		3MM Whatman		0,1		69,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			
TRODAT-99mTc Lot # K-20220208-043		08/02/2022 10:42	MB	Normal Saline		Sílica gel		95,4		1	0		95,80 %	Pass
				Butanona		3MM Whatman		2,6		79,6	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
											Límpido/Incolor			