



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10  
 R: Maestro Cardim, 769 - São Paulo/SP  
 Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 09/02/2022 To 09/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220209-027		09/02/2022	07:31	PM	Butanona Normal Saline	3MM Whatman Sílica gel	260 11		2 226	0	pH (Low/Actual/High)	94,595 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220209-029		09/02/2022	07:43	PM	Butanona Normal Saline	3MM Whatman Sílica gel	296 7		3 249	0	pH (Low/Actual/High)	96,262 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220209-041		09/02/2022	10:25	LG	Butanona Normal Saline	3MM Whatman Sílica gel	127 7		1 98	0	pH (Low/Actual/High)	92,552 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220209-040		09/02/2022	10:25	LG	Butanona Normal Saline	3MM Whatman Sílica gel	199 6		1 149	0	pH (Low/Actual/High)	95,629 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220209-039		09/02/2022	09:55	JS	Citrato de Sódio 0,1M	Sílica gel	13,8		0,5	0	pH (Low/Actual/High)	96,503 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220209-043		09/02/2022	10:31	LG	Citrato de Sódio 0,1M	Sílica gel	5,7		0,1	0	pH (Low/Actual/High)	98,276 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20220209-008	RPH	09/02/2022	03:49	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	912 47		5 1132	0	pH (Low/Actual/High)	95,468 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20220209-009	RPH	09/02/2022	03:50	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	1109 79		3 1015	0	pH (Low/Actual/High)	92,509 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220209-007		09/02/2022	03:42	MB	Butanona	3MM Whatman	997		2	0	pH (Low/Actual/High)	99,80 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220209-034		09/02/2022	08:20	PM	Butanona	3MM Whatman	454		6	0	pH (Low/Actual/High)	98,696 %	Pass
Límpido/Incolor													
MAA-99mTc Lot # K-20220209-028		09/02/2022	07:36	PM	Butanona	3MM Whatman	373		2	0	pH (Low/Actual/High)	99,467 %	Pass
Turvo/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220209-035		09/02/2022 08:34 PM	Butanona		3MM	Whatman		416		10	0	97,653 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20220209-045		09/02/2022 10:56 LG	Butanona		3MM	Whatman		109		1,5	0	98,643 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220209-046		09/02/2022 10:58 LG	Butanona		3MM	Whatman		132		1	0	99,248 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220209-052		09/02/2022 12:19 LG	Butanona		3MM	Whatman		192		1	0	99,482 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220209-053		09/02/2022 12:23 LG	Butanona		3MM	Whatman		73		1	0	98,649 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220209-056		09/02/2022 12:47 LG	Butanona		3MM	Whatman		56		2	0	96,552 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MDP-99mTc Lot # K-20220209-012		09/02/2022 04:10 MB	Acetona		3MM	Whatman		1007		2	0	99,059 %	Pass	
			Normal Saline		3MM	Whatman		7		935	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220209-013		09/02/2022 04:12 MB	Acetona		3MM	Whatman		1131		3	0	95,606 %	Pass	
			Normal Saline		3MM	Whatman		42		975	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220209-014		09/02/2022 04:15 MB	Acetona		3MM	Whatman		725		2	0	98,154 %	Pass	
			Normal Saline		3MM	Whatman		14		877	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220209-015		09/02/2022 04:18 MB	Acetona		3MM	Whatman		620		7	0	94,066 %	Pass	
			Normal Saline		3MM	Whatman		54		1067	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220209-016		09/02/2022 04:20 MB	Acetona		3MM	Whatman		745		3	0	96,878 %	Pass	
			Normal Saline		3MM	Whatman		40		1430	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220209-020		09/02/2022 04:55 MB	Acetona		3MM	Whatman		851		6	0	93,567 %	Pass	
			Normal Saline		3MM	Whatman		54		888	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220209-033		09/02/2022 08:11 BB	Acetona		3MM	Whatman		111,1		2	0	97,816 %	Pass	
			Normal Saline		3MM	Whatman		0,4		95,8	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220209-036		09/02/2022 08:37 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			353 4		3 396	0 pH (Low/Actual/High)	98,157 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220209-037		09/02/2022 08:45 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			723 7		2 543	0 pH (Low/Actual/High)	98,451 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220209-038		09/02/2022 08:57 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			178,6 2,5		1,6 161,3	0 pH (Low/Actual/High)	97,586 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220209-055		09/02/2022 12:43 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			38,4 0,1		0,4 41	0 pH (Low/Actual/High)	98,726 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220209-058		09/02/2022 12:50 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			1219 9		12 1397	0 pH (Low/Actual/High)	98,385 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MDP-99mTc Lot # K-20220209-059		09/02/2022 13:04 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			924 2		7 233	0 pH (Low/Actual/High)	98,397 % 4,00 <= 6,00 <= 7,80	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-004		09/02/2022 03:02 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			2789 22		44 3892	0 pH (Low/Actual/High)	97,885 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-005		09/02/2022 03:04 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			1045 7		5 2052	0 pH (Low/Actual/High)	99,184 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-006		09/02/2022 03:34 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			3073 4		39 3762	0 pH (Low/Actual/High)	98,641 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-010		09/02/2022 03:58 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			3451 11		53 4583	0 pH (Low/Actual/High)	98,248 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-011		09/02/2022 04:00 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			2622 55		27 4762	0 pH (Low/Actual/High)	97,839 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-017		09/02/2022 04:22 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			3420 35		70 4640	0 pH (Low/Actual/High)	97,246 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-018		09/02/2022 04:25 MB	Normal Saline Metanol		Sílica gel 3MM Whatman			3948 89		31 4265	0 pH (Low/Actual/High)	97,177 % 5,00 <= 5,00 <= 6,00	Pass	
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220209-019		09/02/2022 04:44	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			3821 18		38 4356	0	pH (Low/Actual/High)	98,604 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-021		09/02/2022 05:00	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			4869 194		39 5990	0	pH (Low/Actual/High)	96,068 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-023		09/02/2022 06:56	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1051 8		10 978	0	pH (Low/Actual/High)	98,246 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-024		09/02/2022 07:11	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			526 7		3 370	0	pH (Low/Actual/High)	97,576 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-026		09/02/2022 07:29	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			478 8		3 577	0	pH (Low/Actual/High)	98,009 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-030		09/02/2022 07:46	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			408 1		4 575	0	pH (Low/Actual/High)	98,856 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-031		09/02/2022 07:59	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			777 14		6 1214	0	pH (Low/Actual/High)	98,094 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-032		09/02/2022 08:03	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1064 40		6 1296	0	pH (Low/Actual/High)	96,445 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-042		09/02/2022 10:29	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			30,3 0,3		0,6 26,8	0	pH (Low/Actual/High)	96,951 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-044		09/02/2022 10:36	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			10,9 0,1		0,1 12,9	0	pH (Low/Actual/High)	98,322 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-048		09/02/2022 11:05	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			50 1,5		0,5 60	0	pH (Low/Actual/High)	96,571 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-049		09/02/2022 11:08	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			60 1,5		3 102	0	pH (Low/Actual/High)	93,789 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-050		09/02/2022 11:27	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			33 0,5		0,5 38	0	pH (Low/Actual/High)	97,209 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220209-051	09/02/2022	11:55	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			24 1		0,2 24	0	pH (Low/Actual/High)	95,174 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-054	09/02/2022	12:23	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			626 2		4 217	0	pH (Low/Actual/High)	98,452 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220209-060	09/02/2022	13:31	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			542 2		3 632	0	pH (Low/Actual/High)	99,134 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220209-025	09/02/2022	07:25	PM	Butanona Normal Saline	3MM Whatman 3MM Whatman			513 5		3 729	0	pH (Low/Actual/High)	98,737 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PSMA-177Lu Lot # K-20220209-001	09/02/2022	01:03	BB	Citrato de Sódio 0,1M	Sílica gel			727		5	0	pH (Low/Actual/High)	99,317 %	Pass 4,00 <= 4,50 <= 5,00
Limpido														
QC Notes: HPLC: 96,97%														
PSMA-177Lu Lot # K-20220209-003	09/02/2022	01:27	BB	Citrato de Sódio 0,1M	Sílica gel			772		3	0	pH (Low/Actual/High)	99,613 %	Pass 4,00 <= 4,50 <= 5,00
Limpido														
QC Notes: HPLC: 95,55%														
PSMA-177Lu Lot # K-20220209-002	09/02/2022	01:27	BB	Citrato de Sódio 0,1M	Sílica gel			372		5	0	pH (Low/Actual/High)	98,674 %	Pass 4,00 <= 4,50 <= 5,00
Limpido														
QC Notes: HPLC: 95,13%														
PSMA-68Ga Lot # K-20220209-022	09/02/2022	06:52	PM	Acetato de amônio 1M:Metanol	Sílica gel			0,8		41,2	0	pH (Low/Actual/High)	98,095 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220209-057	09/02/2022	12:49	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,4		23,3	0	pH (Low/Actual/High)	98,312 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220209-001	09/02/2022	02:54	MB	Butanona	3MM Whatman			5		121	0	pH (Low/Actual/High)	96,032 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220209-002	09/02/2022	02:54	MB	Butanona	3MM Whatman			16		551	0	pH (Low/Actual/High)	97,178 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220209-003	09/02/2022	03:32	MB	Butanona	3MM Whatman			10		700	0	pH (Low/Actual/High)	98,592 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220209-004		09/02/2022 03:40	MB	Butanona		3MM Whatman		10		884	0		98,881 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-005		09/02/2022 03:47	MB	Butanona		3MM Whatman		1		914	0		99,891 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-006		09/02/2022 03:56	MB	Butanona		3MM Whatman		8		683	0		98,842 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-007		09/02/2022 03:58	MB	Butanona		3MM Whatman		32		1120	0		97,222 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-008		09/02/2022 04:08	MB	Butanona		3MM Whatman		1		78,5	0		98,742 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-009		09/02/2022 04:11	MB	Butanona		3MM Whatman		1		209	0		99,524 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-010		09/02/2022 04:13	MB	Butanona		3MM Whatman		4		221	0		98,222 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-011		09/02/2022 04:16	MB	Butanona		3MM Whatman		7		349	0		98,034 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-012		09/02/2022 04:18	MB	Butanona		3MM Whatman		2		363	0		99,452 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-013		09/02/2022 04:21	MB	Butanona		3MM Whatman		6		1058	0		99,436 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-014		09/02/2022 04:23	MB	Butanona		3MM Whatman		2		249	0		99,203 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-015		09/02/2022 04:42	MB	Butanona		3MM Whatman		35		1601	0		97,861 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-016		09/02/2022 04:52	MB	Butanona		3MM Whatman		1		300	0		99,668 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220209-017		09/02/2022 04:57	MB	Butanona		3MM Whatman		7	3450		0	99,798 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-019		09/02/2022 06:53	PM	Butanona		3MM Whatman		3	497		0	99,40 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-020		09/02/2022 07:00	PM	Butanona		3MM Whatman		9	480		0	98,16 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-021		09/02/2022 07:21	PM	Butanona		3MM Whatman		4	350		0	98,87 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-022		09/02/2022 07:21	PM	Butanona		3MM Whatman		4	181		0	97,838 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-024		09/02/2022 07:40	PM	Butanona		3MM Whatman		6	334		0	98,235 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-023		09/02/2022 07:40	PM	Butanona		3MM Whatman		3,1	67,4		0	95,603 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-026		09/02/2022 07:55	PM	Butanona		3MM Whatman		12	615		0	98,086 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-025		09/02/2022 07:55	PM	Butanona		3MM Whatman		20	392		0	95,146 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-027		09/02/2022 08:05	PM	Butanona		3MM Whatman		3	195		0	98,485 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-028		09/02/2022 08:31	PM	Butanona		3MM Whatman		5	808		0	99,385 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-029		09/02/2022 08:43	PM	Butanona		3MM Whatman		8	219		0	96,476 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-030		09/02/2022 08:55	PM	Butanona		3MM Whatman		5,4	127,6		0	95,94 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220209-032		09/02/2022 10:21	LG	Butanona		3MM Whatman		0,1		37,9	0	99,737 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-033		09/02/2022 10:26	LG	Butanona		3MM Whatman		2		160	0	98,765 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-035		09/02/2022 10:51	LG	Butanona		3MM Whatman		1		170	0	99,415 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-036		09/02/2022 10:52	LG	Butanona		3MM Whatman		1		51,5	0	98,095 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-037		09/02/2022 11:23	LG	Butanona		3MM Whatman		2,5		148	0	98,339 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-038		09/02/2022 11:45	LG	Butanona		3MM Whatman		2		196	0	98,99 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-039		09/02/2022 11:47	LG	Butanona		3MM Whatman		1,5		174	0	99,145 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-040		09/02/2022 12:14	LG	Butanona		3MM Whatman		1		238	0	99,582 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-041		09/02/2022 12:36	LG	Butanona		3MM Whatman		2		138	0	98,571 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-042		09/02/2022 12:37	LG	Butanona		3MM Whatman		2		135	0	98,54 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-044		09/02/2022 12:57	VS	Butanona		3MM Whatman		5		403	0	98,775 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220209-045		09/02/2022 12:57	YD	Butanona		3MM Whatman		3,4		177	0	98,115 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00	
														Límpido e Incolor