



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 10/02/2022 To 10/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220210-007		10/02/2022	01:01	PM	Butanona Normal Saline	3MM Whatman Sílica gel	277 9		4 190	0	pH (Low/Actual/High)	94,054 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220210-022		10/02/2022	07:35	GS	Butanona Normal Saline	3MM Whatman Sílica gel	103,5 3,2		0,6 75,7	0	pH (Low/Actual/High)	95,368 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220210-023		10/02/2022	07:36	GS	Butanona Normal Saline	3MM Whatman Sílica gel	109,8 12,6		0,7 138,7	0	pH (Low/Actual/High)	91,039 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220210-028		10/02/2022	08:05	GS	Butanona Normal Saline	3MM Whatman Sílica gel	64,9 3,8		0,2 93,3	0	pH (Low/Actual/High)	95,779 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220210-041		10/02/2022	10:44	VS	Butanona Normal Saline	3MM Whatman Sílica gel	778 6		4 761	0	pH (Low/Actual/High)	98,706 %	Pass <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220210-018		10/02/2022	06:55	GS	Citrato de Sódio 0,1M	Sílica gel	61,5		1,8	0	pH (Low/Actual/High)	97,156 %	Pass <= 8,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220210-050		10/02/2022	12:48	JS	Citrato de Sódio 0,1M	Sílica gel	21,9		0,3	0	pH (Low/Actual/High)	98,649 %	Pass <= 8,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220210-051		10/02/2022	13:42	YD	Citrato de Sódio 0,1M	Sílica gel	7,7		0,3	0	pH (Low/Actual/High)	96,25 %	Pass <= 8,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220210-004	RPH	10/02/2022	03:40	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	442 4		2 338	0	pH (Low/Actual/High)	98,38 %	Pass <= 7,50 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220210-015	RPH	10/02/2022	04:36	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	617 12		4 520	0	pH (Low/Actual/High)	97,10 %	Pass <= 7,50 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220210-029	RPH	10/02/2022	08:10	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman	33,5 1,4		0,2 53,5	0	pH (Low/Actual/High)	96,856 %	Pass <= 7,50 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220210-033	RPH	10/02/2022 08:59	MB	Acetona Normal Saline	3MM	Whatman		111 1		2 103	0	pH (Low/Actual/High)	97,269 %	Pass 3,00 <= 5,00 <= 7,50
												Límpido/Incolor		
FITATO-99mTc Lot # K-20220210-003		10/02/2022 03:15	PM	Butanona	3MM	Whatman		378		3	0	pH (Low/Actual/High)	99,213 %	Pass 5,00 <= 7,00 <= 7,00
												Límpido/Incolor		
FITATO-99mTc Lot # K-20220210-030		10/02/2022 08:22	GS	Butanona	3MM	Whatman		272		2	0	pH (Low/Actual/High)	99,27 %	Pass 5,00 <= 6,00 <= 7,00
												Límpido/Incolor		
MAA-99mTc Lot # K-20220210-008		10/02/2022 03:57	PM	Butanona	3MM	Whatman		193		3,8	0	pH (Low/Actual/High)	98,069 %	Pass 3,00 <= 6,00 <= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220210-009		10/02/2022 04:05	PM	Butanona	3MM	Whatman		271		2	0	pH (Low/Actual/High)	99,267 %	Pass 3,00 <= 6,00 <= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220210-014		10/02/2022 04:34	PM	Butanona	3MM	Whatman		245		3	0	pH (Low/Actual/High)	98,79 %	Pass 3,00 <= 6,00 <= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220210-025		10/02/2022 07:52	GS	Butanona	3MM	Whatman		84,5		1,9	0	pH (Low/Actual/High)	97,801 %	Pass 3,00 <= 5,00 <= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220210-026		10/02/2022 07:53	GS	Butanona	3MM	Whatman		106,8		0,9	0	pH (Low/Actual/High)	99,164 %	Pass 3,00 <= 5,00 <= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220210-055		10/02/2022 14:18	YD	Butanona	3MM	Whatman		41,3		0,3	0	pH (Low/Actual/High)	99,279 %	Pass 3,00 <= 5,00 <= 6,00
												Turvo/Incolor		
MAA-99mTc Lot # K-20220210-056		10/02/2022 14:20	YD	Butanona	3MM	Whatman		70,3		0,4	0	pH (Low/Actual/High)	99,434 %	Pass 3,00 <= 5,00 <= 6,00
												Turvo/Incolor		
MDP-99mTc Lot # K-20220210-010		10/02/2022 04:15	PM	Acetona Normal Saline	3MM	Whatman		1064 7		13 1528	0	pH (Low/Actual/High)	98,337 %	Pass 4,00 <= 6,00 <= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220210-011		10/02/2022 04:17	PM	Acetona Normal Saline	3MM	Whatman		2374 57		23 2061	0	pH (Low/Actual/High)	96,349 %	Pass 4,00 <= 6,00 <= 7,80
												Límpido/Incolor		
MDP-99mTc Lot # K-20220210-012		10/02/2022 04:22	PM	Acetona Normal Saline	3MM	Whatman		2460 45		20 2693	0	pH (Low/Actual/High)	97,55 %	Pass 4,00 <= 6,00 <= 7,80
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220210-013		10/02/2022 04:25 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			1893 51		11 2027	0 pH (Low/Actual/High)	96,968 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-016		10/02/2022 04:49 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			2155 17		28 1585	0 pH (Low/Actual/High)	97,656 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-017		10/02/2022 05:03 GS	Acetona Normal Saline		3MM Whatman 3MM Whatman			379 1		3 419	0 pH (Low/Actual/High)	98,977 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-027		10/02/2022 07:55 GS	Acetona Normal Saline		3MM Whatman 3MM Whatman			295 3		4 310	0 pH (Low/Actual/High)	97,704 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-031		10/02/2022 08:27 GS	Acetona Normal Saline		3MM Whatman 3MM Whatman			536 2		3 400	0 pH (Low/Actual/High)	98,946 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-032		10/02/2022 08:30 GS	Acetona Normal Saline		3MM Whatman 3MM Whatman			628 10		1 643	0 pH (Low/Actual/High)	98,31 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-046		10/02/2022 11:24 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			358 5		4 341	0 pH (Low/Actual/High)	97,45 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-049		10/02/2022 11:59 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			742 7		3 438	0 pH (Low/Actual/High)	98,024 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220210-054		10/02/2022 14:09 YD	Acetona Normal Saline		3MM Whatman 3MM Whatman			145,3 0,4		0,6 141	0 pH (Low/Actual/High)	99,306 %		Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-001		10/02/2022 03:02 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			740 11		12 729	0 pH (Low/Actual/High)	96,918 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-002		10/02/2022 03:05 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			965 7		16 1435	0 pH (Low/Actual/High)	97,884 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-005		10/02/2022 03:46 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1090 2		14 1926	0 pH (Low/Actual/High)	98,628 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-006		10/02/2022 03:49 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1069 13		15 1560	0 pH (Low/Actual/High)	97,79 %		Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220210-020		10/02/2022 07:00	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			282 4		3 553	0	pH (Low/Actual/High)	98,229 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-021		10/02/2022 07:14	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			301 15		2 630	0	pH (Low/Actual/High)	97,014 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-024		10/02/2022 07:40	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			337 5		6 340	0	pH (Low/Actual/High)	96,801 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-035		10/02/2022 10:11	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			235 2		4 1967	0	pH (Low/Actual/High)	98,225 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-042		10/02/2022 10:46	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			408 2		4 213	0	pH (Low/Actual/High)	98,099 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-044		10/02/2022 10:57	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			557 4		2 568	0	pH (Low/Actual/High)	98,943 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-045		10/02/2022 11:03	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			468 11		3 938	0	pH (Low/Actual/High)	98,204 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-047		10/02/2022 11:34	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			536 6		12 775	0	pH (Low/Actual/High)	97,042 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-048		10/02/2022 11:55	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			405 1		6 897	0	pH (Low/Actual/High)	98,429 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-052		10/02/2022 14:06	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			273 1		3 230	0	pH (Low/Actual/High)	98,48 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-053		10/02/2022 14:10	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			205 1		4 283	0	pH (Low/Actual/High)	97,734 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220210-057		10/02/2022 14:27	YD	Normal Saline Metanol	Sílica gel 3MM Whatman			173,6 1		2 252	0	pH (Low/Actual/High)	98,466 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
Octreo-99mTc Lot # K-20220210-019		10/02/2022 07:15	GS	Butanona Citrate de Sódio 0,1M Metanol/ Acetato Amônio 1M	Sílica gel Sílica gel Sílica gel			102,7 256 1,4		1 20 101,6	0	pH (Low/Actual/High)	90,43 %	Pass 5,00 <= 7,00 <= 7,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20220210-034		10/02/2022 10:04	VS	Acetato de amônio 1M:Metanol	Sílica gel			2		219	0	99,095 %	Pass	
											pH (Low/Actual/High)	4,00 <= 6,00	<= 8,00	
														Límpido e Incolor
PSMA-68Ga Lot # K-20220210-043		10/02/2022 10:56	JS	Acetato de amônio 1M:Metanol	Sílica gel			0,3		12,6	0	97,674 %	Pass	
											pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	
														Límpido e Incolor
PSMA-68Ga Lot # K-20220210-058		10/02/2022 15:51												%
Tecnécio-99m Lot # E-20220210-001		10/02/2022 02:59	PM	Butanona		3MM Whatman		4		257	0	98,467 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-002		10/02/2022 03:02	PM	Butanona		3MM Whatman		2		253	0	99,216 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-003		10/02/2022 03:07	PM	Butanona		3MM Whatman		2		532	0	99,625 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-004		10/02/2022 03:14	PM	Butanona		3MM Whatman		1,4		86,7	0	98,411 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-005		10/02/2022 03:38	PM	Butanona		3MM Whatman		14		393	0	96,56 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-006		10/02/2022 03:44	PM	Butanona		3MM Whatman		3		444	0	99,329 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-007		10/02/2022 03:47	PM	Butanona		3MM Whatman		8		426	0	98,157 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-008		10/02/2022 03:53	PM	Butanona		3MM Whatman		9		564	0	98,429 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-009		10/02/2022 04:13	PM	Butanona		3MM Whatman		10		410	0	97,619 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-010		10/02/2022 04:15	PM	Butanona		3MM Whatman		5		792	0	99,373 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220210-011		10/02/2022 04:20 PM	Butanona		3MM	Whatman		10		463	0		97,886 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220210-012		10/02/2022 04:23 PM	Butanona		3MM	Whatman		14		637	0		97,849 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220210-013		10/02/2022 04:33 PM	Butanona		3MM	Whatman		9		427	0		97,936 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220210-014		10/02/2022 04:35 PM	Butanona		3MM	Whatman		14		420	0		96,774 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220210-015		10/02/2022 04:47 PM	Butanona		3MM	Whatman		13		733	0		98,257 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220210-016		10/02/2022 06:44 GS	Butanona		3MM	Whatman		0,8		94,4	0		99,16 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-018		10/02/2022 07:12 GS	Butanona		3MM	Whatman		1,7		115,6	0		98,551 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-019		10/02/2022 07:28 GS	Butanona		3MM	Whatman		1,1		105,6	0		98,969 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-020		10/02/2022 07:30 GS	Butanona		3MM	Whatman		5		650	0		99,237 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-021		10/02/2022 07:49 GS	Butanona		3MM	Whatman		0,3		83,6	0		99,642 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-022		10/02/2022 08:00 GS	Butanona		3MM	Whatman		0,4		100,4	0		99,603 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-023		10/02/2022 08:19 GS	Butanona		3MM	Whatman		0,7		138,1	0		99,496 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220210-024		10/02/2022 08:24 GS	Butanona		3MM	Whatman		3,7		177,1	0		97,954 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220210-025		10/02/2022 08:56	GS	Butanona		3MM Whatman		3		235	0	98,739 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-027		10/02/2022 10:08	VS	Butanona		3MM Whatman		8		420	0	98,131 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-028		10/02/2022 10:20	VS	Butanona		3MM Whatman		5		351	0	98,596 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-029		10/02/2022 10:41	VS	Butanona		3MM Whatman		4		214	0	98,165 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-030		10/02/2022 10:50	VS	Butanona		3MM Whatman		1		297	0	99,664 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-032		10/02/2022 10:59	VS	Butanona		3MM Whatman		0,4		112,3	0	99,645 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-033		10/02/2022 11:22	VS	Butanona		3MM Whatman		11		408	0	97,375 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-034		10/02/2022 11:32	VS	Butanona		3MM Whatman		5		279	0	98,239 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-035		10/02/2022 11:49	VS	Butanona		3MM Whatman		4		229	0	98,283 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-036		10/02/2022 11:49	VS	Butanona		3MM Whatman		4		321	0	98,769 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-039		10/02/2022 13:55	YD	Butanona		3MM Whatman		1		316	0	99,685 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-040		10/02/2022 14:00	YD	Butanona		3MM Whatman		0,2		138,7	0	99,856 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220210-041		10/02/2022 14:01	YD	Butanona		3MM Whatman		4		328	0	98,795 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220210-042		10/02/2022 14:14 YD	Butanona		3MM Whatman			1		326	0		99,694 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
TRODAT-99mTc Lot # K-20220210-036		10/02/2022 10:27 VS	Normal Saline		Sílica gel			172,3		1,5	0		97,70 %	Pass
			Butanona		3MM Whatman			2,7		185,2	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220210-037		10/02/2022 10:28 VS	Normal Saline		Sílica gel			249		3	0		97,583 %	Pass
			Butanona		3MM Whatman			2,4		193,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220210-038		10/02/2022 10:29 VS	Normal Saline		Sílica gel			131,7		0,4	0		98,107 %	Pass
			Butanona		3MM Whatman			3		185,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220210-040		10/02/2022 10:29 VS	Normal Saline		Sílica gel			156,3		2,9	0		97,778 %	Pass
			Butanona		3MM Whatman			2		497	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
														Límpido/Incolor