



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 11/02/2022 To 11/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220211-007		11/02/2022	04:07	FN	Butanona Normal Saline	3MM Whatman Sílica gel	206 10		3 189,4	0		93,55 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220211-019		11/02/2022	07:26	GS	Butanona Normal Saline	3MM Whatman Sílica gel	155,2 3,7		0,4 150,3	0		97,34 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220211-020		11/02/2022	07:27	GS	Butanona Normal Saline	3MM Whatman Sílica gel	119,3 4,8		0,6 193,8	0		97,083 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220211-025		11/02/2022	08:04	GS	Butanona Normal Saline	3MM Whatman Sílica gel	138,8 8		1,4 203	0		95,21 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220211-026		11/02/2022	08:05	GS	Butanona Normal Saline	3MM Whatman Sílica gel	79,2 2,9		2 92,8	0		94,507 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220211-034		11/02/2022	10:25	LG	Butanona Normal Saline	3MM Whatman Sílica gel	130 4		3 75	0		92,681 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220211-035		11/02/2022	10:26	LG	Butanona Normal Saline	3MM Whatman Sílica gel	122 3		0,5 72	0		95,592 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220211-045		11/02/2022	12:47	LG	Citrato de Sódio 0,1M	Sílica gel	11,2		0,1	0		99,115 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220211-048		11/02/2022	13:53	VS	Citrato de Sódio 0,1M	Sílica gel	270		3	0		98,901 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220211-049		11/02/2022	15:46	JS	Citrato de Sódio 0,1M	Sílica gel	19,3		0,4	0		97,97 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20220211-010	RPH	11/02/2022	04:19	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	560 10		21 511	0		94,466 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220211-018	RPH	11/02/2022 07:14	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			311 15,1		2 173,3	0	pH (Low/Actual/High)	91,346 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20220211-036	RPH	11/02/2022 10:48	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			211 1		1 204	0	pH (Low/Actual/High)	99,04 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20220211-014		11/02/2022 04:28	FN	Butanona	3MM Whatman			380		1	0	pH (Low/Actual/High)	99,738 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220211-039		11/02/2022 11:23	LG	Butanona	3MM Whatman			275		0	0	pH (Low/Actual/High)	100,00 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20220211-011		11/02/2022 04:21	FN	Butanona	3MM Whatman			178,7		6,8	0	pH (Low/Actual/High)	96,334 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220211-012		11/02/2022 04:23	FN	Butanona	3MM Whatman			198		3	0	pH (Low/Actual/High)	98,507 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220211-013		11/02/2022 04:26	FN	Butanona	3MM Whatman			139,3		1,4	0	pH (Low/Actual/High)	99,005 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220211-040		11/02/2022 11:57	LG	Butanona	3MM Whatman			150		6	0	pH (Low/Actual/High)	96,154 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220211-041		11/02/2022 11:58	LG	Butanona	3MM Whatman			105		2	0	pH (Low/Actual/High)	98,131 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220211-046		11/02/2022 13:15	VS	Butanona	3MM Whatman			563		2	0	pH (Low/Actual/High)	99,646 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220211-047		11/02/2022 13:22	VS	Butanona	3MM Whatman			395		10	0	pH (Low/Actual/High)	97,531 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20220211-005		11/02/2022 03:49	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman			349 3		5 305	0	pH (Low/Actual/High)	97,614 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220211-015		11/02/2022 04:37	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman			1240 10		4 1077	0	pH (Low/Actual/High)	98,758 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail	
MDP-99mTc Lot # K-20220211-023		11/02/2022 07:45	GS	Acetona Normal Saline	3MM	Whatman		271 3		2 270		0 pH (Low/Actual/High)	98,168 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor															
MDP-99mTc Lot # K-20220211-029		11/02/2022 08:47	GS	Acetona Normal Saline	3MM	Whatman		337 1		1 444		0 pH (Low/Actual/High)	99,479 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor															
MDP-99mTc Lot # K-20220211-030		11/02/2022 08:50	GS	Acetona Normal Saline	3MM	Whatman		466 11		4 478		0 pH (Low/Actual/High)	96,899 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor															
MDP-99mTc Lot # K-20220211-037		11/02/2022 11:13	LG	Acetona Normal Saline	3MM	Whatman		337 3		1 277		0 pH (Low/Actual/High)	98,633 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor															
MDP-99mTc Lot # K-20220211-043		11/02/2022 12:23	LG	Acetona Normal Saline	3MM	Whatman		68 2		0,5 76		0 pH (Low/Actual/High)	96,706 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor															
MDP-99mTc Lot # K-20220211-044		11/02/2022 12:27	LG	Acetona Normal Saline	3MM	Whatman		360 1		1 347		0 pH (Low/Actual/High)	99,436 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-001		11/02/2022 02:51	FN	Normal Saline Metanol	Sílica gel			2142 15		27 2534		0 pH (Low/Actual/High)	98,167 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-002		11/02/2022 02:53	FN	Normal Saline Metanol	Sílica gel			206,6 1,8		4,2 244,4		0 pH (Low/Actual/High)	97,276 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-003		11/02/2022 03:00	FN	Normal Saline Metanol	Sílica gel			862,6 1		10,7 1246		0 pH (Low/Actual/High)	98,695 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-004		11/02/2022 03:46	FN	Normal Saline Metanol	Sílica gel			968 4		12 1072		0 pH (Low/Actual/High)	98,404 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-006		11/02/2022 04:05	FN	Normal Saline Metanol	Sílica gel			600 2		6 1065		0 pH (Low/Actual/High)	98,822 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-008		11/02/2022 04:10	FN	Normal Saline Metanol	Sílica gel			395 1		5 553		0 pH (Low/Actual/High)	98,569 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															
MIBI-99mTc Lot # K-20220211-009		11/02/2022 04:16	FN	Normal Saline Metanol	Sílica gel			1210 22		16 1327		0 pH (Low/Actual/High)	97,064 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor															

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220211-017	11/02/2022	07:09	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			844 2		10 1324	0	pH (Low/Actual/High)	98,678 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-021	11/02/2022	07:30	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			338 4		3 228	0	pH (Low/Actual/High)	97,396 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-024	11/02/2022	07:57	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			112,2 2,1		0,2 138,8	0	pH (Low/Actual/High)	98,332 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-027	11/02/2022	08:17	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			368 4		7 292	0	pH (Low/Actual/High)	96,782 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-028	11/02/2022	08:25	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			429 4		5 471	0	pH (Low/Actual/High)	98,006 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-031	11/02/2022	08:53	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			479 17		5 885	0	pH (Low/Actual/High)	97,082 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-033	11/02/2022	10:20	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			520 42		4 1038	0	pH (Low/Actual/High)	95,348 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-038	11/02/2022	11:17	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			148 3		2 190	0	pH (Low/Actual/High)	97,112 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220211-042	11/02/2022	12:09	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			702 5		5 715	0	pH (Low/Actual/High)	98,598 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220211-016	11/02/2022	06:54	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,4		17,9	0	pH (Low/Actual/High)	97,814 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220211-022	11/02/2022	07:41	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,1		24,1	0	pH (Low/Actual/High)	99,587 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220211-032	11/02/2022	09:40	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,2		12,7	0	pH (Low/Actual/High)	98,45 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220211-001	11/02/2022	02:47	FN	Butanona	3MM Whatman			3		962	0	pH (Low/Actual/High)	99,689 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220211-002		11/02/2022 02:56	FN	Butanona		3MM Whatman		3		292	0		98,983 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-003		11/02/2022 03:01	FN	Butanona		3MM Whatman		3,8		207,8	0		98,204 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-004		11/02/2022 03:42	FN	Butanona		3MM Whatman		1		320	0		99,688 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-005		11/02/2022 03:42	FN	Butanona		3MM Whatman		1		218	0		99,543 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-006		11/02/2022 04:02	FN	Butanona		3MM Whatman		7		565	0		98,776 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-007		11/02/2022 04:05	FN	Butanona		3MM Whatman		9		296	0		97,049 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-008		11/02/2022 04:07	FN	Butanona		3MM Whatman		2		419	0		99,525 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-009		11/02/2022 04:14	FN	Butanona		3MM Whatman		1		549	0		99,818 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-010		11/02/2022 04:17	FN	Butanona		3MM Whatman		4		2741	0		99,854 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-011		11/02/2022 04:35	FN	Butanona		3MM Whatman		3		466,7	0		99,361 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-013		11/02/2022 07:04	GS	Butanona		3MM Whatman		5		841	0		99,409 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-014		11/02/2022 07:22	GS	Butanona		3MM Whatman		2		363	0		99,452 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-015		11/02/2022 07:23	GS	Butanona		3MM Whatman		0,2		123,7	0		99,839 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220211-016		11/02/2022 07:38	GS	Butanona		3MM Whatman		0,1		37,8	0	99,736 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-018		11/02/2022 07:55	GS	Butanona		3MM Whatman		5		332	0	98,516 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-019		11/02/2022 08:01	GS	Butanona		3MM Whatman		1		317	0	99,686 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-020		11/02/2022 08:13	GS	Butanona		3MM Whatman		6		283	0	97,924 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-021		11/02/2022 08:22	GS	Butanona		3MM Whatman		2		220	0	99,099 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-022		11/02/2022 08:43	GS	Butanona		3MM Whatman		0,3		171,6	0	99,825 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-023		11/02/2022 08:46	GS	Butanona		3MM Whatman		1		281	0	99,645 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-024		11/02/2022 08:49	GS	Butanona		3MM Whatman		0,9		152,2	0	99,412 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-026		11/02/2022 10:15	GS	Butanona		3MM Whatman		2		256	0	99,225 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-027		11/02/2022 10:22	GS	Butanona		3MM Whatman		5		383	0	98,711 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-028		11/02/2022 10:39	LG	Butanona		3MM Whatman		0		326	0	100,00 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-029		11/02/2022 11:09	LG	Butanona		3MM Whatman		1		204	0	99,512 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-030		11/02/2022 11:14	LG	Butanona		3MM Whatman		1		242	0	99,588 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220211-031		11/02/2022 11:21	LG	Butanona		3MM Whatman		5		186	0		97,382 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-032		11/02/2022 11:51	LG	Butanona		3MM Whatman		2		333	0		99,403 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-033		11/02/2022 12:06	LG	Butanona		3MM Whatman		6		849	0		99,298 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-034		11/02/2022 12:15	LG	Butanona		3MM Whatman		1		29	0		96,667 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-035		11/02/2022 12:25	LG	Butanona		3MM Whatman		0,5		56	0		99,115 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
														Límpido e Incolor
Tecnécio-99m Lot # E-20220211-037		11/02/2022 13:13	VS	Butanona		3MM Whatman		3		403	0		99,261 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
														Límpido e Incolor