



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 14/02/2022 To 14/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220214-008		14/02/2022	04:01	FN	Butanona Normal Saline	3MM Whatman Sílica gel	129,5 14		1,8 243	0	pH (Low/Actual/High)	93,182 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220214-025		14/02/2022	07:55	BB	Butanona Normal Saline	3MM Whatman Sílica gel	188 5		1,5 342	0	pH (Low/Actual/High)	97,768 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220214-036		14/02/2022	10:32	JS	Butanona Normal Saline	3MM Whatman Sílica gel	140 10		1,9 117	0	pH (Low/Actual/High)	90,787 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220214-037		14/02/2022	10:36	JS	Butanona Normal Saline	3MM Whatman Sílica gel	90 4		3 89	0	pH (Low/Actual/High)	92,473 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220214-033		14/02/2022	09:57	BB	Citrato de Sódio 0,1M	Sílica gel	22,8		0,3	0	pH (Low/Actual/High)	98,701 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20220214-009	RPH	14/02/2022	04:04	FN	Acetona Normal Saline	3MM Whatman 3MM Whatman	502 17		20 602	0	pH (Low/Actual/High)	93,422 %	Pass
Límpido/Incolor													
DTPA-99mTc Lot # K-20220214-022	RPH	14/02/2022	07:48	BB	Acetona Normal Saline	3MM Whatman 3MM Whatman	382 11		14 284	0	pH (Low/Actual/High)	92,736 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220214-007		14/02/2022	03:57	FN	Butanona	3MM Whatman	510		1	0	pH (Low/Actual/High)	99,804 %	Pass
Límpido/Incolor													
FITATO-99mTc Lot # K-20220214-023		14/02/2022	07:49	BB	Butanona	3MM Whatman	391		6	0	pH (Low/Actual/High)	98,489 %	Pass
Límpido/Incolor													
MAA-99mTc Lot # K-20220214-010		14/02/2022	04:08	FN	Butanona	3MM Whatman	274		3	0	pH (Low/Actual/High)	98,917 %	Pass
Turvo/Incolor													
MAA-99mTc Lot # K-20220214-021		14/02/2022	07:45	BB	Butanona	3MM Whatman	123,3		1,4	0	pH (Low/Actual/High)	98,877 %	Pass
Turvo/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220214-026		14/02/2022 08:00	BB	Butanona		3MM Whatman		296		3	0	98,997 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220214-027		14/02/2022 08:01	BB	Butanona		3MM Whatman		133,7		0,1	0	99,925 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220214-031		14/02/2022 09:32	VS	Butanona		3MM Whatman		174,4		0,1	0	99,943 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220214-011		14/02/2022 04:13	FN	Acetona		3MM Whatman		1163		6	0	97,389 %	Pass	
				Normal Saline		3MM Whatman		15		700		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-012		14/02/2022 04:15	FN	Acetona		3MM Whatman		1220		2	0	99,347 %	Pass	
				Normal Saline		3MM Whatman		7		1423		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-013		14/02/2022 04:47	FN	Acetona		3MM Whatman		575		3	0	98,136 %	Pass	
				Normal Saline		3MM Whatman		9		660		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-014		14/02/2022 04:51	FN	Acetona		3MM Whatman		518		1	0	98,966 %	Pass	
				Normal Saline		3MM Whatman		6		707		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-017		14/02/2022 06:42	BB	Acetona		3MM Whatman		1356		0	0	96,528 %	Pass	
				Normal Saline		3MM Whatman		20		556		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-019		14/02/2022 07:38	BB	Acetona		3MM Whatman		1192		2	0	97,389 %	Pass	
				Normal Saline		3MM Whatman		42		1677		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-024		14/02/2022 07:54	BB	Acetona		3MM Whatman		1179		1	0	95,786 %	Pass	
				Normal Saline		3MM Whatman		60		1393		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-028		14/02/2022 08:29	PM	Acetona		3MM Whatman		1653		3	0	96,222 %	Pass	
				Normal Saline		3MM Whatman		35		938		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-034		14/02/2022 10:15	JS	Acetona		3MM Whatman		491		2	0	99,261 %	Pass	
				Normal Saline		3MM Whatman		2		598		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220214-035		14/02/2022 10:26	JS	Acetona		3MM Whatman		552		1	0	98,449 %	Pass	
				Normal Saline		3MM Whatman		9		648		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220214-039		14/02/2022 11:41 VS	Acetona Normal Saline		3MM Whatman			546 6		5 461	0 pH (Low/Actual/High)	97,808 % 4,00 <= 6,00 <= 7,80		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-001		14/02/2022 02:08 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1248 24		26 3395	0 pH (Low/Actual/High)	97,257 % 5,00 <= 5,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-002		14/02/2022 02:08 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1309 12		19 1982	0 pH (Low/Actual/High)	97,967 % 5,00 <= 5,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-003		14/02/2022 02:12 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1071 10		7 1371	0 pH (Low/Actual/High)	98,627 % 5,00 <= 6,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-004		14/02/2022 03:05 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			2214 15		21 3404	0 pH (Low/Actual/High)	98,622 % 5,00 <= 6,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-005		14/02/2022 03:29 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1163 20		25 1681	0 pH (Low/Actual/High)	96,72 % 5,00 <= 6,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-006		14/02/2022 03:39 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1783 4		26 1353	0 pH (Low/Actual/High)	98,268 % 5,00 <= 6,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-015		14/02/2022 05:25 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1796 22		12 2314	0 pH (Low/Actual/High)	98,395 % 5,00 <= 6,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-016		14/02/2022 06:38 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			1843 1		25 1899	0 pH (Low/Actual/High)	98,609 % 5,00 <= 5,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-020		14/02/2022 07:42 BB	Normal Saline Metanol		Sílica gel 3MM Whatman			2279 7		61 2392	0 pH (Low/Actual/High)	97,101 % 5,00 <= 5,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-029		14/02/2022 09:28 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			575 4		9 1682	0 pH (Low/Actual/High)	98,222 % 5,00 <= 5,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-030		14/02/2022 09:28 JS	Normal Saline Metanol		Sílica gel 3MM Whatman			410 3,8		5 883	0 pH (Low/Actual/High)	98,367 % 5,00 <= 5,00 <= 6,00		Pass
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220214-032		14/02/2022 09:50 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			403 8		3 508	0 pH (Low/Actual/High)	97,711 % 5,00 <= 6,00 <= 6,00		Pass
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220214-038	14/02/2022	11:37 VS	Normal Saline Metanol		Sílica gel 3MM Whatman			1808 8		15 825	0	pH (Low/Actual/High)	98,217 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
PSMA-68Ga Lot # K-20220214-018	14/02/2022	06:52 BB	Acetato de amônio 1M:Metanol		Sílica gel			0,1		23	0	pH (Low/Actual/High)	99,567 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220214-040	14/02/2022	12:50 VS	Acetato de amônio 1M:Metanol		Sílica gel			0,2		23,5	0	pH (Low/Actual/High)	99,156 %	Pass 4,00 <= 6,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-001	14/02/2022	01:20 FN	Butanona		3MM Whatman			5		2968	0	pH (Low/Actual/High)	99,832 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-003	14/02/2022	01:22 FN	Butanona		3MM Whatman			40		6660	0	pH (Low/Actual/High)	99,403 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-004	14/02/2022	01:26 FN	Butanona		3MM Whatman			43		7224	0	pH (Low/Actual/High)	99,408 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-005	14/02/2022	02:02 FN	Butanona		3MM Whatman			13		2878	0	pH (Low/Actual/High)	99,55 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-006	14/02/2022	02:02 FN	Butanona		3MM Whatman			7		2573	0	pH (Low/Actual/High)	99,729 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-007	14/02/2022	02:10 FN	Butanona		3MM Whatman			4		1584	0	pH (Low/Actual/High)	99,748 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-008	14/02/2022	03:19 FN	Butanona		3MM Whatman			12		3458	0	pH (Low/Actual/High)	99,654 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-009	14/02/2022	03:30 FN	Butanona		3MM Whatman			2		3147	0	pH (Low/Actual/High)	99,936 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-010	14/02/2022	03:58 FN	Butanona		3MM Whatman			4		543	0	pH (Low/Actual/High)	99,269 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-011	14/02/2022	04:10 FN	Butanona		3MM Whatman			22		3340	0	pH (Low/Actual/High)	99,346 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220214-012		14/02/2022 04:45	FN	Butanona		3MM Whatman		0,5		101,7	0		99,511 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-013		14/02/2022 04:49	FN	Butanona		3MM Whatman		0,8		33,9	0		97,695 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-014		14/02/2022 05:16	FN	Butanona		3MM Whatman		6		3517	0		99,83 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-015		14/02/2022 06:19	BB	Butanona		3MM Whatman		11		2684	0		99,592 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-017		14/02/2022 07:29	BB	Butanona		3MM Whatman		3		1339	0		99,776 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-018		14/02/2022 07:40	BB	Butanona		3MM Whatman		23		3916	0		99,416 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-019		14/02/2022 07:51	BB	Butanona		3MM Whatman		8		1112	0		99,286 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-020		14/02/2022 08:27	PM	Butanona		3MM Whatman		27		1065	0		97,527 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-021		14/02/2022 09:02	PM	Butanona		3MM Whatman		8		4912	0		99,837 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-022		14/02/2022 09:47	BB	Butanona		3MM Whatman		2,1		201	0		98,966 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-024		14/02/2022 10:08	VS	Butanona		3MM Whatman		13		908	0		98,588 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-025		14/02/2022 10:19	VS	Butanona		3MM Whatman		26		1210	0		97,896 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220214-026		14/02/2022 11:26	VS	Butanona		3MM Whatman		14		1723	0		99,194 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220214-028		14/02/2022 12:57 VS	Butanona		3MM	Whatman		14		902	0		98,472 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220214-029		14/02/2022 12:57 VS	Butanona		3MM	Whatman		9		1320	0		99,323 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220214-030		14/02/2022 12:59 VS	Butanona		3MM	Whatman		6		1646	0		99,637 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220214-031		14/02/2022 13:00 VS	Butanona		3MM	Whatman		8		1071	0		99,259 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220214-032		14/02/2022 13:10 VS	Butanona		3MM	Whatman		4		263	0		98,502 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220214-033		14/02/2022 13:40 JS	Butanona		3MM	Whatman		2		1410	0		99,858 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	