



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 15/02/2022 To 15/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220215-010		15/02/2022	04:01	PM	Butanona Normal Saline	3MM Whatman Sílica gel	285 7		5 230	0		95,322 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220215-011		15/02/2022	04:03	PM	Butanona Normal Saline	3MM Whatman Sílica gel	311 2		4 233	0		97,879 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220215-023		15/02/2022	07:32	MB	Butanona Normal Saline	3MM Whatman Sílica gel	168,4 4,9		1,9 173,5	0		96,138 %	Pass
Límpido/Incolor													
DMSA-99mTc Lot # K-20220215-024		15/02/2022	07:35	MB	Butanona Normal Saline	3MM Whatman Sílica gel	189,8 1,8		2,8 211,7	0		97,703 %	Pass
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220215-019		15/02/2022	06:56	GS	Citrato de Sódio 0,1M	Sílica gel	12,66		0,43	0		96,715 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220215-035		15/02/2022	09:59	BB	Citrato de Sódio 0,1M	Sílica gel	9,82		0,3	0		97,036 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220215-043		15/02/2022	11:02	VS	Citrato de Sódio 0,1M	Sílica gel	91,5		1,3	0		98,599 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220215-049		15/02/2022	13:08	MB	Citrato de Sódio 0,1M	Sílica gel	50,8		1,4	0		97,318 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220215-050		15/02/2022	14:06	MB	Citrato de Sódio 0,1M	Sílica gel	11,84		0,14	0		98,831 %	Pass
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220215-051		15/02/2022	16:17	YD	Citrato de Sódio 0,1M	Sílica gel	14,77		0,04	0		99,73 %	Pass
Límpido e Incolor													
DTPA-99mTc Lot # K-20220215-006	RPH	15/02/2022	03:28	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	1563 27		3 676	0		95,968 %	Pass
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220215-021	RPH	15/02/2022 07:05	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			268 4		1 244	0	pH (Low/Actual/High)	98,015 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor														
DTPA-99mTc Lot # K-20220215-027	RPH	15/02/2022 08:00	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			439 6		3 367	0	pH (Low/Actual/High)	97,713 %	Pass 3,80 <= 6,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20220215-007		15/02/2022 03:31	PM	Butanona	3MM Whatman			921		6	0	pH (Low/Actual/High)	99,353 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220215-022		15/02/2022 07:09	MB	Butanona	3MM Whatman			340		4	0	pH (Low/Actual/High)	98,837 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220215-046		15/02/2022 12:16	YD	Butanona	3MM Whatman			208		1	0	pH (Low/Actual/High)	99,522 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20220215-014		15/02/2022 04:31	PM	Butanona	3MM Whatman			473		5	0	pH (Low/Actual/High)	98,954 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220215-033		15/02/2022 09:24	MB	Butanona	3MM Whatman			157,5		1,1	0	pH (Low/Actual/High)	99,306 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220215-044		15/02/2022 11:14	VS	Butanona	3MM Whatman			242		7	0	pH (Low/Actual/High)	97,189 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20220215-005		15/02/2022 03:01	BB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1320 13		6 580	0	pH (Low/Actual/High)	97,355 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-008		15/02/2022 03:35	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			2131 28		5 1479	0	pH (Low/Actual/High)	97,908 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-013		15/02/2022 04:12	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman			200 8		1 1924	0	pH (Low/Actual/High)	99,088 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-026		15/02/2022 07:56	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			889 10		4 1081	0	pH (Low/Actual/High)	98,635 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-028		15/02/2022 08:07	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			986 14		1 1151	0	pH (Low/Actual/High)	98,697 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220215-029		15/02/2022 08:33	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			950 4		7 937	0 pH (Low/Actual/High)	98,843 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-030		15/02/2022 08:54	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			918 3		3 867	0 pH (Low/Actual/High)	99,329 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-034		15/02/2022 09:32	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			823 24		11 851	0 pH (Low/Actual/High)	95,938 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220215-047		15/02/2022 12:36	YD	Acetona Normal Saline	3MM Whatman 3MM Whatman			656 1		4 440	0 pH (Low/Actual/High)	99,167 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-001		15/02/2022 01:56	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			1180 14		16 2026	0 pH (Low/Actual/High)	97,976 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-002		15/02/2022 02:00	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			2005 24		4 1826	0 pH (Low/Actual/High)	98,504 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-003		15/02/2022 02:04	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1673 1		24 1898	0 pH (Low/Actual/High)	98,533 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-004		15/02/2022 02:07	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1963 3		34 2466	0 pH (Low/Actual/High)	98,176 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-009		15/02/2022 03:48	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1777 14		57 2114	0 pH (Low/Actual/High)	96,234 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-012		15/02/2022 04:07	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			350 45		9 1863	0 pH (Low/Actual/High)	95,135 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-015		15/02/2022 04:36	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			1395 29		14 2254	0 pH (Low/Actual/High)	97,736 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-016		15/02/2022 04:45	PM	Normal Saline Metanol	Sílica gel 3MM Whatman			201 3		2 224	0 pH (Low/Actual/High)	97,693 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-017		15/02/2022 06:30	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1717 1		16 200	0 pH (Low/Actual/High)	98,579 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220215-018	15/02/2022	06:33	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			207 12		2 1073	0	pH (Low/Actual/High)	97,937 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-025	15/02/2022	07:47	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			918 5		15 1937	0	pH (Low/Actual/High)	98,135 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-031	15/02/2022	09:12	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1144 13		10 1925	0	pH (Low/Actual/High)	98,463 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-042	15/02/2022	10:31	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			1369 2		6 261	0	pH (Low/Actual/High)	98,803 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-045	15/02/2022	11:43	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			309 7		3 268	0	pH (Low/Actual/High)	96,493 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220215-048	15/02/2022	12:44	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			146,7 2		2,1 130,6	0	pH (Low/Actual/High)	97,08 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220215-020	15/02/2022	07:02	MB	Butanona Normal Saline	3MM Whatman 3MM Whatman			387 10		2 394	0	pH (Low/Actual/High)	97,011 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220215-032	15/02/2022	09:20	VS	Butanona Normal Saline	3MM Whatman 3MM Whatman			548 2		8 493	0	pH (Low/Actual/High)	98,157 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
Tecnécio-99m Lot # E-20220215-001	15/02/2022	01:49	PM	Butanona	3MM Whatman			91		8221	0	pH (Low/Actual/High)	98,905 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220215-002	15/02/2022	01:50	PM	Butanona	3MM Whatman			20		3188	0	pH (Low/Actual/High)	99,377 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220215-003	15/02/2022	03:24	PM	Butanona	3MM Whatman			2		1789	0	pH (Low/Actual/High)	99,888 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220215-004	15/02/2022	03:42	PM	Butanona	3MM Whatman			6		4373	0	pH (Low/Actual/High)	99,863 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220215-005	15/02/2022	03:57	PM	Butanona	3MM Whatman			5		650	0	pH (Low/Actual/High)	99,237 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220215-006		15/02/2022 04:04 PM	Butanona		3MM	Whatman		4		679	0		99,414 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-007		15/02/2022 04:28 PM	Butanona		3MM	Whatman		6		613	0		99,031 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-008		15/02/2022 04:34 PM	Butanona		3MM	Whatman		19		840	0		97,788 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-009		15/02/2022 04:43 PM	Butanona		3MM	Whatman		6		414	0		98,571 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-010		15/02/2022 04:46 PM	Butanona		3MM	Whatman		39		838	0		95,553 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-011		15/02/2022 06:26 GS	Butanona		3MM	Whatman		0,05		8,85	0		99,438 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
Tecnécio-99m Lot # E-20220215-013		15/02/2022 07:27 MB	Butanona		3MM	Whatman		6		910	0		99,345 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-014		15/02/2022 07:42 MB	Butanona		3MM	Whatman		12		1539	0		99,226 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-015		15/02/2022 07:54 MB	Butanona		3MM	Whatman		6		783	0		99,24 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-016		15/02/2022 08:06 MB	Butanona		3MM	Whatman		7		1202	0		99,421 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-017		15/02/2022 08:31 MB	Butanona		3MM	Whatman		6		981	0		99,392 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-018		15/02/2022 08:43 MB	Butanona		3MM	Whatman		2		433	0		99,54 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220215-019		15/02/2022 08:56 MB	Butanona		3MM	Whatman		7		2052	0		99,66 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220215-020	15/02/2022	09:02	MB	Butanona	3MM	Whatman		4		2704	0		99,852 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220215-022	15/02/2022	09:59	MB	Butanona	3MM	Whatman		4		4362	0		99,908 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220215-023	15/02/2022	10:57	VS	Butanona	3MM	Whatman		11		776	0		98,602 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220215-025	15/02/2022	11:08	VS	Butanona	3MM	Whatman		5		958	0		99,481 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220215-026	15/02/2022	12:07	YD	Butanona	3MM	Whatman		3		1610	0		99,814 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220215-027	15/02/2022	12:11	VS	Butanona	3MM	Whatman		2		427	0		99,534 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
TRODAT-99mTc Lot # K-20220215-036	15/02/2022	10:22	VS	Normal Saline	Sílica gel			115,2		2	0		95,75 %	Pass
				Butanona	3MM	Whatman		2,8		107,3	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220215-037	15/02/2022	10:23	VS	Normal Saline	Sílica gel			67,1		1,6	0		97,101 %	Pass
				Butanona	3MM	Whatman		2		349	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220215-038	15/02/2022	10:24	VS	Normal Saline	Sílica gel			171,9		2,4	0		97,596 %	Pass
				Butanona	3MM	Whatman		3		289	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220215-039	15/02/2022	10:25	VS	Normal Saline	Sílica gel			196,5		1,8	0		96,954 %	Pass
				Butanona	3MM	Whatman		2,9		132,7	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220215-040	15/02/2022	10:27	VS	Normal Saline	Sílica gel			209		2	0		97,885 %	Pass
				Butanona	3MM	Whatman		3		254	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							
TRODAT-99mTc Lot # K-20220215-041	15/02/2022	10:28	VS	Normal Saline	Sílica gel			187,3		2,1	0		98,622 %	Pass
				Butanona	3MM	Whatman		2		741	pH (Low/Actual/High)	6,50 <= 7,00	<= 8,50	
							Límpido/Incolor							