



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10
R: Maestro Cardim, 769 - São Paulo/SP
Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 16/02/2022 To 16/02/2022

Product:	Manuf:	Calibration D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220216-011		16/02/2022 04:05	PM	Butanona Normal Saline	3MM Whatman Sílica gel	261 11		6 236	0		93,299 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20220216-024		16/02/2022 07:34	GS	Butanona Normal Saline	3MM Whatman Sílica gel	75,6 3,7		0,9 78,4	0		94,317 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20220216-025		16/02/2022 07:36	GS	Butanona Normal Saline	3MM Whatman Sílica gel	141,6 3,5		1,8 138,9	0		96,287 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20220216-038		16/02/2022 10:50	VSR	Butanona Normal Saline	3MM Whatman Sílica gel	95,6 4,2		1,3 111,5	0		95,028 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
DMSA-99mTc Lot # K-20220216-039		16/02/2022 10:53	VSR	Butanona Normal Saline	3MM Whatman Sílica gel	87,8 5,1		1 135,7	0		95,252 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
DOTATOC-68Ga Lot # K-20220216-032		16/02/2022 09:50	GS	Citrato de Sódio 0,1M	Sílica gel	16,44		0,6	0		96,479 %	Pass
					Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 6,00	<= 8,00
DOTATOC-68Ga Lot # K-20220216-037		16/02/2022 10:47	VSR	Citrato de Sódio 0,1M	Sílica gel	5,54		0,1	0		98,227 %	Pass
					Límpido e Incolor				pH (Low/Actual/High)		4,00 <= 5,00	<= 8,00
DOTATOC-68Ga Lot # K-20220216-051		16/02/2022 15:51									%	
DTPA-99mTc Lot # K-20220216-008	RPH	16/02/2022 03:56	PM	Acetona Normal Saline	3MM Whatman 3MM Whatman	636 10		1 557	0		98,079 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		3,80 <= 6,00	<= 7,50
DTPA-99mTc Lot # K-20220216-033	RPH	16/02/2022 10:14	VSR	Acetona Normal Saline	3MM Whatman 3MM Whatman	286 1		2 445	0		99,081 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		3,80 <= 6,00	<= 7,50
FITATO-99mTc Lot # K-20220216-012		16/02/2022 04:08	PM	Butanona	3MM Whatman	578		2	0		99,655 %	Pass
					Límpido/Incolor				pH (Low/Actual/High)		5,00 <= 6,00	<= 7,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220216-022	16/02/2022	07:16	GS	Butanona		3MM Whatman		361		6	0	98,365 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 7,00	
											Límpido/Incolor			
MAA-99mTc Lot # K-20220216-007	16/02/2022	03:54	PM	Butanona		3MM Whatman		439		5	0	98,874 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220216-041	16/02/2022	11:05	VSR	Butanona		3MM Whatman		105,7		0,1	0	99,905 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220216-042	16/02/2022	11:06	VSR	Butanona		3MM Whatman		153,2		1,1	0	99,287 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220216-044	16/02/2022	11:17	MB	Butanona		3MM Whatman		202		2	0	99,02 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MAA-99mTc Lot # K-20220216-045	16/02/2022	11:41	VS	Butanona		3MM Whatman		282		3	0	98,947 %	Pass	
											pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
											Turvo/Incolor			
MDP-99mTc Lot # K-20220216-015	16/02/2022	04:39	PM	Acetona		3MM Whatman		1570		2	0	99,011 %	Pass	
				Normal Saline		3MM Whatman		10		1151	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220216-016	16/02/2022	04:50	PM	Acetona		3MM Whatman		1976		4	0	97,826 %	Pass	
				Normal Saline		3MM Whatman		25		1243	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220216-020	16/02/2022	07:01	GS	Acetona		3MM Whatman		437		14	0	95,16 %	Pass	
				Normal Saline		3MM Whatman		5		283	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220216-023	16/02/2022	07:31	GS	Acetona		3MM Whatman		464		3	0	98,496 %	Pass	
				Normal Saline		3MM Whatman		6		690	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220216-030	16/02/2022	08:21	GS	Acetona		3MM Whatman		510		15	0	96,714 %	Pass	
				Normal Saline		3MM Whatman		3		697	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220216-031	16/02/2022	08:24	GS	Acetona		3MM Whatman		332		22	0	91,592 %	Pass	
				Normal Saline		3MM Whatman		15		669	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220216-034	16/02/2022	10:27	VSR	Acetona		3MM Whatman		169,4		0,2	0	98,892 %	Pass	
				Normal Saline		3MM Whatman		3		300	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220216-043		16/02/2022 11:11 MB	Acetona Normal Saline		3MM Whatman 3MM Whatman			270 1		1 433	0	pH (Low/Actual/High)	99,401 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220216-046		16/02/2022 12:04 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			251 7		6 1709	0	pH (Low/Actual/High)	97,257 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220216-049		16/02/2022 13:06 VS	Acetona Normal Saline		3MM Whatman 3MM Whatman			1002 22		1 717	0	pH (Low/Actual/High)	96,923 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-001		16/02/2022 02:03 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1439 10		29 1971	0	pH (Low/Actual/High)	97,52 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-002		16/02/2022 02:10 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2220 37		44 2078	0	pH (Low/Actual/High)	96,307 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-003		16/02/2022 02:16 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2190 63		23 3792	0	pH (Low/Actual/High)	97,326 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-004		16/02/2022 02:20 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1748 106		9 2586	0	pH (Low/Actual/High)	95,55 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-005		16/02/2022 03:49 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1825 4		15 2090	0	pH (Low/Actual/High)	98,994 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-006		16/02/2022 03:49 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1822 12		11 1744	0	pH (Low/Actual/High)	98,717 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-009		16/02/2022 03:59 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1691 7		27 2276	0	pH (Low/Actual/High)	98,122 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-010		16/02/2022 04:01 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2094 57		17 2067	0	pH (Low/Actual/High)	96,511 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-013		16/02/2022 04:29 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			1676 3		18 2721	0	pH (Low/Actual/High)	98,827 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-014		16/02/2022 04:30 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2049 9		11 2744	0	pH (Low/Actual/High)	99,139 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220216-018	16/02/2022	06:51	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			464,3 5,6	8,2 464,8	0		pH (Low/Actual/High)	97,074 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-026	16/02/2022	07:43	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1244 2	10 1114	0		pH (Low/Actual/High)	99,023 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-027	16/02/2022	07:50	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			911 6	15 640	0		pH (Low/Actual/High)	97,451 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-028	16/02/2022	08:02	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			588 14	7 607	0		pH (Low/Actual/High)	96,569 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-029	16/02/2022	08:08	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			534 13	11 502	0		pH (Low/Actual/High)	95,457 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-035	16/02/2022	10:36	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			131,8 2,4	2,6 178,4	0		pH (Low/Actual/High)	96,738 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-036	16/02/2022	10:42	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			177,5 1	2 460	0		pH (Low/Actual/High)	98,669 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-040	16/02/2022	11:01	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			994 2	7 1629	0		pH (Low/Actual/High)	99,178 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-047	16/02/2022	12:09	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			759 5	10 887	0		pH (Low/Actual/High)	98,139 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220216-050	16/02/2022	13:09	VS	Normal Saline Metanol	Sílica gel 3MM Whatman			190 3	2 256	0		pH (Low/Actual/High)	97,80 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220216-019	16/02/2022	06:55	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			548 9	2 428	0		pH (Low/Actual/High)	97,577 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220216-021	16/02/2022	06:59	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			325 4	2 273	0		pH (Low/Actual/High)	97,944 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220216-017	16/02/2022	06:45	GS	Acetato de amônio 1M:Metanol	Sílica gel			0,5	20,6	0		pH (Low/Actual/High)	97,63 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20220216-048	16/02/2022	12:59 VS	Acetato de amônio 1M:Metanol	Sílica gel				1,3	43,8		0	97,118 %	Pass	
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-001	16/02/2022	01:48 PM	Butanona		3MM Whatman			59	1634		0	96,515 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-002	16/02/2022	01:49 PM	Butanona		3MM Whatman			11	963		0	98,871 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-003	16/02/2022	02:11 PM	Butanona		3MM Whatman			6	905		0	99,341 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-005	16/02/2022	03:44 PM	Butanona		3MM Whatman			6	575		0	98,967 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-004	16/02/2022	03:44 PM	Butanona		3MM Whatman			7	372		0	98,153 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-006	16/02/2022	03:57 PM	Butanona		3MM Whatman			15	887		0	98,337 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-007	16/02/2022	03:59 PM	Butanona		3MM Whatman			10	823		0	98,80 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-008	16/02/2022	04:03 PM	Butanona		3MM Whatman			28	648		0	95,858 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-009	16/02/2022	04:25 PM	Butanona		3MM Whatman			6	804		0	99,259 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-010	16/02/2022	04:25 PM	Butanona		3MM Whatman			5	1102		0	99,548 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-011	16/02/2022	04:37 PM	Butanona		3MM Whatman			12	371		0	96,867 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-012	16/02/2022	04:48 PM	Butanona		3MM Whatman			28	2192		0	98,739 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220216-014		16/02/2022 06:46	GS	Butanona		3MM Whatman		0,02		2,68	0		99,259 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-015		16/02/2022 06:58	GS	Butanona		3MM Whatman		0,55		57,23	0		99,048 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-016		16/02/2022 07:28	GS	Butanona		3MM Whatman		4		1202	0		99,668 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-017		16/02/2022 07:29	GS	Butanona		3MM Whatman		1		204	0		99,512 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-018		16/02/2022 07:40	GS	Butanona		3MM Whatman		13		727	0		98,243 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-019		16/02/2022 07:46	GS	Butanona		3MM Whatman		10		734	0		98,656 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-020		16/02/2022 08:01	GS	Butanona		3MM Whatman		8,5		184,3	0		95,591 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-021		16/02/2022 08:06	GS	Butanona		3MM Whatman		2,3		83,8	0		97,329 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-022		16/02/2022 08:19	GS	Butanona		3MM Whatman		3,7		168,4	0		97,85 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-023		16/02/2022 08:22	GS	Butanona		3MM Whatman		6,7		149,8	0		95,719 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-024		16/02/2022 08:33	GS	Butanona		3MM Whatman		5		297	0		98,344 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-025		16/02/2022 09:46	GS	Butanona		3MM Whatman		3		462	0		99,355 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-027		16/02/2022 10:17	BB	Butanona		3MM Whatman		1		368	0		99,729 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220216-028		16/02/2022 10:29	BB	Butanona		3MM Whatman		0,4		172,7	0		99,769 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-029		16/02/2022 10:37	VSR	Butanona		3MM Whatman		1		413	0		99,758 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-030		16/02/2022 10:46	VSR	Butanona		3MM Whatman		1		387	0		99,742 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-032		16/02/2022 10:56	VSR	Butanona		3MM Whatman		0,019		1,268	0		98,524 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-033		16/02/2022 11:08	VSR	Butanona		3MM Whatman		5		252	0		98,054 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-034		16/02/2022 11:58	VS	Butanona		3MM Whatman		6		218	0		97,321 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-035		16/02/2022 12:00	VS	Butanona		3MM Whatman		9		430	0		97,95 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-036		16/02/2022 12:54	VS	Butanona		3MM Whatman		1		175	0		99,432 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220216-037		16/02/2022 12:56	VS	Butanona		3MM Whatman		4		457	0		99,132 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor