



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 17/02/2022 To 17/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc		17/02/2022	04:02	FN	Butanona	3MM Whatman	167,8		0,7	0		91,562 %	Pass
Lot # K-20220217-010					Normal Saline	Silica gel	12,7		145,6	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DMSA-99mTc		17/02/2022	07:40	GS	Butanona	3MM Whatman	186,3		0,2	0		97,848 %	Pass
Lot # K-20220217-025					Normal Saline	Silica gel	3,3		158,1	pH (Low/Actual/High)		2,00 <= 3,00	<= 3,00
						Límpido/Incolor							
DOTATOC-68Ga		17/02/2022	07:00	GS	Citrato de Sódio 0,1M	Silica gel	11,28		0,18	0		98,429 %	Pass
Lot # K-20220217-023										pH (Low/Actual/High)		4,00 <= 6,00	<= 8,00
						Límpido e Incolor							
DOTATOC-68Ga		17/02/2022	12:40	MB	Citrato de Sódio 0,1M	Silica gel	33,1		0,7	0		97,929 %	Pass
Lot # K-20220217-046										pH (Low/Actual/High)		4,00 <= 5,00	<= 8,00
						Límpido e Incolor							
DOTATOC-68Ga		17/02/2022	14:08	MB	Citrato de Sódio 0,1M	Silica gel	15,38		0,6	0		96,245 %	Pass
Lot # K-20220217-050										pH (Low/Actual/High)		4,00 <= 5,00	<= 8,00
						Límpido e Incolor							
DTPA-99mTc	RPH	17/02/2022	03:10	FN	Acetona	3MM Whatman	358		15	0		94,755 %	Pass
Lot # K-20220217-006					Normal Saline	3MM Whatman	4		323	pH (Low/Actual/High)		3,80 <= 6,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	17/02/2022	04:07	FN	Acetona	3MM Whatman	538		27	0		93,044 %	Pass
Lot # K-20220217-012					Normal Saline	3MM Whatman	13		584	pH (Low/Actual/High)		3,80 <= 6,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	17/02/2022	07:46	GS	Acetona	3MM Whatman	416		2	0		97,207 %	Pass
Lot # K-20220217-026					Normal Saline	3MM Whatman	5		211	pH (Low/Actual/High)		3,80 <= 5,00	<= 7,50
						Límpido/Incolor							
DTPA-99mTc	RPH	17/02/2022	13:13	MB	Acetona	3MM Whatman	143		1	0		97,767 %	Pass
Lot # K-20220217-048					Normal Saline	3MM Whatman	2		128	pH (Low/Actual/High)		3,80 <= 5,00	<= 7,50
						Límpido/Incolor							
FITATO-99mTc		17/02/2022	03:18	FN	Butanona	3MM Whatman	645		5	0		99,231 %	Pass
Lot # K-20220217-008										pH (Low/Actual/High)		5,00 <= 6,00	<= 7,00
						Límpido/Incolor							
FITATO-99mTc		17/02/2022	11:42	MB	Butanona	3MM Whatman	292		4	0		98,649 %	Pass
Lot # K-20220217-041										pH (Low/Actual/High)		5,00 <= 6,00	<= 7,00
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220217-016		17/02/2022 04:20	FN	Butanona		3MM Whatman		168,9		1,4	0	99,178 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220217-017		17/02/2022 04:23	FN	Butanona		3MM Whatman		159,3		2,4	0	98,516 %	Pass	
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220217-044		17/02/2022 12:36	MB	Butanona		3MM Whatman		80,5		0,8	0	99,016 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220217-045		17/02/2022 12:37	MB	Butanona		3MM Whatman		183,4		1,1	0	99,404 %	Pass	
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220217-009		17/02/2022 03:57	FN	Acetona		3MM Whatman		1141		3	0	99,653 %	Pass	
				Normal Saline		3MM Whatman		1		1174		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-011		17/02/2022 04:04	FN	Acetona		3MM Whatman		684		2	0	98,747 %	Pass	
				Normal Saline		3MM Whatman		10		1030		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-015		17/02/2022 04:18	FN	Acetona		3MM Whatman		1227		21	0	96,675 %	Pass	
				Normal Saline		3MM Whatman		21		1258		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-019		17/02/2022 04:41	FN	Acetona		3MM Whatman		1368		12	0	98,997 %	Pass	
				Normal Saline		3MM Whatman		1		746		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-028		17/02/2022 08:17	MB	Acetona		3MM Whatman		267		3	0	98,718 %	Pass	
				Normal Saline		3MM Whatman		1		585		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-029		17/02/2022 08:19	VSR	Acetona		3MM Whatman		521		2	0	99,417 %	Pass	
				Normal Saline		3MM Whatman		1		497		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-030		17/02/2022 08:36	VSR	Acetona		3MM Whatman		1260		2	0	99,549 %	Pass	
				Normal Saline		3MM Whatman		2		681		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-035		17/02/2022 10:15	VSR	Acetona		3MM Whatman		446		1	0	99,582 %	Pass	
				Normal Saline		3MM Whatman		1		513		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220217-038		17/02/2022 11:07	MB	Acetona		3MM Whatman		262		2	0	98,61 %	Pass	
				Normal Saline		3MM Whatman		2		314		pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220217-039		17/02/2022 11:28	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			95,2 1,1		1 168,5	0	pH (Low/Actual/High)	98,312 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220217-042		17/02/2022 12:11	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			219 0,5		2 191,5	0	pH (Low/Actual/High)	98,835 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220217-051		17/02/2022 14:12	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			615 1		4 453	0	pH (Low/Actual/High)	99,134 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-004		17/02/2022 02:45	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			1663 24		28 2996	0	pH (Low/Actual/High)	97,549 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-005		17/02/2022 02:59	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			2040 18		21 1822	0	pH (Low/Actual/High)	98,003 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-013		17/02/2022 04:12	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			883 4		10 778	0	pH (Low/Actual/High)	98,369 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-014		17/02/2022 04:15	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			772 3		10 756	0	pH (Low/Actual/High)	98,326 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-018		17/02/2022 04:33	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			1148 10		7 812	0	pH (Low/Actual/High)	98,177 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-021		17/02/2022 06:42	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1197 10		16 1414	0	pH (Low/Actual/High)	97,979 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-022		17/02/2022 06:47	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			862 21		19 572	0	pH (Low/Actual/High)	94,302 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-027		17/02/2022 07:47	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			770 2		4 1443	0	pH (Low/Actual/High)	99,345 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-036		17/02/2022 10:27	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			861 2		16 502	0	pH (Low/Actual/High)	97,779 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220217-040		17/02/2022 11:33	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			623 3		5 606	0	pH (Low/Actual/High)	98,711 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220217-043	17/02/2022	12:32	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			542 1		1 776	0	pH (Low/Actual/High)	99,687 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220217-047	17/02/2022	13:09	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			162 2		1 135	0	pH (Low/Actual/High)	97,927 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220217-049	17/02/2022	13:50	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			365 4		3 382	0	pH (Low/Actual/High)	98,149 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220217-052	17/02/2022	14:12	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			366 1		30 790	0	pH (Low/Actual/High)	92,298 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
PIRO-99mTc Lot # K-20220217-024	17/02/2022	07:37	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			184,3 9		3,3 216	0	pH (Low/Actual/High)	94,241 %	Pass 5,00 <= 5,00 <= 7,00
														Límpido/Incolor
PSMA-177Lu Lot # K-20220217-001	17/02/2022	01:55	BB	Citrato de Sódio 0,1M	Sílica gel			458		1	0	pH (Low/Actual/High)	99,782 %	Pass 4,00 <= 4,50 <= 5,00
														Límpido
QC Notes: HPLC: 95,39%														
PSMA-177Lu Lot # K-20220217-002	17/02/2022	01:55	BB	Citrato de Sódio 0,1M	Sílica gel			365		4	0	pH (Low/Actual/High)	98,916 %	Pass 4,00 <= 4,50 <= 5,00
														Límpido
QC Notes: HPLC: 95,85%														
PSMA-177Lu Lot # K-20220217-003	17/02/2022	02:06	BB	Citrato de Sódio 0,1M	Sílica gel			443		2	0	pH (Low/Actual/High)	99,551 %	Pass 4,00 <= 4,50 <= 5,00
														Límpido
QC Notes: HPLC: 95,42														
PSMA-68Ga Lot # K-20220217-031	17/02/2022	09:43	VSR	Acetato de amônio 1M:Metanol	Sílica gel			0,5		21,9	0	pH (Low/Actual/High)	97,768 %	Pass 4,00 <= 6,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220217-037	17/02/2022	10:45	MB	Acetato de amônio 1M:Metanol	Sílica gel			2		100	0	pH (Low/Actual/High)	98,039 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
PSMA-68Ga Lot # K-20220217-053	17/02/2022	16:00	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,9		22,5	0	pH (Low/Actual/High)	96,154 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-001	17/02/2022	02:42	FN	Butanona	3MM Whatman			4		264	0	pH (Low/Actual/High)	98,507 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220217-002		17/02/2022 02:55	FN	Butanona		3MM Whatman		2		1547	0	99,871 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-003		17/02/2022 03:49	FN	Butanona		3MM Whatman		2		1191	0	99,832 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-004		17/02/2022 04:00	FN	Butanona		3MM Whatman		1		363	0	99,725 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-005		17/02/2022 04:09	FN	Butanona		3MM Whatman		1		343	0	99,709 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-007		17/02/2022 04:13	FN	Butanona		3MM Whatman		2		213	0	99,07 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-008		17/02/2022 04:16	FN	Butanona		3MM Whatman		2		317	0	99,373 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-009		17/02/2022 04:31	FN	Butanona		3MM Whatman		2		303	0	99,344 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-010		17/02/2022 04:40	FN	Butanona		3MM Whatman		2		489	0	99,593 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-011		17/02/2022 05:16	FN	Butanona		3MM Whatman		3		456	0	99,346 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-012		17/02/2022 06:19	GS	Butanona		3MM Whatman		17		1481	0	98,865 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-013		17/02/2022 06:33	GS	Butanona		3MM Whatman		3		1445	0	99,793 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-015		17/02/2022 07:29	GS	Butanona		3MM Whatman		9		281	0	96,897 %	Pass	
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220217-016		17/02/2022 07:34	GS	Butanona		3MM Whatman		23		1756	0	98,707 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220217-017		17/02/2022 08:04	GS	Butanona		3MM Whatman		10		311	0	96,885 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-018		17/02/2022 08:08	GS	Butanona		3MM Whatman		14		511	0	97,333 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-019		17/02/2022 08:28	MB	Butanona		3MM Whatman		79		2095	0	96,366 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-021		17/02/2022 10:01	VSR	Butanona		3MM Whatman		4		488	0	99,187 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-022		17/02/2022 10:03	VSR	Butanona		3MM Whatman		1		384	0	99,74 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-023		17/02/2022 10:21	VSR	Butanona		3MM Whatman		5		921	0	99,46 %	Pass	
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-025		17/02/2022 10:58	MB	Butanona		3MM Whatman		21		523	0	96,14 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-026		17/02/2022 11:25	MB	Butanona		3MM Whatman		7		258	0	97,358 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-027		17/02/2022 11:31	MB	Butanona		3MM Whatman		2		428	0	99,535 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-028		17/02/2022 11:36	MB	Butanona		3MM Whatman		2		254	0	99,219 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-029		17/02/2022 12:08	MB	Butanona		3MM Whatman		6		220	0	97,345 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-030		17/02/2022 12:32	MB	Butanona		3MM Whatman		2		269	0	99,262 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-032		17/02/2022 13:03	MB	Butanona		3MM Whatman		1		83	0	98,81 %	Pass	
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220217-033		17/02/2022 13:10	MB	Butanona		3MM Whatman		1		397	0	99,749 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-034		17/02/2022 13:48	MB	Butanona		3MM Whatman		5		444	0	98,886 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
Tecnécio-99m Lot # E-20220217-036		17/02/2022 14:08	LG	Butanona		3MM Whatman		20		808	0	97,585 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
														Límpido e Incolor
TRODAT-99mTc Lot # K-20220217-020		17/02/2022 06:37	BB	Normal Saline		Sílica gel		156,7		2,6	0	92,753 %	Pass	
				Butanona		3MM Whatman		5,8		97,5	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220217-032		17/02/2022 10:07	MB	Normal Saline		Sílica gel		165		2,1	0	97,841 %	Pass	
				Butanona		3MM Whatman		1,5		164,7	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220217-033		17/02/2022 10:13	MB	Normal Saline		Sílica gel		51,4		1,8	0	95,561 %	Pass	
				Butanona		3MM Whatman		0,8		75	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
														Límpido/Incolor
TRODAT-99mTc Lot # K-20220217-034		17/02/2022 10:14	MB	Normal Saline		Sílica gel		46,8		2	0	92,784 %	Pass	
				Butanona		3MM Whatman		3,9		121,2	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
														Límpido/Incolor