



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 18/02/2022 To 18/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220218-022		18/02/2022	07:35	GS	Butanona Normal Saline	3MM Whatman Sílica gel	121,7 4,1		0,5 123,2	0	pH (Low/Actual/High)	96,37 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220218-023		18/02/2022	07:36	GS	Butanona Normal Saline	3MM Whatman Sílica gel	156,7 3,4		0,8 87,2	0	pH (Low/Actual/High)	95,739 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220218-024		18/02/2022	07:38	GS	Butanona Normal Saline	3MM Whatman Sílica gel	128,6 5,1		0,3 122,1	0	pH (Low/Actual/High)	95,758 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220218-026		18/02/2022	08:07	GS	Butanona Normal Saline	3MM Whatman Sílica gel	102,5 5,6		1,5 126,8	0	pH (Low/Actual/High)	94,328 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220218-027		18/02/2022	08:08	GS	Butanona Normal Saline	3MM Whatman Sílica gel	96,5 2,1		0,4 81,4	0	pH (Low/Actual/High)	97,072 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220218-036		18/02/2022	10:12	VSR	Butanona Normal Saline	3MM Whatman Sílica gel	147 8,3		0,4 106,6	0	pH (Low/Actual/High)	92,505 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220218-042		18/02/2022	12:58	YD	Citrato de Sódio 0,1M	Sílica gel	21,2		0,25	0	pH (Low/Actual/High)	98,834 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220218-043		18/02/2022	13:59	YD	Citrato de Sódio 0,1M	Sílica gel	17,6		0,23	0	pH (Low/Actual/High)	98,71 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220218-010	RPH	18/02/2022	03:43	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman	382 3		1 460	0	pH (Low/Actual/High)	99,091 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220218-020	RPH	18/02/2022	06:45	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman	420 5		9 429	0	pH (Low/Actual/High)	96,75 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220218-039	RPH	18/02/2022	11:18	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	387 10		4 358	0	pH (Low/Actual/High)	96,26 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220218-014	18/02/2022	04:12	GS	Butanona		3MM Whatman		204		1	0	99,512 %	Pass	
							Límpido/Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
FITATO-99mTc Lot # K-20220218-035	18/02/2022	10:07	VSR	Butanona		3MM Whatman		258		2	0	99,231 %	Pass	
							Límpido/Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00	
MAA-99mTc Lot # K-20220218-011	18/02/2022	04:06	GS	Butanona		3MM Whatman		175,1		4,1	0	97,712 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20220218-012	18/02/2022	04:08	GS	Butanona		3MM Whatman		114,4		0,5	0	99,565 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220218-013	18/02/2022	04:08	GS	Butanona		3MM Whatman		203		5	0	97,596 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220218-029	18/02/2022	08:30	GS	Butanona		3MM Whatman		319		1	0	99,688 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220218-030	18/02/2022	08:31	GS	Butanona		3MM Whatman		78,5		2,9	0	96,437 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220218-037	18/02/2022	10:18	VSR	Butanona		3MM Whatman		112,8		2,6	0	97,747 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00	
MAA-99mTc Lot # K-20220218-040	18/02/2022	11:45	YD	Butanona		3MM Whatman		60,5		1,9	0	96,955 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220218-041	18/02/2022	11:48	YD	Butanona		3MM Whatman		115,8		4	0	96,661 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MDP-99mTc Lot # K-20220218-008	18/02/2022	03:34	GS	Acetona		3MM Whatman		576		2	0	99,241 %	Pass	
				Normal Saline		3MM Whatman		4		964	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220218-009	18/02/2022	03:39	GS	Acetona		3MM Whatman		949		12	0	97,405 %	Pass	
				Normal Saline		3MM Whatman		11		806	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220218-019	18/02/2022	06:37	MB	Acetona		3MM Whatman		1394		6	0	99,203 %	Pass	
				Normal Saline		3MM Whatman		5		1351	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220218-021		18/02/2022 06:52	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1321 24		2 1268	0	pH (Low/Actual/High)	97,991 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220218-028		18/02/2022 08:23	GS	Acetona Normal Saline	3MM Whatman 3MM Whatman			615 5		10 376	0	pH (Low/Actual/High)	97,088 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220218-031		18/02/2022 09:17	VSR	Acetona Normal Saline	3MM Whatman 3MM Whatman			906 0,01		1 1,037	0	pH (Low/Actual/High)	98,935 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220218-032		18/02/2022 09:29	VSR	Acetona Normal Saline	3MM Whatman 3MM Whatman			543 1		1 438	0	pH (Low/Actual/High)	99,588 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220218-038		18/02/2022 10:31	VSR	Acetona Normal Saline	3MM Whatman 3MM Whatman			866 0,006		8 1,104	0	pH (Low/Actual/High)	98,544 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-001		18/02/2022 02:01	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			670 17		19 822	0	pH (Low/Actual/High)	95,216 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-002		18/02/2022 02:03	FN	Normal Saline Metanol	Sílica gel 3MM Whatman			1583 3		24 2132	0	pH (Low/Actual/High)	98,366 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-003		18/02/2022 02:06	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			849 5		20 1995	0	pH (Low/Actual/High)	97,449 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-004		18/02/2022 02:07	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1166 6		23 1584	0	pH (Low/Actual/High)	97,688 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-005		18/02/2022 02:12	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			705 5		12 493	0	pH (Low/Actual/High)	97,322 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-006		18/02/2022 02:14	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			876 18		3 1235	0	pH (Low/Actual/High)	98,222 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-007		18/02/2022 02:15	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1179 2		18 1220	0	pH (Low/Actual/High)	98,333 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-015		18/02/2022 06:27	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			836 4		14 1721	0	pH (Low/Actual/High)	98,121 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220218-016	18/02/2022	06:32	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			3,26 17	0,05 1979	0		pH (Low/Actual/High)	97,638 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-017	18/02/2022	06:34	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			264 23	0,4 1766	0		pH (Low/Actual/High)	98,563 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220218-034	18/02/2022	09:57	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			2,21 0,1	0,04 2,16	0		pH (Low/Actual/High)	93,797 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220218-025	18/02/2022	07:43	GS	Butanona Normal Saline	3MM Whatman 3MM Whatman			328 18	2 870	0		pH (Low/Actual/High)	97,367 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220218-018	18/02/2022	06:39	MB	Acetato de amônio 1M:Metanol	Sílica gel			0,1	26,4	0		pH (Low/Actual/High)	99,623 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220218-033	18/02/2022	09:34	VSR	Acetato de amônio 1M:Metanol	Sílica gel			0,01	17,51	0		pH (Low/Actual/High)	99,943 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-001	18/02/2022	01:47	FN	Butanona	3MM Whatman			5	2974	0		pH (Low/Actual/High)	99,832 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-002	18/02/2022	01:50	FN	Butanona	3MM Whatman			7	2879	0		pH (Low/Actual/High)	99,757 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-003	18/02/2022	04:03	GS	Butanona	3MM Whatman			2	235	0		pH (Low/Actual/High)	99,156 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-004	18/02/2022	06:24	MB	Butanona	3MM Whatman			45	8001	0		pH (Low/Actual/High)	99,441 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-006	18/02/2022	07:27	GS	Butanona	3MM Whatman			3	779	0		pH (Low/Actual/High)	99,616 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-007	18/02/2022	08:19	GS	Butanona	3MM Whatman			15	1015	0		pH (Low/Actual/High)	98,544 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220218-008	18/02/2022	09:07	VSR	Butanona	3MM Whatman			1,7	119,6	0		pH (Low/Actual/High)	98,599 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220218-009		18/02/2022 09:20	VSR	Butanona		3MM Whatman		0,2		183,5	0			99,891 % Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220218-011		18/02/2022 09:50	VSR	Butanona		3MM Whatman		0,02		2,41	0			99,177 % Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220218-012		18/02/2022 09:54	VSR	Butanona		3MM Whatman		0,06		1,485	0			96,117 % Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor