



# Kit Quality Control Report

## RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 22/02/2022 To 22/02/2022

| Product:                             | Manuf: | Calibration | D/T   | QC By | Solution                  | Media                      | Origin       | Middle | Top          | Background | Particle Size/ OK?   | % Tag    | Pass Fail                    |
|--------------------------------------|--------|-------------|-------|-------|---------------------------|----------------------------|--------------|--------|--------------|------------|----------------------|----------|------------------------------|
| DMSA-99mTc<br>Lot # K-20220222-011   |        | 22/02/2022  | 04:03 | GS    | Butanona<br>Normal Saline | 3MM Whatman<br>Sílica gel  | 85,2<br>6    |        | 0,8<br>205   | 0          | pH (Low/Actual/High) | 96,226 % | Pass<br>2,00 <= 3,00 <= 3,00 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |
| DMSA-99mTc<br>Lot # K-20220222-028   |        | 22/02/2022  | 07:32 | MB    | Butanona<br>Normal Saline | 3MM Whatman<br>Sílica gel  | 203<br>2     |        | 3<br>174     | 0          | pH (Low/Actual/High) | 97,407 % | Pass<br>2,00 <= 3,00 <= 3,00 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |
| DMSA-99mTc<br>Lot # K-20220222-029   |        | 22/02/2022  | 07:37 | MB    | Butanona<br>Normal Saline | 3MM Whatman<br>Sílica gel  | 212<br>9     |        | 4<br>179     | 0          | pH (Low/Actual/High) | 93,361 % | Pass<br>2,00 <= 3,00 <= 3,00 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |
| DMSA-99mTc<br>Lot # K-20220222-030   |        | 22/02/2022  | 07:39 | MB    | Butanona<br>Normal Saline | 3MM Whatman<br>Sílica gel  | 137<br>5     |        | 3<br>226     | 0          | pH (Low/Actual/High) | 95,693 % | Pass<br>2,00 <= 3,00 <= 3,00 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |
| DMSA-99mTc<br>Lot # K-20220222-044   |        | 22/02/2022  | 10:45 | VSR   | Butanona<br>Normal Saline | 3MM Whatman<br>Sílica gel  | 179,5<br>3,5 |        | 1,1<br>164,5 | 0          | pH (Low/Actual/High) | 97,308 % | Pass<br>2,00 <= 3,00 <= 3,00 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |
| DOTATOC-68Ga<br>Lot # K-20220222-023 |        | 22/02/2022  | 06:58 | BB    | Citrato de Sódio 0,1M     | Sílica gel                 | 10,8         |        | 0,2          | 0          | pH (Low/Actual/High) | 98,182 % | Pass<br>4,00 <= 5,00 <= 8,00 |
|                                      |        |             |       |       |                           | Límpido e Incolor          |              |        |              |            |                      |          |                              |
| DOTATOC-68Ga<br>Lot # K-20220222-034 |        | 22/02/2022  | 09:46 | VSR   | Citrato de Sódio 0,1M     | Sílica gel                 | 50,8         |        | 1            | 0          | pH (Low/Actual/High) | 98,069 % | Pass<br>4,00 <= 6,00 <= 8,00 |
|                                      |        |             |       |       |                           | Límpido e Incolor          |              |        |              |            |                      |          |                              |
| DOTATOC-68Ga<br>Lot # K-20220222-050 |        | 22/02/2022  | 12:41 | JS    | Citrato de Sódio 0,1M     | Sílica gel                 | 10,3         |        | 0,2          | 0          | pH (Low/Actual/High) | 98,095 % | Pass<br>4,00 <= 5,00 <= 8,00 |
|                                      |        |             |       |       |                           | Límpido e Incolor          |              |        |              |            |                      |          |                              |
| DOTATOC-68Ga<br>Lot # K-20220222-051 |        | 22/02/2022  | 15:38 | JS    | Citrato de Sódio 0,1M     | Sílica gel                 | 35,5         |        | 0,1          | 0          | pH (Low/Actual/High) | 99,719 % | Pass<br>4,00 <= 5,00 <= 8,00 |
|                                      |        |             |       |       |                           | Límpido e Incolor          |              |        |              |            |                      |          |                              |
| DTPA-99mTc<br>Lot # K-20220222-010   | RPH    | 22/02/2022  | 03:52 | GS    | Acetona<br>Normal Saline  | 3MM Whatman<br>3MM Whatman | 260<br>1     |        | 1<br>229     | 0          | pH (Low/Actual/High) | 99,182 % | Pass<br>3,80 <= 6,00 <= 7,50 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |
| DTPA-99mTc<br>Lot # K-20220222-024   | RPH    | 22/02/2022  | 07:13 | MB    | Acetona<br>Normal Saline  | 3MM Whatman<br>3MM Whatman | 1210<br>10   |        | 5<br>1244    | 0          | pH (Low/Actual/High) | 98,791 % | Pass<br>3,80 <= 5,00 <= 7,50 |
|                                      |        |             |       |       |                           | Límpido/Incolor            |              |        |              |            |                      |          |                              |

| Product:                             | Manuf: | Calibration D/T  | Solution | Media                    | Origin                     | Middle | Top             | Solution 2 | Media 2 | Origin 2  | Top 2                     | % Tag                            | QC By | Pass<br>Fail |
|--------------------------------------|--------|------------------|----------|--------------------------|----------------------------|--------|-----------------|------------|---------|-----------|---------------------------|----------------------------------|-------|--------------|
| DTPA-99mTc<br>Lot # K-20220222-025   | RPH    | 22/02/2022 07:15 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |                 | 1155<br>5  |         | 4<br>1058 | 0<br>pH (Low/Actual/High) | 99,185 %<br>3,80 <= 6,00 <= 7,50 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Límpido/Incolor |            |         |           |                           |                                  |       |              |
| DTPA-99mTc<br>Lot # K-20220222-048   | RPH    | 22/02/2022 11:51 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |                 | 416<br>3   |         | 1<br>531  | 0<br>pH (Low/Actual/High) | 99,198 %<br>3,80 <= 5,00 <= 7,50 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Límpido/Incolor |            |         |           |                           |                                  |       |              |
| FITATO-99mTc<br>Lot # K-20220222-009 |        | 22/02/2022 03:48 | GS       | Butanona                 | 3MM Whatman                |        |                 | 209        |         | 2         | 0<br>pH (Low/Actual/High) | 99,052 %<br>5,00 <= 6,00 <= 7,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Límpido/Incolor |            |         |           |                           |                                  |       |              |
| FITATO-99mTc<br>Lot # K-20220222-046 |        | 22/02/2022 10:59 | MB       | Butanona                 | 3MM Whatman                |        |                 | 461        |         | 2         | 0<br>pH (Low/Actual/High) | 99,568 %<br>5,00 <= 6,00 <= 7,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Límpido/Incolor |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-012    |        | 22/02/2022 04:05 | GS       | Butanona                 | 3MM Whatman                |        |                 | 140,2      |         | 1,9       | 0<br>pH (Low/Actual/High) | 98,663 %<br>3,00 <= 5,00 <= 6,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-013    |        | 22/02/2022 04:07 | GS       | Butanona                 | 3MM Whatman                |        |                 | 126,6      |         | 3,8       | 0<br>pH (Low/Actual/High) | 97,086 %<br>3,00 <= 5,00 <= 6,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-014    |        | 22/02/2022 04:10 | GS       | Butanona                 | 3MM Whatman                |        |                 | 35,9       |         | 0,6       | 0<br>pH (Low/Actual/High) | 98,356 %<br>3,00 <= 3,00 <= 6,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-015    |        | 22/02/2022 04:11 | GS       | Butanona                 | 3MM Whatman                |        |                 | 589        |         | 8         | 0<br>pH (Low/Actual/High) | 98,66 %<br>3,00 <= 3,00 <= 6,00  | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-026    |        | 22/02/2022 07:20 | MB       | Butanona                 | 3MM Whatman                |        |                 | 257        |         | 3         | 0<br>pH (Low/Actual/High) | 98,846 %<br>3,00 <= 5,00 <= 6,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-027    |        | 22/02/2022 07:31 | MB       | Butanona                 | 3MM Whatman                |        |                 | 220        |         | 1         | 0<br>pH (Low/Actual/High) | 99,548 %<br>3,00 <= 5,00 <= 6,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MAA-99mTc<br>Lot # K-20220222-047    |        | 22/02/2022 11:34 | MB       | Butanona                 | 3MM Whatman                |        |                 | 229        |         | 4         | 0<br>pH (Low/Actual/High) | 98,283 %<br>3,00 <= 5,00 <= 6,00 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Turvo/Incolor   |            |         |           |                           |                                  |       |              |
| MDP-99mTc<br>Lot # K-20220222-007    |        | 22/02/2022 03:41 | GS       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |                 | 1215<br>2  |         | 3<br>1599 | 0<br>pH (Low/Actual/High) | 99,629 %<br>4,00 <= 6,00 <= 7,80 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Límpido/Incolor |            |         |           |                           |                                  |       |              |
| MDP-99mTc<br>Lot # K-20220222-008    |        | 22/02/2022 03:46 | GS       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |                 | 740<br>3   |         | 4<br>676  | 0<br>pH (Low/Actual/High) | 99,021 %<br>4,00 <= 6,00 <= 7,80 | Pass  |              |
|                                      |        |                  |          |                          |                            |        | Límpido/Incolor |            |         |           |                           |                                  |       |              |

| Product:                           | Manuf: | Calibration D/T  | Solution | Media                    | Origin                     | Middle | Top | Solution 2  | Media 2    | Origin 2 | Top 2 | % Tag                            | QC By                        | Pass<br>Fail |
|------------------------------------|--------|------------------|----------|--------------------------|----------------------------|--------|-----|-------------|------------|----------|-------|----------------------------------|------------------------------|--------------|
| MDP-99mTc<br>Lot # K-20220222-017  |        | 22/02/2022 04:53 | KAF      | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |     | 1866<br>4   | 3<br>375   | 0        |       | 98,784 %<br>pH (Low/Actual/High) | Pass<br>4,00 <= 6,00 <= 7,80 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MDP-99mTc<br>Lot # K-20220222-021  |        | 22/02/2022 06:36 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |     | 1112<br>15  | 3<br>1410  | 0        |       | 98,678 %<br>pH (Low/Actual/High) | Pass<br>4,00 <= 5,00 <= 7,80 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MDP-99mTc<br>Lot # K-20220222-020  |        | 22/02/2022 06:37 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |     | 1295<br>91  | 1<br>1325  | 0        |       | 93,496 %<br>pH (Low/Actual/High) | Pass<br>4,00 <= 6,00 <= 7,80 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MDP-99mTc<br>Lot # K-20220222-022  |        | 22/02/2022 06:40 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |     | 1315<br>117 | 3<br>1405  | 0        |       | 92,085 %<br>pH (Low/Actual/High) | Pass<br>4,00 <= 5,00 <= 7,80 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MDP-99mTc<br>Lot # K-20220222-032  |        | 22/02/2022 07:51 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |     | 1455<br>39  | 36<br>1052 | 0        |       | 94,011 %<br>pH (Low/Actual/High) | Pass<br>4,00 <= 6,00 <= 7,80 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MDP-99mTc<br>Lot # K-20220222-037  |        | 22/02/2022 10:21 | MB       | Acetona<br>Normal Saline | 3MM Whatman<br>3MM Whatman |        |     | 675<br>7    | 1<br>1202  | 0        |       | 99,273 %<br>pH (Low/Actual/High) | Pass<br>4,00 <= 5,00 <= 7,80 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-001 |        | 22/02/2022 01:57 | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 1236<br>34  | 12<br>2309 | 0        |       | 97,587 %<br>pH (Low/Actual/High) | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-002 |        | 22/02/2022 01:59 | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 1471<br>30  | 19<br>2480 | 0        |       | 97,53 %<br>pH (Low/Actual/High)  | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-005 |        | 22/02/2022 02:03 | GS       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 846<br>9    | 20<br>598  | 0        |       | 96,208 %<br>pH (Low/Actual/High) | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-003 |        | 22/02/2022 02:03 | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 1461<br>50  | 27<br>2161 | 0        |       | 95,924 %<br>pH (Low/Actual/High) | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-004 |        | 22/02/2022 02:03 | GS       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 1357<br>2   | 18<br>1534 | 0        |       | 98,561 %<br>pH (Low/Actual/High) | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-006 |        | 22/02/2022 03:41 | GS       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 873<br>26   | 15<br>1736 | 0        |       | 96,835 %<br>pH (Low/Actual/High) | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |
| MIBI-99mTc<br>Lot # K-20220222-016 |        | 22/02/2022 04:17 | GS       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman  |        |     | 1255<br>8   | 7<br>1259  | 0        |       | 98,814 %<br>pH (Low/Actual/High) | Pass<br>5,00 <= 5,00 <= 6,00 |              |
| Límpido/Incolor                    |        |                  |          |                          |                            |        |     |             |            |          |       |                                  |                              |              |

| Product:                             | Manuf:     | Calibration D/T | Solution | Media                    | Origin                    | Middle | Top | Solution 2 | Media 2 | Origin 2   | Top 2 | % Tag                | QC By    | Pass<br>Fail                 |
|--------------------------------------|------------|-----------------|----------|--------------------------|---------------------------|--------|-----|------------|---------|------------|-------|----------------------|----------|------------------------------|
| MIBI-99mTc<br>Lot # K-20220222-018   | 22/02/2022 | 06:30           | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 1816<br>27 |         | 34<br>2060 | 0     | pH (Low/Actual/High) | 96,868 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| MIBI-99mTc<br>Lot # K-20220222-019   | 22/02/2022 | 06:35           | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 1544<br>4  |         | 21<br>1693 | 0     | pH (Low/Actual/High) | 98,422 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| MIBI-99mTc<br>Lot # K-20220222-031   | 22/02/2022 | 07:47           | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 1960<br>29 |         | 42<br>1995 | 0     | pH (Low/Actual/High) | 96,469 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| MIBI-99mTc<br>Lot # K-20220222-033   | 22/02/2022 | 08:23           | VSR      | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 91,6<br>12 |         | 3,4<br>240 | 0     | pH (Low/Actual/High) | 91,659 % | Pass<br>5,00 <= 6,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| MIBI-99mTc<br>Lot # K-20220222-035   | 22/02/2022 | 10:15           | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 1146<br>9  |         | 18<br>1214 | 0     | pH (Low/Actual/High) | 97,718 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| MIBI-99mTc<br>Lot # K-20220222-036   | 22/02/2022 | 10:16           | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 1463<br>9  |         | 26<br>1546 | 0     | pH (Low/Actual/High) | 97,675 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| MIBI-99mTc<br>Lot # K-20220222-049   | 22/02/2022 | 11:55           | MB       | Normal Saline<br>Metanol | Sílica gel<br>3MM Whatman |        |     | 1476<br>5  |         | 14<br>1756 | 0     | pH (Low/Actual/High) | 98,776 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido/Incolor                      |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| Tecnécio-99m<br>Lot # E-20220222-001 | 22/02/2022 | 01:50           | MB       | Butanona                 | 3MM Whatman               |        |     | 30         |         | 1370       | 0     | pH (Low/Actual/High) | 97,857 % | Pass<br>5,00 <= 6,00 <= 6,00 |
| Límpido e Incolor                    |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| Tecnécio-99m<br>Lot # E-20220222-002 | 22/02/2022 | 01:51           | MB       | Butanona                 | 3MM Whatman               |        |     | 13         |         | 485        | 0     | pH (Low/Actual/High) | 97,39 %  | Pass<br>5,00 <= 6,00 <= 6,00 |
| Límpido e Incolor                    |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| Tecnécio-99m<br>Lot # E-20220222-003 | 22/02/2022 | 02:04           | MB       | Butanona                 | 3MM Whatman               |        |     | 37         |         | 1057       | 0     | pH (Low/Actual/High) | 96,618 % | Pass<br>5,00 <= 6,00 <= 6,00 |
| Límpido e Incolor                    |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| Tecnécio-99m<br>Lot # E-20220222-004 | 22/02/2022 | 03:35           | GS       | Butanona                 | 3MM Whatman               |        |     | 2          |         | 280        | 0     | pH (Low/Actual/High) | 99,291 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor                    |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| Tecnécio-99m<br>Lot # E-20220222-005 | 22/02/2022 | 04:14           | GS       | Butanona                 | 3MM Whatman               |        |     | 4          |         | 319        | 0     | pH (Low/Actual/High) | 98,762 % | Pass<br>5,00 <= 5,00 <= 6,00 |
| Límpido e Incolor                    |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |
| Tecnécio-99m<br>Lot # E-20220222-006 | 22/02/2022 | 06:29           | MB       | Butanona                 | 3MM Whatman               |        |     | 18         |         | 775        | 0     | pH (Low/Actual/High) | 97,73 %  | Pass<br>5,00 <= 6,00 <= 6,00 |
| Límpido e Incolor                    |            |                 |          |                          |                           |        |     |            |         |            |       |                      |          |                              |

| Product:                             | Manuf:     | Calibration D/T | Solution | Media         | Origin     | Middle  | Top | Solution 2 | Media 2 | Origin 2 | Top 2 | % Tag                | QC By        | Pass<br>Fail      |
|--------------------------------------|------------|-----------------|----------|---------------|------------|---------|-----|------------|---------|----------|-------|----------------------|--------------|-------------------|
| Tecnécio-99m<br>Lot # E-20220222-007 | 22/02/2022 | 06:32           | MB       | Butanona      | 3MM        | Whatman |     | 43         |         | 4018     | 0     |                      | 98,941 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-009 | 22/02/2022 | 07:26           | MB       | Butanona      | 3MM        | Whatman |     | 1          |         | 2206     | 0     |                      | 99,955 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-010 | 22/02/2022 | 07:43           | MB       | Butanona      | 3MM        | Whatman |     | 8          |         | 3854     | 0     |                      | 99,793 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-011 | 22/02/2022 | 08:27           | MB       | Butanona      | 3MM        | Whatman |     | 15         |         | 3063     | 0     |                      | 99,513 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-013 | 22/02/2022 | 10:00           | VSR      | Butanona      | 3MM        | Whatman |     | 0,1        |         | 3,39     | 0     |                      | 97,135 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-014 | 22/02/2022 | 10:07           | VSR      | Butanona      | 3MM        | Whatman |     | 0,06       |         | 3,06     | 0     |                      | 98,077 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 6,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-015 | 22/02/2022 | 10:56           | VSR      | Butanona      | 3MM        | Whatman |     | 1          |         | 492      | 0     |                      | 99,797 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| Tecnécio-99m<br>Lot # E-20220222-016 | 22/02/2022 | 11:53           | MB       | Butanona      | 3MM        | Whatman |     | 3          |         | 1934     | 0     |                      | 99,845 %     | Pass              |
|                                      |            |                 |          |               |            |         |     |            |         |          |       | pH (Low/Actual/High) | 5,00 <= 5,00 | <= 6,00           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido e Incolor |
| TRODAT-99mTc<br>Lot # K-20220222-038 | 22/02/2022 | 10:34           | MB       | Normal Saline | Sílica gel |         |     | 111,5      |         | 0,5      | 0     |                      | 97,406 %     | Pass              |
|                                      |            |                 |          | Butanona      | 3MM        | Whatman |     | 2,5        |         | 113,9    |       | pH (Low/Actual/High) | 6,50 <= 7,00 | <= 8,50           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido/Incolor   |
| TRODAT-99mTc<br>Lot # K-20220222-039 | 22/02/2022 | 10:35           | MB       | Normal Saline | Sílica gel |         |     | 125,1      |         | 0,9      | 0     |                      | 98,415 %     | Pass              |
|                                      |            |                 |          | Butanona      | 3MM        | Whatman |     | 1,3        |         | 148      |       | pH (Low/Actual/High) | 6,50 <= 7,00 | <= 8,50           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido/Incolor   |
| TRODAT-99mTc<br>Lot # K-20220222-040 | 22/02/2022 | 10:35           | MB       | Normal Saline | Sílica gel |         |     | 90,4       |         | 4,2      | 0     |                      | 94,453 %     | Pass              |
|                                      |            |                 |          | Butanona      | 3MM        | Whatman |     | 1,4        |         | 125      |       | pH (Low/Actual/High) | 6,50 <= 7,00 | <= 8,50           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido/Incolor   |
| TRODAT-99mTc<br>Lot # K-20220222-041 | 22/02/2022 | 10:36           | MB       | Normal Saline | Sílica gel |         |     | 126        |         | 5,3      | 0     |                      | 95,022 %     | Pass              |
|                                      |            |                 |          | Butanona      | 3MM        | Whatman |     | 1,1        |         | 115,8    |       | pH (Low/Actual/High) | 6,50 <= 7,00 | <= 8,50           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido/Incolor   |
| TRODAT-99mTc<br>Lot # K-20220222-042 | 22/02/2022 | 10:37           | MB       | Normal Saline | Sílica gel |         |     | 155,4      |         | 1,3      | 0     |                      | 98,722 %     | Pass              |
|                                      |            |                 |          | Butanona      | 3MM        | Whatman |     | 0,6        |         | 133,2    |       | pH (Low/Actual/High) | 6,50 <= 7,00 | <= 8,50           |
|                                      |            |                 |          |               |            |         |     |            |         |          |       |                      |              | Límpido/Incolor   |

| Product:             | Manuf: | Calibration D/T  | Solution | Media         | Origin      | Middle | Top | Solution 2      | Media 2 | Origin 2 | Top 2                | % Tag | QC By                | Pass<br>Fail |
|----------------------|--------|------------------|----------|---------------|-------------|--------|-----|-----------------|---------|----------|----------------------|-------|----------------------|--------------|
| TRODAT-99mTc         |        | 22/02/2022 10:38 | MB       | Normal Saline | Silica gel  |        |     | 99,5            |         | 0,4      | 0                    |       | 98,491 %             | Pass         |
| Lot # K-20220222-043 |        |                  |          | Butanona      | 3MM Whatman |        |     | 1,3             |         | 116      | pH (Low/Actual/High) |       | 6,50 <= 7,00 <= 8,50 |              |
|                      |        |                  |          |               |             |        |     | Límpido/Incolor |         |          |                      |       |                      |              |