



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 24/02/2022 To 24/02/2022

Product:	Manuf:	Calibration D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc		24/02/2022 04:00	MB	Butanona	3MM Whatman	165,9		2,3		0	97,489 %	Pass
Lot # K-20220224-011				Normal Saline	Silica gel	2,1		181,5		pH (Low/Actual/High)	2,00 <= 3,00	<= 3,00
Límpido/Incolor												

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DMSA-99mTc Lot # K-20220224-021	24/02/2022	07:39	MB	Butanona Normal Saline	3MM Whatman Silica gel			185 8	5 296		0	pH (Low/Actual/High)	94,737 %	Pass 2,00 <= 3,00 <= 3,00
														Límpido/Incolor
DMSA-99mTc Lot # K-20220224-036	24/02/2022	10:30	GS	Butanona Normal Saline	3MM Whatman Silica gel			337 3	4 113,3		0	pH (Low/Actual/High)	96,247 %	Pass 2,00 <= 3,00 <= 3,00
														Límpido/Incolor
DOTATOC-68Ga Lot # K-20220224-020	24/02/2022	06:58	MB	Citrato de Sódio 0,1M	Silica gel			13,8	0,3		0	pH (Low/Actual/High)	97,872 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DOTATOC-68Ga Lot # K-20220224-026		24/02/2022	07:59	JS	Citrato de Sódio 0,1M	Silica gel			9,6		0,1	0		98,969 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	
DOTATOC-68Ga Lot # K-20220224-045		24/02/2022	13:05	JS	Citrato de Sódio 0,1M	Silica gel			14		0,1	0		99,291 %	Pass
								Límpido e Incolor				pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	
DTPA-99mTc Lot # K-20220224-005	RPH	24/02/2022	03:30	MB	Acetona	3MM Whatman			420		4	0		98,578 %	Pass
					Normal Saline	3MM Whatman			2		416	pH (Low/Actual/High)	3,80 <= 5,00	<= 7,50	
								Límpido/Incolor							

Product:	Manuf:	Calibration	D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220224-008	RPH	24/02/2022	03:53	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			121 4		2 144	0 pH (Low/Actual/High)	95,671 %		Pass
													3,80 <= 5,00		<= 7,50
DTPA-99mTc Lot # K-20220224-023	RPH	24/02/2022	07:47	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			660 13		2 588	0 pH (Low/Actual/High)	97,535 %		Pass
													3,80 <= 5,00		<= 7,50
DTPA-99mTc Lot # K-20220224-035	RPH	24/02/2022	10:22	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			356 19		3 461	0 pH (Low/Actual/High)	95,206 %		Pass
													3,80 <= 6,00		<= 7,50

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220224-009		24/02/2022 03:57	MB	Butanona		3MM Whatman		519		3	0	99,425 %		Pass
											pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00		
											Límpido/Incolor			
FITATO-99mTc Lot # K-20220224-024		24/02/2022 07:51	MB	Butanona		3MM Whatman		544		3	0	99,452 %		Pass
											pH (Low/Actual/High)	5,00 <= 6,00 <= 7,00		
											Límpido/Incolor			
MAA-99mTc Lot # K-20220224-010		24/02/2022 04:00	MB	Butanona		3MM Whatman		255		1	0	99,609 %		Pass
											pH (Low/Actual/High)	3,00 <= 5,00 <= 6,00		
											Turvo/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220224-003		24/02/2022 02:59	MB	Acetona	3MM	Whatman		1168		2	0	99,471 %	Pass	
				Normal Saline	3MM	Whatman		4	1113		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
											Límpido/Incolor			
MDP-99mTc Lot # K-20220224-006		24/02/2022 03:43	MB	Acetona	3MM	Whatman		1110		1	0	99,754 %	Pass	
				Normal Saline	3MM	Whatman		2	1281		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
											Límpido/Incolor			
MDP-99mTc Lot # K-20220224-007		24/02/2022 03:45	MB	Acetona	3MM	Whatman		1194		6	0	96,802 %	Pass	
				Normal Saline	3MM	Whatman		32	1154		pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220224-013		24/02/2022 04:20	MB	Acetona	3MM	Whatman		602		1	0	98,782 %	Pass	
				Normal Saline	3MM	Whatman		5		470	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
											Límpido/Incolor			
MDP-99mTc Lot # K-20220224-014		24/02/2022 04:21	MB	Acetona	3MM	Whatman		838		1	0	98,862 %	Pass	
				Normal Saline	3MM	Whatman		10		972	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
											Límpido/Incolor			
MDP-99mTc Lot # K-20220224-015		24/02/2022 04:41	MB	Acetona	3MM	Whatman		1310		5	0	97,712 %	Pass	
				Normal Saline	3MM	Whatman		27		1388	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80		
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220224-019		24/02/2022 06:56	MB	Acetona	3MM	Whatman		943		4	0	97,573 %	Pass	
				Normal Saline	3MM	Whatman		18		880	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220224-025		24/02/2022 07:59	MB	Acetona	3MM	Whatman		486		2	0	99,305 %	Pass	
				Normal Saline	3MM	Whatman		2		700	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			
MDP-99mTc Lot # K-20220224-027		24/02/2022 08:20	MB	Acetona	3MM	Whatman		743		8	0	97,996 %	Pass	
				Normal Saline	3MM	Whatman		6		633	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
											Límpido/Incolor			

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220224-039	24/02/2022	11:12	VS	Acetona	3MM	Whatman		548		2	0	99,301 %	Pass	
				Normal Saline	3MM	Whatman		2	594	pH (Low/Actual/High)	4,00 <= 6,00 <= 7,80			
Límpido/Incolor														
MIBI-99mTc Lot # K-20220224-001	24/02/2022	01:55	MB	Normal Saline	Silica	gel		1139		13	0	97,787 %	Pass	
				Metanol	3MM	Whatman		25	2280	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00			
Límpido/Incolor														
MIBI-99mTc Lot # K-20220224-002	24/02/2022	02:59	MB	Normal Saline	Silica	gel		1065		9	0	97,664 %	Pass	
				Metanol	3MM	Whatman		19	1249	pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00			
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220224-004	24/02/2022	03:27	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1956 5		25 2228	0	pH (Low/Actual/High)	98,514 %	Pass 5,00 <= 5,00 <= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20220224-012	24/02/2022	04:05	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1887 39		18 2514	0	pH (Low/Actual/High)	97,528 %	Pass 5,00 <= 5,00 <= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20220224-016	24/02/2022	04:44	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1014 9		10 1153	0	pH (Low/Actual/High)	98,249 %	Pass 5,00 <= 5,00 <= 6,00
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220224-017	24/02/2022	06:50	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1467 7	61 2809	0		pH (Low/Actual/High)	95,759 %	Pass 5,00 <= 5,00 <= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20220224-028	24/02/2022	08:56	MB	Normal Saline Metanol	Silica gel 3MM Whatman			461 3	10 844	0		pH (Low/Actual/High)	97,523 %	Pass 5,00 <= 5,00 <= 6,00
												Límpido/Incolor		
MIBI-99mTc Lot # K-20220224-029	24/02/2022	09:17	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1085 2	28 1245	0		pH (Low/Actual/High)	97,324 %	Pass 5,00 <= 5,00 <= 6,00
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220224-037	24/02/2022	10:32 VS	Normal Saline Metanol		Silica gel 3MM Whatman			534 3		6 934	0 pH (Low/Actual/High)	98,569 %		Pass <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220224-040	24/02/2022	11:15 VS	Normal Saline Metanol		Silica gel 3MM Whatman			375 4		2 965	0 pH (Low/Actual/High)	99,057 %		Pass <= 6,00 <= 6,00
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220224-041	24/02/2022	11:20 MB	Normal Saline Metanol		Silica gel 3MM Whatman			390 1		1 266	0 pH (Low/Actual/High)	99,37 %		Pass <= 5,00 <= 6,00
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220224-042		24/02/2022 12:00	MB	Normal Saline Metanol	Silica gel 3MM Whatman			861 12		10 901	0	pH (Low/Actual/High)	97,538 %	Pass
														5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220224-043		24/02/2022 12:04	MB	Normal Saline Metanol	Silica gel 3MM Whatman			1050 1		9 898	0	pH (Low/Actual/High)	99,039 %	Pass
														5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220224-044		24/02/2022 12:20	MB	Normal Saline Metanol	Silica gel 3MM Whatman			565 5		7 746	0	pH (Low/Actual/High)	98,11 %	Pass
														5,00 <= 5,00 <= 6,00
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PIRO-99mTc Lot # K-20220224-022	24/02/2022	07:44	MB	Butanona Normal Saline	3MM Whatman 3MM Whatman			389 1		3 491	0	pH (Low/Actual/High)	99,031 %	Pass 5,00 <= 6,00 <= 7,00
												Límpido/Incolor		
PSMA-68Ga Lot # K-20220224-030	24/02/2022	09:52	MB	Acetato de amônio 1M:Metanol	Silica gel			0,2		36	0	pH (Low/Actual/High)	99,448 %	Pass 4,00 <= 5,00 <= 8,00
												Límpido e Incolor		
PSMA-68Ga Lot # K-20220224-038	24/02/2022	10:45	VS	Acetato de amônio 1M:Metanol	Silica gel			4		1829	0	pH (Low/Actual/High)	99,782 %	Pass 4,00 <= 6,00 <= 8,00
												Límpido e Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20220224-046	24/02/2022	15:53	JS	Acetato de amônio 1M:Metanol	Silica gel			0,2	12,6		0	98,438 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00	
Tecnécio-99m Lot # E-20220224-001	24/02/2022	01:50	MB	Butanona	3MM Whatman			7	968		0	99,282 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-002	24/02/2022	02:52	MB	Butanona	3MM Whatman			3	920		0	99,675 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-003		24/02/2022 03:23	MB	Butanona		3MM Whatman		3		1005	0			99,702 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220224-004		24/02/2022 03:39	MB	Butanona		3MM Whatman		2		268	0			99,259 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220224-005		24/02/2022 03:49	MB	Butanona		3MM Whatman		2		580	0			99,656 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-006	24/02/2022	04:02	MB	Butanona	3MM	Whatman		17	1117		0	98,501 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-007	24/02/2022	04:17	MB	Butanona	3MM	Whatman		1	2486		0	99,96 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-008	24/02/2022	04:38	MB	Butanona	3MM	Whatman		3	596		0	99,499 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-009	24/02/2022	06:42	MB	Butanona	3MM	Whatman		9	1317		0	99,321 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-010	24/02/2022	06:50	MB	Butanona	3MM	Whatman		5	1688		0	99,705 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-012	24/02/2022	07:36	MB	Butanona	3MM	Whatman		17	1146		0	98,538 %	Pass	
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-013		24/02/2022 07:52	MB	Butanona		3MM Whatman		9		1666	0			99,463 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220224-015		24/02/2022 08:17	MB	Butanona		3MM Whatman		5		907	0			99,452 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220224-016		24/02/2022 09:10	MB	Butanona		3MM Whatman		6		1908	0			99,687 % Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-017	24/02/2022	09:49	MB	Butanona	3MM	Whatman		13	1549		0		99,168 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220224-019	24/02/2022	10:24	MB	Butanona	3MM	Whatman		3	940		0		99,682 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
Tecnécio-99m Lot # E-20220224-021	24/02/2022	11:08	VS	Butanona	3MM	Whatman		5	1881		0		99,735 %	Pass
							Límpido e Incolor					pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-022	24/02/2022	11:17	VS	Butanona		3MM Whatman		2		1537	0		99,87 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-023	24/02/2022	11:56	MB	Butanona		3MM Whatman		1		524	0		99,81 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220224-024	24/02/2022	11:58	MB	Butanona		3MM Whatman		1		417	0		99,761 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-025		24/02/2022 12:12	MB	Butanona		3MM Whatman		1,1	176,6		0		99,381 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220224-027		24/02/2022 13:03	MB	Butanona		3MM Whatman		3	500		0		99,404 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
Tecnécio-99m Lot # E-20220224-028		24/02/2022 13:05	MB	Butanona		3MM Whatman		1	133		0		99,254 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220224-029	24/02/2022	13:10	MB	Butanona	3MM	Whatman		3		657	0	99,545 %	Pass	
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
												Límpido e Incolor		
TRODAT-99mTc Lot # K-20220224-018	24/02/2022	06:53	MB	Normal Saline	Silica gel			109		3	0	94,882 %	Pass	
				Butanona	3MM	Whatman		4		160	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
												Límpido/Incolor		
TRODAT-99mTc Lot # K-20220224-031	24/02/2022	10:09	GS	Normal Saline	Silica gel			125,9		2,4	0	96,93 %	Pass	
				Butanona	3MM	Whatman		1,3		107,1	pH (Low/Actual/High)	6,50 <= 7,00 <= 8,50		
												Límpido/Incolor		

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
TRODAT-99mTc Lot # K-20220224-032	24/02/2022	10:10	GS	Normal Saline Butanona	Silica gel 3MM Whatman			129,1 2,8	0,7 163,6	0		pH (Low/Actual/High)	97,778 %	Pass
													6,50 <= 7,00	<= 8,50
												Límpido/Incolor		
TRODAT-99mTc Lot # K-20220224-033	24/02/2022	10:11	GS	Normal Saline Butanona	Silica gel 3MM Whatman			105,3 3	0,3 679	0		pH (Low/Actual/High)	99,276 %	Pass
													6,50 <= 7,00	<= 8,50
												Límpido/Incolor		
TRODAT-99mTc Lot # K-20220224-034	24/02/2022	10:12	GS	Normal Saline Butanona	Silica gel 3MM Whatman			760 3	2 887	0		pH (Low/Actual/High)	99,40 %	Pass
													6,50 <= 7,00	<= 8,50
												Límpido/Incolor		