



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 25/02/2022 To 25/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220225-010		25/02/2022	04:05	MB	Butanona Normal Saline	3MM Whatman Sílica gel	209,8 3,2		1,9 189	0	pH (Low/Actual/High)	97,438 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220225-020		25/02/2022	07:35	MB	Butanona Normal Saline	3MM Whatman Sílica gel	128,1 7,5		1,6 114	0	pH (Low/Actual/High)	92,594 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220225-022		25/02/2022	07:42	MB	Butanona Normal Saline	3MM Whatman Sílica gel	165,2 2,1		2,7 166,3	0	pH (Low/Actual/High)	97,145 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220225-023		25/02/2022	07:44	MB	Butanona Normal Saline	3MM Whatman Sílica gel	192,1 0,5		4,2 171,3	0	pH (Low/Actual/High)	97,569 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220225-025		25/02/2022	07:56	MB	Butanona Normal Saline	3MM Whatman Sílica gel	190,5 4,2		2,7 182,7	0	pH (Low/Actual/High)	96,355 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DMSA-99mTc Lot # K-20220225-034		25/02/2022	10:17	LG	Butanona Normal Saline	3MM Whatman Sílica gel	145,5 10		1,5 122	0	pH (Low/Actual/High)	91,404 %	Pass 2,00 <= 3,00 <= 3,00
Límpido/Incolor													
DOTATOC-68Ga Lot # K-20220225-035		25/02/2022	12:34	JS	Citrato de Sódio 0,1M	Sílica gel	23,9		0,3	0	pH (Low/Actual/High)	98,76 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220225-037		25/02/2022	13:41	JS	Citrato de Sódio 0,1M	Sílica gel	23,6		0,2	0	pH (Low/Actual/High)	99,16 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DOTATOC-68Ga Lot # K-20220225-038		25/02/2022	16:00	JS	Citrato de Sódio 0,1M	Sílica gel	16		0,2	0	pH (Low/Actual/High)	98,765 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor													
DTPA-99mTc Lot # K-20220225-009	RPH	25/02/2022	03:45	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	503 1		2 264	0	pH (Low/Actual/High)	99,227 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor													
DTPA-99mTc Lot # K-20220225-024	RPH	25/02/2022	07:48	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	373 5		1 379	0	pH (Low/Actual/High)	98,431 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor													

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220225-030	RPH	25/02/2022 09:36	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			487 45		2 466	0	pH (Low/Actual/High)	90,785 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20220225-008		25/02/2022 03:38	MB	Butanona	3MM Whatman			438		4	0	pH (Low/Actual/High)	99,095 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220225-019		25/02/2022 07:32	MB	Butanona	3MM Whatman			321		4	0	pH (Low/Actual/High)	98,769 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20220225-012		25/02/2022 04:16	MB	Butanona	3MM Whatman			162		3	0	pH (Low/Actual/High)	98,182 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220225-014		25/02/2022 04:40	MB	Butanona	3MM Whatman			561		9	0	pH (Low/Actual/High)	98,421 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220225-031		25/02/2022 09:39	LG	Butanona	3MM Whatman			130		2,5	0	pH (Low/Actual/High)	98,113 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220225-032		25/02/2022 09:41	LG	Butanona	3MM Whatman			155		6	0	pH (Low/Actual/High)	96,273 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220225-036		25/02/2022 13:41	YD	Butanona	3MM Whatman			112		0,8	0	pH (Low/Actual/High)	99,291 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20220225-006		25/02/2022 03:33	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1458 2		3 1325	0	pH (Low/Actual/High)	99,644 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220225-007		25/02/2022 03:35	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1386 20		4 1329	0	pH (Low/Actual/High)	98,23 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220225-015		25/02/2022 04:44	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			982 13		4 872	0	pH (Low/Actual/High)	98,125 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220225-027		25/02/2022 08:02	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1104 5		3 1190	0	pH (Low/Actual/High)	99,311 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220225-028		25/02/2022 08:05	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1264 13		1 1433	0	pH (Low/Actual/High)	99,022 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220225-029	25/02/2022	09:04	LG	Acetona Normal Saline	3MM	Whatman		840 50		0 542	0	pH (Low/Actual/High)	91,554 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-001	25/02/2022	01:57	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1809 45		31 1941	0	pH (Low/Actual/High)	96,049 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-002	25/02/2022	01:59	BB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1481 13		14 2200	0	pH (Low/Actual/High)	98,476 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-003	25/02/2022	02:01	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1068 8		11 1729	0	pH (Low/Actual/High)	98,52 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-004	25/02/2022	02:03	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1912 5		18 436	0	pH (Low/Actual/High)	97,934 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-005	25/02/2022	03:12	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1551 19		31 2005	0	pH (Low/Actual/High)	97,102 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-011	25/02/2022	04:11	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1612 9		13 1494	0	pH (Low/Actual/High)	98,601 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-013	25/02/2022	04:24	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1537 33		19 1923	0	pH (Low/Actual/High)	97,092 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-016	25/02/2022	06:40	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1047 34		14 1415	0	pH (Low/Actual/High)	96,334 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-017	25/02/2022	06:49	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	865 36		17 1652	0	pH (Low/Actual/High)	95,94 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220225-026	25/02/2022	08:00	MB	Normal Saline Metanol	Sílica gel	3MM	Whatman	1387 38		18 1573	0	pH (Low/Actual/High)	96,36 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220225-021	25/02/2022	07:39	MB	Butanona Normal Saline	3MM	Whatman		537 8		2 569	0	pH (Low/Actual/High)	98,242 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220225-018	25/02/2022	06:56	BB	Acetato de amônio 1M:Metanol	Sílica gel			0,9		39,8	0	pH (Low/Actual/High)	97,789 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
PSMA-68Ga Lot # K-20220225-033	25/02/2022	10:00	LG	Acetato de amônio 1M:Metanol	Sílica gel			0,1		8,3	0		98,81 %	Pass
												pH (Low/Actual/High)	4,00 <= 5,00	<= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-001	25/02/2022	01:50	MB	Butanona		3MM Whatman		3		195	0		98,485 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-002	25/02/2022	02:02	MB	Butanona		3MM Whatman		2		1441	0		99,861 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-003	25/02/2022	03:08	MB	Butanona		3MM Whatman		3		559	0		99,466 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-004	25/02/2022	03:29	MB	Butanona		3MM Whatman		1		660	0		99,849 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-005	25/02/2022	03:49	MB	Butanona		3MM Whatman		20		1932	0		98,975 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-006	25/02/2022	04:07	MB	Butanona		3MM Whatman		15		613	0		97,611 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-007	25/02/2022	04:21	MB	Butanona		3MM Whatman		1		181	0		99,451 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-008	25/02/2022	06:31	BB	Butanona		3MM Whatman		11		1922	0		99,431 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-009	25/02/2022	06:44	BB	Butanona		3MM Whatman		6		2668	0		99,776 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-011	25/02/2022	07:24	MB	Butanona		3MM Whatman		17		1474	0		98,86 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-012	25/02/2022	07:52	MB	Butanona		3MM Whatman		31		4977	0		99,381 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220225-013	25/02/2022	08:58	MB	Butanona		3MM Whatman		2		238	0		99,167 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220225-014		25/02/2022 09:23	LG	Butanona		3MM Whatman		7		555	0		98,754 %	Pass
											pH (Low/Actual/High)	5,00 <= 5,00 <= 6,00		
												Límpido e Incolor		
Tecnécio-99m Lot # E-20220225-017		25/02/2022 13:35	YD	Butanona		3MM Whatman		4		470	0		99,156 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00 <= 6,00		
												Límpido e Incolor		