



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 28/02/2022 To 28/02/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220228-017		28/02/2022	08:03	VSR	Butanona	3MM Whatman	168,7		1,5	0	pH (Low/Actual/High)	98,318 %	Pass
					Normal Saline	Silica gel	1,7	210,5	Límpido/Incolor	2,00 <= 3,00 <= 3,00			
DMSA-99mTc Lot # K-20220228-028		28/02/2022	10:42	LG	Butanona	3MM Whatman	118		3	0	pH (Low/Actual/High)	93,043 %	Pass
					Normal Saline	Silica gel	6	128	Límpido/Incolor	2,00 <= 3,00 <= 3,00			
DMSA-99mTc Lot # K-20220228-035		28/02/2022	11:05	LG	Butanona	3MM Whatman	134		2	0	pH (Low/Actual/High)	91,667 %	Pass
					Normal Saline	Silica gel	7	95	Límpido/Incolor	2,00 <= 3,00 <= 3,00			
DOTATOC-68Ga Lot # K-20220228-023		28/02/2022	09:39	VSR	Citrato de Sódio 0,1M	Silica gel	19,8		0,3	0	pH (Low/Actual/High)	98,507 %	Pass
												Límpido e Incolor	4,00 <= 5,00 <= 8,00
DOTATOC-68Ga Lot # K-20220228-027		28/02/2022	10:31	VSR	Citrato de Sódio 0,1M	Silica gel	17,78		0,1	0	pH (Low/Actual/High)	99,441 %	Pass
												Límpido e Incolor	4,00 <= 5,00 <= 8,00
DTPA-99mTc Lot # K-20220228-006	RPH	28/02/2022	03:40	GS	Acetona	3MM Whatman	131,9		0,7	0	pH (Low/Actual/High)	95,901 %	Pass
					Normal Saline	3MM Whatman	9	243	Límpido/Incolor	3,80 <= 5,00 <= 7,50			
DTPA-99mTc Lot # K-20220228-032	RPH	28/02/2022	10:53	LG	Acetona	3MM Whatman	275		1	0	pH (Low/Actual/High)	90,174 %	Pass
					Normal Saline	3MM Whatman	30	287	Límpido/Incolor	3,80 <= 5,00 <= 7,50			
FITATO-99mTc Lot # K-20220228-004		28/02/2022	03:22	GS	Butanona	3MM Whatman	345		1	0	pH (Low/Actual/High)	99,711 %	Pass
												Límpido/Incolor	5,00 <= 6,00 <= 7,00
FITATO-99mTc Lot # K-20220228-020		28/02/2022	08:38	VSR	Butanona	3MM Whatman	132,2		4,5	0	pH (Low/Actual/High)	96,708 %	Pass
												Límpido/Incolor	5,00 <= 6,00 <= 7,00
MAA-99mTc Lot # K-20220228-010		28/02/2022	04:34	GS	Butanona	3MM Whatman	315		3	0	pH (Low/Actual/High)	99,057 %	Pass
												Turvo/Incolor	3,00 <= 5,00 <= 6,00
MAA-99mTc Lot # K-20220228-021		28/02/2022	08:42	VSR	Butanona	3MM Whatman	304		5	0	pH (Low/Actual/High)	98,382 %	Pass
												Turvo/Incolor	3,00 <= 5,00 <= 6,00

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MAA-99mTc Lot # K-20220228-026		28/02/2022 10:12	VSR	Butanona		3MM Whatman		225		3	0	98,684 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220228-029		28/02/2022 10:44	LG	Butanona		3MM Whatman		163		3	0	98,193 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220228-031		28/02/2022 10:48	LG	Butanona		3MM Whatman		118		1	0	99,16 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MAA-99mTc Lot # K-20220228-033		28/02/2022 10:57	LG	Butanona		3MM Whatman		149		5	0	96,753 %	Pass	
							Turvo/Incolor				pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00	
MDP-99mTc Lot # K-20220228-003		28/02/2022 03:04	GS	Acetona		3MM Whatman		894		2	0	94,816 %	Pass	
				Normal Saline		3MM Whatman		44		843	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220228-008		28/02/2022 04:14	GS	Acetona		3MM Whatman		1392		3	0	98,54 %	Pass	
				Normal Saline		3MM Whatman		17		1348	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220228-011		28/02/2022 05:02	KAF	Acetona		3MM Whatman		873		6	0	98,612 %	Pass	
				Normal Saline		3MM Whatman		5		704	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220228-015		28/02/2022 06:54	VSR	Acetona		3MM Whatman		1288		2	0	99,681 %	Pass	
				Normal Saline		3MM Whatman		2		1218	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220228-019		28/02/2022 08:15	VSR	Acetona		3MM Whatman		807		1	0	94,454 %	Pass	
				Normal Saline		3MM Whatman		106		1849	pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220228-034		28/02/2022 11:02	LG	Acetona		3MM Whatman		825		1	0	98,933 %	Pass	
				Normal Saline		3MM Whatman		10		1047	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MDP-99mTc Lot # K-20220228-036		28/02/2022 11:08	LG	Acetona		3MM Whatman		565		1	0	99,682 %	Pass	
				Normal Saline		3MM Whatman		1		709	pH (Low/Actual/High)	4,00 <= 5,00	<= 7,80	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220228-001		28/02/2022 02:05	MB	Normal Saline		Sílica gel		1292		28	0	96,266 %	Pass	
				Metanol		3MM Whatman		49		2990	pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
							Límpido/Incolor							
MIBI-99mTc Lot # K-20220228-002		28/02/2022 02:07	MB	Normal Saline		Sílica gel		1880		41	0	95,477 %	Pass	
				Metanol		3MM Whatman		59		2411	pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
							Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220228-005	28/02/2022	03:33	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			1985 23		16 1652	0	pH (Low/Actual/High)	97,827 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-007	28/02/2022	03:56	GS	Normal Saline Metanol	Sílica gel 3MM Whatman			825 16		15 1519	0	pH (Low/Actual/High)	97,172 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-012	28/02/2022	06:31	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			1880 15		25 3546	0	pH (Low/Actual/High)	98,266 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-013	28/02/2022	06:34	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			1570 12		17 1213	0	pH (Low/Actual/High)	97,949 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-016	28/02/2022	06:55	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			909 10		11 1158	0	pH (Low/Actual/High)	97,948 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-018	28/02/2022	08:12	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			1082 2		11 1469	0	pH (Low/Actual/High)	98,858 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-022	28/02/2022	09:17	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			678 4		10 1230	0	pH (Low/Actual/High)	98,222 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-024	28/02/2022	10:02	VSR	Normal Saline Metanol	Sílica gel 3MM Whatman			1608 6		44 3451	0	pH (Low/Actual/High)	97,163 %	Pass 5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220228-025	28/02/2022	10:07	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			780 7		6 762	0	pH (Low/Actual/High)	98,326 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220228-014	28/02/2022	06:50	BB	Acetato de amônio 1M:Metanol	Sílica gel			1,1		37,4	0	pH (Low/Actual/High)	97,143 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220228-037	28/02/2022	12:55	YD	Acetato de amônio 1M:Metanol	Sílica gel			0,03		17,5	0	pH (Low/Actual/High)	99,829 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220228-001	28/02/2022	00:38	FN	Butanona	3MM Whatman			1		6609	0	pH (Low/Actual/High)	99,985 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220228-002	28/02/2022	00:42	FN	Butanona	3MM Whatman			2		6512	0	pH (Low/Actual/High)	99,969 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220228-003		28/02/2022 00:45	FN	Butanona		3MM Whatman		21		3933	0		99,469 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-004		28/02/2022 00:49	FN	Butanona		3MM Whatman		5		6727	0		99,926 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-005		28/02/2022 00:52	FN	Butanona		3MM Whatman		10		5983	0		99,833 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-006		28/02/2022 01:59	MB	Butanona		3MM Whatman		47		4298	0		98,918 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-007		28/02/2022 02:55	GS	Butanona		3MM Whatman		3		1462	0		99,795 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-008		28/02/2022 03:17	GS	Butanona		3MM Whatman		16		1142	0		98,618 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-009		28/02/2022 03:25	GS	Butanona		3MM Whatman		5		489	0		98,988 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-010		28/02/2022 03:49	GS	Butanona		3MM Whatman		1		252	0		99,605 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-011		28/02/2022 04:09	GS	Butanona		3MM Whatman		1		1945	0		99,949 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-012		28/02/2022 04:50	GS	Butanona		3MM Whatman		3		1045	0		99,714 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-013		28/02/2022 06:28	VSR	Butanona		3MM Whatman		20		6639	0		99,70 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-015		28/02/2022 06:45	BB	Butanona		3MM Whatman		14		9189	0		99,848 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
Tecnécio-99m Lot # E-20220228-016		28/02/2022 07:46	VSR	Butanona		3MM Whatman		22		594	0		96,429 %	Pass
							Límpido e Incolor				pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220228-017		28/02/2022 08:09	VSR	Butanona		3MM Whatman		8		4910	0			99,837 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220228-018		28/02/2022 08:20	VSR	Butanona		3MM Whatman		49		4380	0			98,894 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220228-020		28/02/2022 09:52	VSR	Butanona		3MM Whatman		26		1883	0			98,638 % Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220228-022		28/02/2022 10:35	LG	Butanona		3MM Whatman		9		1035	0			99,138 % Pass
											pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00	
											Límpido e Incolor			