



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 02/03/2022 To 02/03/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220302-010		02/03/2022	04:02	WN	Butanona Normal Saline	3MM Whatman Sílica gel	185 5,8		2,1 192,1	0	pH (Low/Actual/High)	95,947 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220302-022		02/03/2022	07:34	MB	Butanona Normal Saline	3MM Whatman Sílica gel	187,6 1,6		2,2 155	0	pH (Low/Actual/High)	97,819 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220302-029		02/03/2022	07:58	MB	Butanona Normal Saline	3MM Whatman Sílica gel	229,8 2,2		2,5 191,5	0	pH (Low/Actual/High)	97,788 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220302-036		02/03/2022	10:20	LG	Butanona Normal Saline	3MM Whatman Sílica gel	130 6		2 154	0	pH (Low/Actual/High)	94,735 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220302-035		02/03/2022	09:38	VSR	Citrato de Sódio 0,1M	Sílica gel	8,5		0,3	0	pH (Low/Actual/High)	96,591 %	Pass 4,00 <= 6,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220302-041		02/03/2022	10:48	LG	Citrato de Sódio 0,1M	Sílica gel	4		0,1	0	pH (Low/Actual/High)	97,561 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220302-043		02/03/2022	11:43	WG	Citrato de Sódio 0,1M	Sílica gel	5		0,2	0	pH (Low/Actual/High)	96,154 %	Pass 4,00 <= 7,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220302-044		02/03/2022	15:41	JS	Citrato de Sódio 0,1M	Sílica gel	13,3		0,1	0	pH (Low/Actual/High)	99,254 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220302-011	RPH	02/03/2022	04:05	WN	Acetona Normal Saline	3MM Whatman 3MM Whatman	747 28		4 492	0	pH (Low/Actual/High)	94,083 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220302-023	RPH	02/03/2022	07:41	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman	294 12		6 290	0	pH (Low/Actual/High)	94,026 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220302-032	RPH	02/03/2022	09:17	VSR	Acetona Normal Saline	3MM Whatman 3MM Whatman	470 4		10 518	0	pH (Low/Actual/High)	97,15 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
DTPA-99mTc Lot # K-20220302-038	RPH	02/03/2022 10:23	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			458 9		8 395	0	pH (Low/Actual/High)	96,056 %	Pass 3,80 <= 5,00 <= 7,50
Límpido/Incolor														
FITATO-99mTc Lot # K-20220302-007		02/03/2022 03:17	WN	Butanona	3MM Whatman			350		2	0	pH (Low/Actual/High)	99,432 %	Pass 5,00 <= 5,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220302-024		02/03/2022 07:43	MB	Butanona	3MM Whatman			281		1	0	pH (Low/Actual/High)	99,645 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
FITATO-99mTc Lot # K-20220302-033		02/03/2022 09:21	VSR	Butanona	3MM Whatman			773		2	0	pH (Low/Actual/High)	99,742 %	Pass 5,00 <= 7,00 <= 7,00
Límpido/Incolor														
MAA-99mTc Lot # K-20220302-025		02/03/2022 07:47	MB	Butanona	3MM Whatman			212		1	0	pH (Low/Actual/High)	99,531 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220302-026		02/03/2022 07:48	MB	Butanona	3MM Whatman			143		2	0	pH (Low/Actual/High)	98,621 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220302-027		02/03/2022 07:51	MB	Butanona	3MM Whatman			185		2	0	pH (Low/Actual/High)	98,93 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220302-028		02/03/2022 07:52	MB	Butanona	3MM Whatman			253		1	0	pH (Low/Actual/High)	99,606 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MAA-99mTc Lot # K-20220302-034		02/03/2022 09:23	VSR	Butanona	3MM Whatman			148,32		1,93	0	pH (Low/Actual/High)	98,715 %	Pass 3,00 <= 5,00 <= 6,00
Turvo/Incolor														
MDP-99mTc Lot # K-20220302-012		02/03/2022 04:21	WN	Acetona Normal Saline	3MM Whatman 3MM Whatman			1014 3		14 1110	0	pH (Low/Actual/High)	98,369 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-013		02/03/2022 04:23	WN	Acetona Normal Saline	3MM Whatman 3MM Whatman			1527 3		39 1463	0	pH (Low/Actual/High)	97,305 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-014		02/03/2022 04:26	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			708 9		8 734	0	pH (Low/Actual/High)	97,671 %	Pass 4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-020		02/03/2022 06:52	WN	Acetona Normal Saline	3MM Whatman 3MM Whatman			1075 5		5 1094	0	pH (Low/Actual/High)	99,082 %	Pass 4,00 <= 5,00 <= 7,80
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220302-021		02/03/2022 06:54	WN	Acetona Normal Saline	3MM Whatman 3MM Whatman			1206 2	3 1137	0 pH (Low/Actual/High)		99,576 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-030		02/03/2022 08:01	MB	Acetona Normal Saline	3MM Whatman 3MM Whatman			1499 1	6 1384	0 pH (Low/Actual/High)		99,529 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-031		02/03/2022 09:13	VSR	Acetona Normal Saline	3MM Whatman 3MM Whatman			1303 4	18 1367	0 pH (Low/Actual/High)		98,346 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-039		02/03/2022 10:25	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman			1715 23	100 1504	0 pH (Low/Actual/High)		92,984 %	Pass	4,00 <= 5,00 <= 7,80
Límpido/Incolor														
MDP-99mTc Lot # K-20220302-042		02/03/2022 11:17	WG	Acetona Normal Saline	3MM Whatman 3MM Whatman			1345 15	9 1048	0 pH (Low/Actual/High)		97,924 %	Pass	4,00 <= 6,00 <= 7,80
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-003		02/03/2022 01:52	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			2682 20	48 1695	0 pH (Low/Actual/High)		97,076 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-004		02/03/2022 01:53	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			2385 11	40 2013	0 pH (Low/Actual/High)		97,807 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-005		02/03/2022 03:08	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			1710 11	39 2074	0 pH (Low/Actual/High)		97,243 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-006		02/03/2022 03:11	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			1202 11	17 2069	0 pH (Low/Actual/High)		98,077 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-008		02/03/2022 03:58	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			818 15	5 761	0 pH (Low/Actual/High)		97,459 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-009		02/03/2022 04:01	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			1002 11	14 1665	0 pH (Low/Actual/High)		97,966 %	Pass	5,00 <= 6,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-015		02/03/2022 04:55	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			1997 2	32 1596	0 pH (Low/Actual/High)		98,298 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220302-016		02/03/2022 04:56	MB	Normal Saline Metanol	Sílica gel 3MM Whatman			2443 11	40 895	0 pH (Low/Actual/High)		97,175 %	Pass	5,00 <= 5,00 <= 6,00
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220302-018		02/03/2022 06:47	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			1327 25		30 4488	0	pH (Low/Actual/High)	97,235 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220302-019		02/03/2022 06:50	WN	Normal Saline Metanol	Sílica gel 3MM Whatman			1975 10		25 3621	0	pH (Low/Actual/High)	98,475 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220302-037		02/03/2022 10:24	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			425 7		3 798	0	pH (Low/Actual/High)	98,43 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
MIBI-99mTc Lot # K-20220302-040		02/03/2022 10:28	LG	Normal Saline Metanol	Sílica gel 3MM Whatman			620 14		7 787	0	pH (Low/Actual/High)	97,136 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido/Incolor
PSMA-68Ga Lot # K-20220302-017		02/03/2022 06:48	WN	Acetato de amônio 1M:Metanol	Sílica gel			1		51,5	0	pH (Low/Actual/High)	98,095 %	Pass 4,00 <= 5,00 <= 8,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-001		02/03/2022 01:39	WN	Butanona	3MM Whatman			76		5491	0	pH (Low/Actual/High)	98,635 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-002		02/03/2022 03:00	WN	Butanona	3MM Whatman			2		1702	0	pH (Low/Actual/High)	99,883 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-003		02/03/2022 03:54	WN	Butanona	3MM Whatman			2		843	0	pH (Low/Actual/High)	99,763 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-004		02/03/2022 04:19	WN	Butanona	3MM Whatman			1		280	0	pH (Low/Actual/High)	99,644 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-005		02/03/2022 04:50	MB	Butanona	3MM Whatman			37		7857	0	pH (Low/Actual/High)	99,531 %	Pass 5,00 <= 6,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-006		02/03/2022 06:36	WN	Butanona	3MM Whatman			45		4985	0	pH (Low/Actual/High)	99,105 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-007		02/03/2022 06:44	WN	Butanona	3MM Whatman			5		3466	0	pH (Low/Actual/High)	99,856 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220302-009		02/03/2022 07:31	WN	Butanona	3MM Whatman			4		1853	0	pH (Low/Actual/High)	99,785 %	Pass 5,00 <= 5,00 <= 6,00
														Límpido e Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220302-010		02/03/2022 09:04	VSR	Butanona		3MM Whatman		7		2289	0		99,695 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220302-012		02/03/2022 10:01	VSR	Butanona		3MM Whatman		6		1528	0		99,609 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220302-013		02/03/2022 10:13	VSR	Butanona		3MM Whatman		2		1566	0		99,872 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220302-014		02/03/2022 10:18	VSR	Butanona		3MM Whatman		1		1857	0		99,946 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220302-016		02/03/2022 11:05	WG	Butanona		3MM Whatman		23		1165	0		98,064 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220302-017		02/03/2022 11:31	WG	Butanona		3MM Whatman		6		1986	0		99,699 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			
Tecnécio-99m Lot # E-20220302-019		02/03/2022 13:47	WG	Butanona		3MM Whatman		8		742	0		98,933 %	Pass
											pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00	
											Límpido e Incolor			