



Kit Quality Control Report

RPH CENTRAL PHARMA

CNPJ: 19.315.658/0001-10

R: Maestro Cardim, 769 - São Paulo/SP

Farm. RT: Priscila Larcher CRF/SP-74.417

Date: From 07/03/2022 To 07/03/2022

Product:	Manuf:	Calibration	D/T	QC By	Solution	Media	Origin	Middle	Top	Background	Particle Size/ OK?	% Tag	Pass Fail
DMSA-99mTc Lot # K-20220307-016		07/03/2022	04:01	KAF	Butanona Normal Saline	3MM Whatman Sílica gel	409 9		5 172,1	0	pH (Low/Actual/High)	93,823 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220307-029		07/03/2022	07:31	PM	Butanona Normal Saline	3MM Whatman Sílica gel	240,5 3,6		1,1 235,7	0	pH (Low/Actual/High)	98,04 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220307-030		07/03/2022	07:35	PM	Butanona Normal Saline	3MM Whatman Sílica gel	307,4 10,2		1 245,4	0	pH (Low/Actual/High)	95,685 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220307-031		07/03/2022	08:03	PM	Butanona Normal Saline	3MM Whatman Sílica gel	271,2 3,5		3 266,5	0	pH (Low/Actual/High)	97,61 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220307-043		07/03/2022	10:49	LG	Butanona Normal Saline	3MM Whatman Sílica gel	97 2		0,4 94	0	pH (Low/Actual/High)	97,506 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DMSA-99mTc Lot # K-20220307-044		07/03/2022	10:51	LG	Butanona Normal Saline	3MM Whatman Sílica gel	166 8		0,8 161	0	pH (Low/Actual/High)	94,787 %	Pass 2,00 <= 3,00 <= 3,00
						Límpido/Incolor							
DOTATOC-68Ga Lot # K-20220307-036		07/03/2022	09:48	LG	Citrato de Sódio 0,1M	Sílica gel	13		0,3	0	pH (Low/Actual/High)	97,744 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DOTATOC-68Ga Lot # K-20220307-047		07/03/2022	15:59	JS	Citrato de Sódio 0,1M	Sílica gel	30,6		0,2	0	pH (Low/Actual/High)	99,351 %	Pass 4,00 <= 5,00 <= 8,00
						Límpido e Incolor							
DTPA-99mTc Lot # K-20220307-012	RPH	07/03/2022	03:28	KAF	Acetona Normal Saline	3MM Whatman 3MM Whatman	503 9		2 432	0	pH (Low/Actual/High)	97,563 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220307-017	RPH	07/03/2022	04:03	KAF	Acetona Normal Saline	3MM Whatman 3MM Whatman	743 11		3 439	0	pH (Low/Actual/High)	97,153 %	Pass 3,80 <= 6,00 <= 7,50
						Límpido/Incolor							
DTPA-99mTc Lot # K-20220307-045	RPH	07/03/2022	10:54	LG	Acetona Normal Saline	3MM Whatman 3MM Whatman	320 21		2 340	0	pH (Low/Actual/High)	93,562 %	Pass 3,80 <= 5,00 <= 7,50
						Límpido/Incolor							

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
FITATO-99mTc Lot # K-20220307-013	07/03/2022	03:30	KAF	Butanona		3MM Whatman		554,2		1,4	0		99,748 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 7,00
														Límpido/Incolor
FITATO-99mTc Lot # K-20220307-027	07/03/2022	07:01	PM	Butanona		3MM Whatman		313		2	0		99,365 %	Pass
												pH (Low/Actual/High)	5,00 <= 7,00	<= 7,00
														Límpido/Incolor
MAA-99mTc Lot # K-20220307-018	07/03/2022	04:08	KAF	Butanona		3MM Whatman		302,9		1,7	0		99,442 %	Pass
												pH (Low/Actual/High)	3,00 <= 6,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220307-028	07/03/2022	07:03	FN	Butanona		3MM Whatman		106,6		5,3	0		95,264 %	Pass
												pH (Low/Actual/High)	3,00 <= 5,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220307-040	07/03/2022	10:05	LG	Butanona		3MM Whatman		76		2	0		97,436 %	Pass
												pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220307-042	07/03/2022	10:09	LG	Butanona		3MM Whatman		136		0,5	0		99,634 %	Pass
												pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
														Turvo/Incolor
MAA-99mTc Lot # K-20220307-041	07/03/2022	10:09	LG	Butanona		3MM Whatman		86		0,4	0		99,537 %	Pass
												pH (Low/Actual/High)	3,00 <= 3,00	<= 6,00
														Turvo/Incolor
MDP-99mTc Lot # K-20220307-008	07/03/2022	03:19	KAF	Acetona		3MM Whatman		964		3	0		98,956 %	Pass
				Normal Saline		3MM Whatman		7		947		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220307-009	07/03/2022	03:21	KAF	Acetona		3MM Whatman		1138		4	0		99,149 %	Pass
				Normal Saline		3MM Whatman		6		1193		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220307-010	07/03/2022	03:23	KAF	Acetona		3MM Whatman		503		2	0		99,196 %	Pass
				Normal Saline		3MM Whatman		3		732		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220307-011	07/03/2022	03:26	KAF	Acetona		3MM Whatman		1154		6	0		98,378 %	Pass
				Normal Saline		3MM Whatman		12		1074		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220307-020	07/03/2022	04:41	WN	Acetona		3MM Whatman		531		2	0		99,051 %	Pass
				Normal Saline		3MM Whatman		6		1040		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor
MDP-99mTc Lot # K-20220307-023	07/03/2022	06:41	FN	Acetona		3MM Whatman		1079		7	0		99,049 %	Pass
				Normal Saline		3MM Whatman		3		977		pH (Low/Actual/High)	4,00 <= 6,00	<= 7,80
														Límpido/Incolor

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MDP-99mTc Lot # K-20220307-024		07/03/2022 06:43 FN	Acetona Normal Saline		3MM Whatman 3MM Whatman			820 2		2 1174	0 pH (Low/Actual/High)		99,587 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220307-034		07/03/2022 09:03 PM	Acetona Normal Saline		3MM Whatman 3MM Whatman			1959 14		8 1448	0 pH (Low/Actual/High)		98,636 % 4,00 <= 6,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220307-038		07/03/2022 09:57 LG	Acetona Normal Saline		3MM Whatman 3MM Whatman			396 33		0 325	0 pH (Low/Actual/High)		90,782 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MDP-99mTc Lot # K-20220307-039		07/03/2022 10:00 LG	Acetona Normal Saline		3MM Whatman 3MM Whatman			546 17		1 517	0 pH (Low/Actual/High)		96,634 % 4,00 <= 5,00 <= 7,80	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-001		07/03/2022 01:59 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1211 17		15 2409	0 pH (Low/Actual/High)		98,076 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-002		07/03/2022 02:01 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1314 8		30 2062	0 pH (Low/Actual/High)		97,381 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-003		07/03/2022 02:06 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1707 10		47 2342	0 pH (Low/Actual/High)		96,895 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-004		07/03/2022 02:07 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1926 5		27 1981	0 pH (Low/Actual/High)		98,366 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-005		07/03/2022 02:10 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1224 14		47 1223	0 pH (Low/Actual/High)		95,17 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-006		07/03/2022 02:10 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1286 13		18 2140	0 pH (Low/Actual/High)		98,016 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-014		07/03/2022 03:55 KAF	Normal Saline Metanol		Sílica gel 3MM Whatman			1273 21		19 2039	0 pH (Low/Actual/High)		97,51 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-019		07/03/2022 04:39 WN	Normal Saline Metanol		Sílica gel 3MM Whatman			2173 4		11 1381	0 pH (Low/Actual/High)		99,208 % 5,00 <= 6,00 <= 6,00	Pass
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-021		07/03/2022 06:36 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1587 8		25 1542	0 pH (Low/Actual/High)		97,933 % 5,00 <= 5,00 <= 6,00	Pass
Límpido/Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
MIBI-99mTc Lot # K-20220307-022		07/03/2022 06:39 FN	Normal Saline Metanol		Sílica gel 3MM Whatman			1926 8		22 1837	0	pH (Low/Actual/High)	98,437 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-032		07/03/2022 08:11 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2395 31		30 2966	0	pH (Low/Actual/High)	97,729 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-033		07/03/2022 08:58 PM	Normal Saline Metanol		Sílica gel 3MM Whatman			2506 49		16 2845	0	pH (Low/Actual/High)	97,672 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
MIBI-99mTc Lot # K-20220307-037		07/03/2022 09:48 LG	Normal Saline Metanol		Sílica gel 3MM Whatman			677 14		11 736	0	pH (Low/Actual/High)	96,534 %	Pass 5,00 <= 5,00 <= 6,00
Límpido/Incolor														
PIRO-99mTc Lot # K-20220307-026		07/03/2022 06:57 FN	Butanona Normal Saline		3MM Whatman 3MM Whatman			380 12		1 326	0	pH (Low/Actual/High)	96,187 %	Pass 5,00 <= 6,00 <= 7,00
Límpido/Incolor														
PSMA-68Ga Lot # K-20220307-025		07/03/2022 06:51 FN	Acetato de amônio 1M:Metanol		Sílica gel			0,2		22,7	0	pH (Low/Actual/High)	99,127 %	Pass 4,00 <= 6,00 <= 8,00
Límpido e Incolor														
PSMA-68Ga Lot # K-20220307-046		07/03/2022 14:43 JS	Acetato de amônio 1M:Metanol		Sílica gel			0,1		30,2	0	pH (Low/Actual/High)	99,67 %	Pass 4,00 <= 5,00 <= 8,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220307-001		07/03/2022 00:44 FN	Butanona		3MM Whatman			20		8450	0	pH (Low/Actual/High)	99,764 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220307-002		07/03/2022 00:47 FN	Butanona		3MM Whatman			23		8216	0	pH (Low/Actual/High)	99,721 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220307-003		07/03/2022 00:51 FN	Butanona		3MM Whatman			7		4286	0	pH (Low/Actual/High)	99,837 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220307-004		07/03/2022 00:55 FN	Butanona		3MM Whatman			9		4896	0	pH (Low/Actual/High)	99,817 %	Pass 5,00 <= 5,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220307-005		07/03/2022 01:53 KAF	Butanona		3MM Whatman			1		4647	0	pH (Low/Actual/High)	99,978 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														
Tecnécio-99m Lot # E-20220307-006		07/03/2022 01:54 KAF	Butanona		3MM Whatman			7		1340	0	pH (Low/Actual/High)	99,48 %	Pass 5,00 <= 6,00 <= 6,00
Límpido e Incolor														

Product:	Manuf:	Calibration D/T	Solution	Media	Origin	Middle	Top	Solution 2	Media 2	Origin 2	Top 2	% Tag	QC By	Pass Fail
Tecnécio-99m Lot # E-20220307-007		07/03/2022 01:55	KAF	Butanona		3MM Whatman		8		725	0		98,909 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-008		07/03/2022 03:14	KAF	Butanona		3MM Whatman		4		1749	0		99,772 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-009		07/03/2022 03:51	KAF	Butanona		3MM Whatman		1		1015	0		99,902 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-010		07/03/2022 04:36	WN	Butanona		3MM Whatman		5		761	0		99,347 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-011		07/03/2022 06:27	FN	Butanona		3MM Whatman		12		5627	0		99,787 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-012		07/03/2022 06:32	FN	Butanona		3MM Whatman		20		5963	0		99,666 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-014		07/03/2022 08:08	PM	Butanona		3MM Whatman		88		4323	0		98,005 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-015		07/03/2022 08:50	PM	Butanona		3MM Whatman		66		2088	0		96,936 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-016		07/03/2022 09:36	LG	Butanona		3MM Whatman		20		1105	0		98,222 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-017		07/03/2022 09:40	LG	Butanona		3MM Whatman		6		1357	0		99,56 %	Pass
												pH (Low/Actual/High)	5,00 <= 6,00	<= 6,00
														Límpido e Incolor
Tecnécio-99m Lot # E-20220307-019		07/03/2022 10:38	LG	Butanona		3MM Whatman		20		982	0		98,004 %	Pass
												pH (Low/Actual/High)	5,00 <= 5,00	<= 6,00
														Límpido e Incolor